

Pure Freude
an Wasser



	A	B	C
1	x	⊗	x
2	x	x	⊗
3	x	⊗	⊗
4	x	⊗	⊗
5	⊗	⊗	⊗
6	⊗	⊗	⊗
7	⊗	⊗	⊗
8	⊗	⊗	⊗
9	⊗	⊗	⊗
10	⊗	⊗	⊗
11	x	⊗	x
12	x	⊗	x

CATALOGUE 2018

GROHE

TABLE OF CONTENTS

Our brand			8
Turn up your shower experience - GROHE SmartControl			12
GROHE Sense			22
Bath fittings	SmartControl	SmartControl mixers	31
	Fittings	Veris	35
		Allure Brilliant	43
		Allure	51
		Atrio NEW	61
		Atrio	73
		Grandera	85
		Lineare	95
		Eurocube Joy	101
		Eurocube	105
		Europlus	111
		Essence	115
		Eurodisc Joy	127
		Eurodisc Cosmopolitan	131
		Concetto	137
		Eurostyle Cosmopolitan	141
		Eurostyle	147
		Eurosmart Cosmopolitan	155
		Eurosmart	161
		BauEdge	165
		BauLoop	169
		BauFlow	173
		GROHE SilkMove ES	177
	Two Handle fittings	Costa L	183
		Costa S	187
	Universal	Universal tap	191
	Bath sets	Talentofill	193
	Accessories	Selection Cube	197

GROHE

TABLE OF CONTENTS

	Essentials	201	
	Essentials Cube	209	
	BauCosmopolitan	215	
	Essentials Authentic	219	
Thermostats	Grohtherm SmartControl	227	
	Grohtherm F	237	
	Grohtherm 3000 Cosmopolitan	241	
	Grohtherm 2000	249	
	Grohtherm Cube	255	
	Grohtherm 1000 Cosmopolitan M	259	
	Grohtherm 1000	261	
	Grohtherm 800	265	
Concealed solutions	GROHE Rapido T	271	
	GROHE Rapido E	275	
	GROHE Rapido C/concealed valves	277	
Showers	GROHE Digital	F-digital Deluxe	283
		F-digital Controllers	293
		Aquatunes	297
	Shower Systems	Rainshower System SmartControl	299
		Rainshower System	305
		Euphoria System	311
		New Tempesta System	321
		Retro-fit shower system	325
		Shower system accessories	327
	Headshowers	Head and side showers	331
	Showers	Sena	355
		Rainshower	357
		Power&Soul	367
		Movario	375
		Euphoria	377
		New Tempesta	389

GROHE

TABLE OF CONTENTS

		Sena trigger sprays	403
		Tempesta trigger sprays	405
		Shower hoses	409
		Shower accessories	413
Kitchen fittings	Water systems	GROHE Blue Professional	431
		GROHE Blue Home	435
		GROHE Blue Pure	441
		GROHE Blue accessories	445
		GROHE Red	449
	Premium lines	K7	455
		FootControl	457
		Minta / Minta Touch	459
		Zedra / Zedra Touch	463
		Essence	467
		Eurocube	471
	Competence lines	Eurodisc Cosmopolitan	473
		Eurodisc	477
		Concetto	479
		Eurostyle Cosmopolitan	483
		Eurosmart Cosmopolitan	487
		Eurosmart	489
		Euroeco / Euroeco Special	493
		Costa	495
		Bau Lines	497
		Soap dispensers	499

GROHE

TABLE OF CONTENTS

Special fittings	Electronic fittings	Essence E	505	
		Eurocube E	509	
		Bluetooth monitoring	513	
		Europlus E	523	
		Eurosmart Cosmopolitan E	527	
		Euroeco Cosmopolitan E	535	
	Special thermostats	Grohtherm Ergomix	541	
		Grohtherm Micro	545	
		Grohtherm Special	547	
		Automatic 2000	553	
		Grohtherm XL	557	
	Single-lever mixer	Euroeco Special	561	
		Euroeco Single Sequential	567	
	Self-closing fittings	Eurodisc SE	571	
		Eurosmart Cosmopolitan T	575	
Euroeco Cosmopolitan T		577		
Contromix		579		
Shower toilet	Sensia IGS	585		
	Sensia Arena	591		
Ceramics	Bau Ceramic	599		
	Euro Ceramic	607		
	Cube Ceramic	615		
Installation Systems	Rapid SL	Rapid SL for WC	623	
		Rapid SL for urinal	639	
		Rapid SL for wash basin and bidet	643	
		Rapid SL for the disabled	649	
		Rapid SL free-standing installation	653	
		Rapid SL fitting supports	657	
		Rapid SL accessories	659	
	Uniset	Uniset frames and accessories	665	
	Flushing systems	WC	Flushing cisterns	673

GROHE

TABLE OF CONTENTS

		Accessories for flushing cisterns	677
		WC flush valves	687
		Electronic actuations for WC	693
	Urinal	Electronic actuations for urinal	699
		Urinal flush valves	707
Actuations	WC	Wall plates for WC	715
		GROHE Fresh	723
		Wall plates for WC flush valves	725
	Urinal	Wall plates for urinal	727
Connections and Security		Angle valves	733
		WAS valves	735
		Safety systems	739
Spare parts		Spare parts and accessories	745
Survey of contents			753
Discover the world of GROHE			768
A globally connected company			770

PURE FREUDE AN WASSER.

Life-giving, universal, joyful – water itself is the source of inspiration for the whole of our distinctive product portfolio.

Each of these products is always based on our four core values: Quality, Technology, Design and Sustainability. Balancing these in everything we do, allows us to deliver unrivalled water enjoyment to our customers.







QUALITY

GERMAN PERFECTIONISM INSPIRES ULTIMATE CUSTOMER CONFIDENCE.

We strive for an excellence that goes way beyond the surface of our products. In fact, from design to production and customer service we aim for nothing less than perfection at every stage. Our history of great German engineering, rigorous internal tests and numerous external certification processes are what gives our customers complete confidence in a name they can trust.



NO. 1 MOST TRUSTED BRAND BY CONSUMERS
(IN THE SANITARY INDUSTRY)

TECHNOLOGY

MASTERING WATER THROUGH TECHNOLOGY.

In our relentless search for technological innovation we work to integrate the latest digital advances, creating smart solutions that enhance our customers' enjoyment of water. Our in-house experts harness the power of water to enhance the experience of our customers every day – the moment of truth, for our products and brand.



FORTUNE MAGAZINE: AMONG TOP 50
COMPANIES TO "CHANGE THE WORLD"



DESIGN

SIGNATURE ELEMENTS STYLED TO PERFECTION.

An empathetic and intuitive design language offers us the opportunity to create products that feel as if they were designed just for you. This unique GROHE DNA that is both ergonomic and visually distinctive has earned us numerous design awards: world class references are testimony to our world-wide recognition.

300+
DESIGN AWARDS

DESIGN AWARDS
WON SINCE 2003



SUSTAINABILITY

ENSURING WATER ENJOYMENT FOR GENERATIONS TO COME.

Water is as essential as the air that we breathe, one more reason why we are so passionate about it. To be able to offer "Pure Freude an Wasser", not just to today's consumer but for generations to come, we offer sustainable product solutions like GROHE Blue, GROHE EcoJoy and GROHE SilkMove ES, and we demonstrate through our Sustainability Report and Sustainability accolades that we have made a serious corporate commitment to protecting the planet.



Winner 2017

CSR AWARD WINNER OF THE
GERMAN GOVERNMENT

A dark, textured background featuring numerous water droplets of various sizes, creating a sense of freshness and moisture. The droplets are scattered across the entire frame, with some appearing larger and more prominent than others.

TURN UP YOUR **SHOWER EXPERIENCE**

GROHE SMARTCONTROL



GROHE



38



YOU WON'T BELIEVE HOW MUCH **INTELLIGENT CONTROL** IS HIDDEN IN THIS SMART BUTTON

Enjoying a refreshing and personalised shower has never been easier. Just push the button to choose your preferred shower spray and enjoy. Switch whenever you like between a refreshing GROHE PureRain / Rain O² spray, the new TrioMassage spray to massage your head and shoulders, or simply use the Power & Soul hand shower. Perhaps you'd prefer two sprays at the same time? No problem, just activate both buttons.

And showering with GROHE SmartControl is even smarter ... the innovative GROHE SmartControl technology offers spray selection and volume adjustment in one. Turn the GROHE ProGrip handle and alter the volume as you like. Your preferred setting is stored – perfect if you want to pause the shower or till the next time you use it. Smooth and intuitive controls, operated directly from the main shower unit, mean operation is simple and easy for the entire family. Now that's smart.



3 WAYS TO PLAN YOUR **IDEAL** **SHOWER MOMENT**

So that you can create your perfect shower, GROHE offers you three different ways to go about it – giving you maximum freedom to plan and to enjoy. Whether you are thinking of a simple makeover or want to completely redesign your shower area, GROHE has a range of installation solutions to suit all your needs.



01

SMARTCONTROL EXPOSED

GROHE SmartControl Exposed, combined with the striking Rainshower 360 head shower and shower rod, can be installed with minimum fuss for maximum effect.



02

SMARTCONTROL COMBI SHOWER SYSTEM

The "exceeded" solution – no visible shower rod, just the impressive Rainshower 360 head shower and GROHE SmartControl.



03

SMARTCONTROL CONCEALED

Reduce to the max. GROHE SmartControl Concealed is installed behind the wall for a clean, minimalistic look and more freedom of space.

SMART

GROHE
RAPIDO SMARTBOX





DESIGN

GROHE
SMARTCONTROL

SIMPLER INSTALLATION: AN IN-DEPTH LOOK.

FITS IN EVERY WALL – EVEN THIN ONES

With an installation depth of only 75 mm, the GROHE Rapido SmartBox fits into every kind of wall, even particularly narrow ones. And it can be installed faster and more easily into brick walls.

THE ROUGH-IN THAT'S ALWAYS ON THE JOB.

EASY JOB-SIDE MOUNTING – LEAVE THE BENCH VICE AT HOME

GROHE Rapido SmartBox is the smart innovation that enables fast and easy installation of rough-ins. Thanks to brass outlets, which are readily accessible, the rough-in can be mounted using an adjustable spanner or pipe wrench, allowing for efficient, on-site installation.



ONLY 75 MM
INSTALLATION
DEPTH



ONLY PIPE
WRENCH
NEEDED



SLIM IS THE NEW BEAUTIFUL.



43 MM TOTAL OUTREACH

No matter what the installation depth of the rough-in is, the total height of the trim never exceeds 43 mm. The GROHE SmartControl Concealed combines space-saving convenience in the shower and slim good looks.

THINNER WALL PLATES


With a height of only 10 mm, its super slim design makes the GROHE SmartControl Concealed wall plate both elegant and space saving.

HIDDEN SEALING SYSTEM

The GROHE SmartControl Concealed has an integrated sealing system, completely eliminating water behind the wall.

SYMBOLS CAN BE CHANGED

The control knobs come with a range of different symbols, representing the different shower options. These symbols are clear and recognisable and their functionality distinct. They can be individually configured and also easily exchanged if required.





BEFORE A DRIP
BECOMES A FLOOD.

DETECT TO TAKE CARE WITH GROHE SENSE.



GROHE



CONNECTION




WATER ON/OFF

new

22 505 LN0

white

49.99



GROHE Sense

Smart water sensor

for wireless LAN, battery powered
instant flooding alarm
senses room temperature
receive updates on temperature and humidity once a day
customize settings via **GROHE Ondus App** for iOS and Android
status indication via LED light, buzzer and app
for placement on a flat non-conductive surface
supports connections to wireless LAN protected by password of up to 32 characters in length
LongLife Battery: expected lifetime up to 4 years, depending on the use of the water sensor including:

- 1 x water sensor
- 3 x AAA batteries


 CE approved
wireless LAN 2.4 GHz
Made in Germany

new

22 506 LN0

white

24.99



GROHE Sense

Extension set for GROHE Sense 22 505 LN0 for difficult to reach locations

for placement on a flat non-conductive surface or installation on the wall including:

- base plate
- sensor extension cable 1.2 m length
- dowels and screw set


 not included: Smart water sensor 22 505 LN0
CE approved

new

22 502 LN0

white

540.83



GROHE Sense kit Smart water controller + 3 x smart water sensor

consisting of:
Smart water controller for wireless LAN, mains powered, 230 V
3 x Smart water sensor
 for wireless LAN, battery powered
 customize settings via **GROHE Ondus App** for iOS and Android
 status indication via LED light, buzzer and app
 CE approved
 wireless LAN 2.4 GHz
 Made in Germany

1 x GROHE Sense Guard for wireless LAN, mains powered, 230 V

for one family houses
 detects pipe breaks, micro leaks, frost and unusual water flow
 automatic, manual or remote shut off function to limit water damage
 senses flow rate and water pressure
 measures system temperature to indicate frost risk
 valve normally open - without electricity the solenoid valve opens
 customize settings via **GROHE Ondus App** for iOS and Android
 status indication via LED light, buzzer and app
 for horizontal or vertical installation right after the water meter, cold water only
 use of wall mounting set 22 501 000 recommended, sold separately including:

- 1 x water controller with 1" connection
- mounting nuts 3/4"
- extendable power cable 0.7 m length, plug type C


 acoustic group I in accordance with DIN 4109

3 x GROHE Sense

for wireless LAN, battery powered
 instant flooding alarm
 senses room temperature
 receive updates on temperature and humidity once a day
 customize settings via **GROHE Ondus App** for iOS and Android
 status indication via LED light, buzzer and app
 for placement on a flat non-conductive surface
 supports connections to wireless LAN protected by password of up to 32 characters in length
 LongLife Battery: expected lifetime up to 4 years, depending on the use of the water sensor including:

- 1 x water sensor
- 3 x AAA batteries

new



22 500 LN0

white

415.83

**GROHE Sense Guard
Smart water controller
for wireless LAN, mains powered, 230 V**

for one family houses
detects pipe breaks, micro leaks, frost and unusual water flow
automatic, manual or remote shut off function to limit water damage
senses flow rate and water pressure
measures system temperature to indicate frost risk
valve normally open - without electricity the solenoid valve opens
customize settings via **GROHE Ondus App** for iOS and Android
status indication via LED light, buzzer and app
for horizontal or vertical installation right after the water meter, cold water only
use of wall mounting set 22 501 000 recommended, sold separately
including:
• 1 x water controller with 1" connection
• mounting nuts 3/4"
• extendable power cable 0.7 m length, plug type C
CE approved
wireless LAN 2.4 GHz
acoustic group I in accordance with DIN 4109
Made in Germany

new




22 521 LN0

white

*

**GROHE Sense Guard
Power extension cable**
cable length 3 m
for GROHE Sense Guard (all plug types)

new



22 501 000

chrome

66.66

**GROHE Sense Guard
Wall mounting set
for GROHE Sense Guard water controller**
for installation on the wall
for use with 22 500 LN0, 22 502 LN0, 22 503 LN0,
22 504 LN0, 22 513 LN0, 22 517 LN0

Pure Freude
an Wasser



SPECIFIERS' CATALOGUE

2018

EDITION FOR PROFESSIONALS

GROHE
BATH FITTINGS





CONTENTS

SmartControl	SmartControl mixers	31
Fittings	Veris	35
	Allure Brilliant	43
	Allure	51
	Atrio NEW	61
	Atrio	73
	Grandera	85
	Lineare	95
	Eurocube Joy	101
	Eurocube	105
	Europlus	111
	Essence	115
	Eurodisc Joy	127
	Eurodisc Cosmopolitan	131
	Concetto	137
	Eurostyle Cosmopolitan	141
	Eurostyle	147
	Eurosmart Cosmopolitan	155
	Eurosmart	161
	BauEdge	165
	BauLoop	169
	BauFlow	173
	GROHE SilkMove ES	177
Two Handle fittings	Costa L	183
	Costa S	187
Universal	Universal tap	191
Bath sets	Talentofill	193
Accessories	Selection Cube	197
	Essentials	201
	Essentials Cube	209
	BauCosmopolitan	215
	Essentials Authentic	219

GROHE SMARTCONTROL MIXERS




GROHE SMARTCONTROL MIXERS

Ref. No.

Colour

Price netto (€)



29 147 000


chrome

365.00

SmartControl

Concealed mixer with one valve

set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix**
(covered escutcheon and shaft sealing, covered
fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
exchangeable symbols
cartridge for temperature mixing
without roughing-in-set
flow performance:
outlet B/C = 27 l/min



29 148 000


chrome

404.00

SmartControl

Concealed mixer with 2 valves

set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix**
(covered escutcheon and shaft sealing, covered
fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
exchangeable symbols
cartridge for temperature mixing
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet B = 23 l/min
outlet C = 25 l/min



29 149 000


chrome

441.00

SmartControl

Concealed mixer with 3 valves

set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix**
(covered escutcheon and shaft sealing, covered
fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
exchangeable symbols
cartridge for temperature mixing
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet A = 22 l/min
outlet B = 26 l/min
outlet C = 22 l/min



29 144 000

chrome






365.00

SmartControl

Concealed mixer with one valve

set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix**
(covered escutcheon and shaft sealing, covered
fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
exchangeable symbols
cartridge for temperature mixing
without roughing-in-set
flow performance:
outlet B/C = 27 l/min

GROHE SMARTCONTROL MIXERS

	Ref. No.	Colour	Price netto (€)
	29 145 000	chrome	404.00
	<p>SmartControl Concealed mixer with 2 valves set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols cartridge for temperature mixing multiple outlets can be run simultaneously without roughing-in-set flow performance: outlet B = 23 l/min outlet C = 25 l/min</p>		
	29 146 000	chrome	441.00
	<p>SmartControl Concealed mixer with 3 valves set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols cartridge for temperature mixing multiple outlets can be run simultaneously without roughing-in-set flow performance: outlet A = 22 l/min outlet B = 26 l/min outlet C = 22 l/min</p>		
<p>new</p> 	34 709 000	chrome	1,170.00
	<p>SmartControl Perfect shower set consisting of: concealed mixer with 3 valves SmartControl mixer set for final installation (29 146 000) GROHE Rapido SmartBox 35 600 000 Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000) Euphoria Cosmopolitan Stick handshower (27 367 000) Rainshower wall holder (27 074 000) Rainshower wall union 1/2" (27 057 000) Silverflex shower hose 1.500 mm (28 364)</p>		
<p>new</p> 	34 712 000	chrome	1,130.00
	<p>SmartControl Perfect shower set consisting of: concealed mixer with 3 valves SmartControl mixer set for final installation (29 149 000) GROHE Rapido SmartBox 35 600 000 Rainshower 310 SmartActive Cube head shower set (26 479) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000) hand shower Euphoria Cube Stick (27 698 000) Euphoria Cube wall union with integrated shower holder (26 370 000) Silverflex shower hose 1.500 mm (28 364)</p>		
	35 600 000	chrome	66.00
	<p>GROHE Rapido SmartBox Universal rough-in box, 1/2" 3 outlets 1/2" 2 inlets below, 1/2" installation depth 75-105 mm connection unit in DR brass pre-mounted flushing plug stable build-in box and protective cover fixation options for solid walls and dry cladding gasket without set for final installation</p>		

* price upon request

GROHE SMARTCONTROL MIXERS

Ref. No. Colour Price netto (€)




14 055 000 chrome 136.00

Backflow protection combination (DIN-EN1717)
fits Grohtherm SmartControl and SmartControl mixer sets for final installation with 2 valves
retrofit set for protection against backflow in combination with integrated inlet-, pop-up and waste systems
replaces separate pipe interrupter for residential use




14 053 00M chrome 42.00

Service stops
fits Grohtherm SmartControl and SmartControl Mixer sets for final installation in combination with GROHE Rapido SmartBox
packaging unit: 2 pieces



14 048 000 chrome 126.00

Universal extension set
25 mm
fits Grohtherm SmartControl and SmartControl Mixer sets for final installation in combination with GROHE Rapido SmartBox













47 790 000 chrome 56.00

Rapido Connection Set
fits to Rapido T (35 500), Rapido E (35 501) and Rapido SmartBox (35 600)
VA approved
2 pcs./unit








GROHE VERIS




GROHE VERIS

	Ref. No.	Colour	Price netto (€)	
		32 183 000	chrome	392.00
	<p>Veris Single-lever basin mixer 1/2" S-Size single hole installation GROHE SilkMove 28 mm ceramic cartridge GROHE StarLight chrome finish SpeedClean mousseur, pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar</p>	32 186 000	chrome	392.00
		ditto, smooth body		
		23 064 000	chrome	526.00
	<p>Veris Single-lever basin mixer 1/2" M-Size single hole installation GROHE SilkMove 28 mm ceramic cartridge GROHE StarLight chrome finish SpeedClean mousseur pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar</p>	23 065 000	chrome	526.00
		ditto, smooth body		
		32 184 000	chrome	623.00
	<p>Veris Single-lever basin mixer 1/2" L-Size single hole installation GROHE SilkMove 28 mm ceramic cartridge GROHE StarLight chrome finish SpeedClean mousseur swivel spout, stop limiter pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar</p>	32 187 000	chrome	623.00
		ditto, smooth body		
		20 181 000	chrome	638.00
	<p>Veris Three-hole basin mixer 1/2" S-Size wall mounted set for final installation for 29 025 000 without concealed body valves hot/cold with ceramic headparts 1/2" - 90° GROHE StarLight chrome finish SpeedClean mousseur centre distance 200 mm projection 170 mm</p>	29 025 000	chrome	232.00
		Two-handle basin mixer concealed body, 1/2" for 3-hole wash-basin mixer wall installation without finishing trim set Installation depth 43 - 85 mm DR-brass installation device		
				

GROHE VERIS

	Ref. No.	Colour	Price netto (€)
 	19 342 000	chrome	638.00
	Veris Two-hole basin mixer S-Size wall mounted set for final installation for 32 635 000 without concealed body separate escutcheons Ø 60 mm GROHE StarLight chrome finish SpeedClean mousseur centre distance 110 mm projection 170 mm		
	19 388 000	chrome	696.00
	ditto, projection 220 mm		
 	32 635 000	chrome	229.00
	Single-lever mixer 1/2", concealed body for 2-hole basin mixers wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter installation depth 45 to 75 mm DR-brass min. recommended pressure 1.0 bar installation device		
 	32 193 000	chrome	392.00
	Veris Single-lever bidet mixer 1/2" M-Size single hole installation GROHE SilkMove 28 mm ceramic cartridge GROHE StarLight chrome finish rapid installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar		
 	19 369 000	chrome	543.00
	Veris Thermostatic shower mixer set for final installation for GROHE Rapido T 35 500 000 without concealed body GROHE StarLight chrome finish GROHE SafeStop Plus optional temperature limiter at 43°C included volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) Carbodur ceramic headparts 1/2", 180° wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon metal handles		
	35 500 000	chrome	239.00
	GROHE Rapido T Universal thermostatic mixer for concealed installation		

19 364 000 chrome 650.00




Veris
Thermostat with integrated 2-way diverter for bath or shower with more than one outlet
 set for final installation for
 GROHE Rapido T 35 500 000
 without concealed body
GROHE StarLight chrome finish
GROHE SafeStop Plus optional temperature limiter at 43°C included
 Aquadimmer with multiple function
 shut off and flow control
 diverter for 2 outlets
 wall escutcheon with **GROHE QuickFix** (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon
 metal handles

35 500 000 chrome 239.00


GROHE Rapido T Universal thermostatic mixer for concealed installation

19 373 000 chrome 1,390.00



Veris
Four-hole single-lever bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 consisting of:
 pre-assembled spout fixing
 OHM operating element,
 diverter bath/shower
 GROHE Ondus hand shower 27 184
 metal shower hose 2000 mm
 flexible connection hoses
 connection for shower hose
 protected against backflow

29 037 000 chrome 734.00




4/5-hole bath combination (optional) baseframe for installation under tiled surround
 consisting of:
 base frame
 drainage box with integrated outlet for splash water

45 388 000 chrome 130.00











Supporting legs for baseframe

32 222 001 chrome 2,050.00



Veris
Single-lever bath mixer 1/2", floor mounted
 set for final installation for
 45 984
 without roughing-in-set
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 automatic diverter: bath/shower
 swivel spout with mousseur and stop limiter
 projection 295 mm
 integrated non-return valve in the shower outlet 1/2"
 with shower holder
 GROHE Ondus hand shower 27 184
 shower hose 1500 mm
 protected against backflow
 min. recommended pressure 1.0 bar
 requires rough-in set 29 038

GROHE VERIS


		Ref. No.	Colour	Price netto (€)
		13 245 000	chrome	1,390.00
<p>Veris Bath spout, floor mounted set for final installation for 45 984 without roughing-in-set GROHE StarLight chrome finish spout with mousseur projection 295 mm Total height 1037 mm max. flow rate 7 gpm at 26.5 l/min</p>				
		45 984 001	chrome	433.00
<p>Rough-in set 1/2" for floor-mounted bath mixers/spouts and shower mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm installation depth 65-157 mm for shower mixers, depth compensation 92 mm two 1/2" female connections (hot/cold supplies) flushing plug gasket fixing material</p>				
		29 086 000	chrome	*
<p>Rough-in set 1/2" for floor-mounted tub spouts and mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 47-151 mm depth compensation 104 mm two 1/2" female connections (hot/cold supplies) flushing plug</p>				
		13 242 000	chrome	267.00
<p>Veris Bath spout wall mounted GROHE StarLight chrome finish mousseur projection 170 mm min. recommended pressure 1.0 bar</p>				
		19 448 000	chrome	260.00
<p>5-way diverter set for final installation for 29 033 without concealed body bayonet union escutcheon installation depth infinitely adjustable 66 - 113 mm</p>				

GROHE VERIS

Ref. No.

Colour

Price netto (€)




29 033 000

chrome

261.00

5-way diverter
concealed body
wall installation
with ceramic sealing discs
connection cold and hot 1/2"
2 outlets 1/2"
1 bath outlet 3/4"
installation depth infinitely adjustable
66 - 113 mm
DR-brass
min. recommended pressure 1.0 bar



19 444 000

chrome

131.00

Concealed valve exposed part
set for final installation for
29 032 000
35 028 000
installation depth infinitely adjustable
43 - 91 mm
bayonet union escutcheon

GROHE VERIS


		Ref. No.	Colour	Price netto (€)
		40 376 000 Veris Holder for glass, soap dish or soap dispenser without glass, soap dish or soap dispenser	chrome	95.83
		40 389 000 Soap dispenser	chrome	43.33
		40 376 000 Veris Holder for glass, soap dish or soap dispenser without glass, soap dish or soap dispenser	chrome	95.83
		40 390 000 Glass	chrome	46.66
		40 376 000 Veris Holder for glass, soap dish or soap dispenser without glass, soap dish or soap dispenser	chrome	95.83
		40 391 000 Soap dish	chrome	46.66
		40 379 000 Veris Towel ring	chrome	120.83
		40 378 000 Veris Robe hook	chrome	54.16
		40 377 000 Veris Toilet paper holder without cover	chrome	141.66

GROHE VERIS

Ref. No.

Colour

Price netto (€)



40 380 000

chrome

199.17


Veris
Toilet brush set
wall model
satin glass

GROHE ALLURE BRILLIANT




GROHE ALLURE BRILLIANT

Ref. No.	Colour	Price netto (€)
23 029 000	chrome	571.00
23 029 BE0	polished nickel	688.00
23 029 EN0	brushed nickel	688.00
23 029 GL0	cool sunrise	675.00
23 029 GN0	brushed cool sunrise	688.00
23 029 DA0	warm sunset	675.00
23 029 DL0	brushed warm sunset	688.00
23 029 A00	hard graphite	675.00
23 029 AL0	brushed hard graphite	688.00



Allure Brilliant
Single-lever basin mixer 1/2"
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter, GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
GROHE QuickFix installation system
spout with integrated mousseur
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar


23 033 000	chrome	571.00
ditto, smooth body		



23 109 000	chrome	710.00
------------	--------	--------


Allure Brilliant
Single-lever basin mixer 1/2"
L-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter, GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
GROHE QuickFix installation system
spout with integrated mousseur
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar

23 112 000	chrome	710.00
ditto, smooth body		



23 114 000	chrome	879.00
------------	--------	--------

Allure Brilliant
Single-lever basin mixer 1/2"
XL-Size
single hole installation
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
GROHE QuickFix installation system
spout with integrated mousseur
smooth body
flexible connection hoses
min. recommended pressure 1.0 bar




29 086 000	chrome	*
------------	--------	---

Rough-in set 1/2"
for floor-mounted tub spouts and mixers
without finishing trim set
installation plate with 360° horizontal and
3° vertical adjustment
installation depth 47-151 mm
depth compensation 104 mm
two 1/2" female connections (hot/cold supplies)
flushing plug


GROHE ALLURE BRILLIANT

Ref. No. Colour Price netto (€)




20 344 000	chrome	793.00
20 344 GL0	cool sunrise	984.00
20 344 DA0	warm sunset	984.00
20 344 A00	hard graphite	1,070.00
20 344 AL0	brushed hard graphite	1,000.00

Allure Brilliant
Three-hole basin mixer 1/2"
M-Size
 ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
 GROHE EcoJoy 5.0 l/min. flow limiter
 spout with integrated mousseur
 pop-up waste set 1 1/4"
 pressure-proof, flexible connection hoses
 between spout and side valves
 min. recommended pressure 1.0 bar



20 342 000	chrome	664.00
------------	--------	--------


Allure Brilliant
Three-hole basin mixer 1/2"
S-Size
 ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
 GROHE EcoJoy 5.0 l/min. flow limiter
 low spout with integrated mousseur
 pop-up waste set 1 1/4"
 pressure-proof, flexible connection hoses
 between spout and side valves
 min. recommended pressure 1.0 bar



20 346 000	chrome	725.00
------------	--------	--------


Allure Brilliant
Three-hole basin mixer 1/2"
S-Size
 wall mounted
 without concealed body
 set for final installation for
 29 025 000
 valves hot/cold with ceramic headparts 1/2" - 90°
GROHE StarLight chrome finish
 GROHE EcoJoy 5.0 l/min. flow limiter
 projection 161 mm
 min. recommended pressure 1.0 bar

20 348 000	chrome	770.00
ditto, projection 210 mm		



29 025 000	chrome	232.00
------------	--------	--------

Two-handle basin mixer
concealed body, 1/2"
 for 3-hole wash-basin mixer
 wall installation
 without finishing trim set
 Installation depth 43 - 85 mm
 DR-brass
 installation device





19 781 000	chrome	660.00
------------	--------	--------



Allure Brilliant
Two-hole basin mixer
S-Size
 wall mounted
 without concealed body
 set for final installation for
 23 200 000
GROHE StarLight chrome finish
 GROHE EcoJoy 5.0 l/min. flow limiter
 spout with integrated mousseur
 centre distance 110 mm
 projection 161 mm
 min. recommended pressure 1.0 bar



19 783 000	chrome	740.00
ditto, projection 210 mm		



GROHE ALLURE BRILLIANT



Ref. No. Colour Price netto (€)

		<p>23 200 000 chrome</p> <p>Single-lever mixer 1/2", concealed body for 2-hole basin mixers wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter installation depth 45 to 75 mm DR-brass installation device</p>	<p>230.00</p>
---	---	--	----------------------

		<p>23 117 000 chrome</p> <p>Allure Brilliant Single-lever bidet mixer 1/2" M-Size single hole installation GROHE SilkMove 28 mm ceramic cartridge temperature limiter GROHE StarLight chrome finish GROHE QuickFix installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses</p>	<p>648.00</p>
---	---	--	----------------------





		<p>19 789 000 chrome</p> <p>Allure Brilliant Single-lever shower mixer set for final installation for 35 501 000 without concealed body GROHE StarLight chrome finish escutcheon- and shaft-sealing metal escutcheon covered coupling</p>	<p>436.00</p>
		<p>35 501 000 chrome</p> <p>GROHE Rapido E Universal single-lever mixer for concealed installation</p>	<p>100.00</p>

		<p>19 785 000 chrome</p> <p>Allure Brilliant Single-lever bath mixer set for final installation for 35 501 000 without concealed body GROHE StarLight chrome finish automatic diverter: bath/shower escutcheon- and shaft-sealing metal escutcheon covered coupling</p>	<p>478.00</p>
		<p>35 501 000 chrome</p> <p>GROHE Rapido E Universal single-lever mixer for concealed installation</p>	<p>100.00</p>

		<p>46 191 000 chrome</p> <p>Extension set 25 mm for universal single-lever mixer for concealed installation 1/2" for use with bath and shower mixer for use with all trim set designs and surfaces</p>	<p>94.00</p>
---	---	--	---------------------


GROHE ALLURE BRILLIANT

Ref. No. Colour Price netto (€)

	<p>46 343 000 chrome 264.00</p> <p>Extension set 50 mm for universal single-lever mixer for concealed installation 1/2" for use with bath and shower mixer for use with all trim set designs and surfaces</p>
	<p>19 792 000 chrome 819.00 19 792 BE0 polished nickel 985.00 19 792 EN0 brushed nickel 985.00 19 792 GL0 cool sunrise 985.00 19 792 GN0 brushed cool sunrise 985.00 19 792 DA0 warm sunset 1,040.00 19 792 DL0 brushed warm sunset 985.00 19 792 A00 hard graphite 1,040.00 19 792 AL0 brushed hard graphite 985.00</p> <p>Allure Brilliant Thermostat with integrated 2-way diverter for bath or shower with more than one outlet set for final installation for GROHE Rapido T 35 500 000 without concealed body GROHE StarLight chrome finish GROHE SafeStop Plus optional temperature limiter at 43°C included Aquadimmer with multiple function - flow control diverter for 2 outlets wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal handles</p> <p>35 500 000 chrome 239.00 GROHE Rapido T Universal thermostatic mixer for concealed installation</p>
	<p>29 037 000 chrome 734.00</p> <p>4/5-hole bath combination (optional) baseframe for installation under tiled surround consisting of: base frame drainage box with integrated outlet for splash water</p> <p>45 388 000 chrome 130.00 Supporting legs for baseframe</p>
	<p>23 119 000 chrome 2,560.00 23 119 DA0 warm sunset 3,300.00 23 119 A00 hard graphite 3,300.00</p> <p>Allure Brilliant Single-lever bath mixer 1/2", floor mounted set for final installation for 45 984 without roughing-in-set GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish automatic diverter: bath/shower spout with integrated mousseur projection 270 mm integrated non-return valve in the shower outlet 1/2" with shower holder hand shower Euphoria Cube+ metal shower hose 1250 mm protected against backflow</p>


GROHE ALLURE BRILLIANT

Ref. No. Colour Price netto (€)




13 301 000 chrome 1,450.00

Allure Brilliant
Bath spout, floor mounted
set for final installation for
45 984
without roughing-in-set
GROHE StarLight chrome finish
spout with integrated mousseur
Total height 1070 mm
projection 270 mm




13 299 000 chrome 305.00

Allure Brilliant
Bath spout
wall mounted
GROHE StarLight chrome finish
projection 161 mm
spout with integrated mousseur




19 798 000 chrome 262.00

Allure Brilliant
5-way diverter
set for final installation for
29 033
without concealed body
GROHE StarLight chrome finish
installation depth infinitely adjustable
66 - 113 mm



29 033 000 chrome 261.00

5-way diverter
concealed body
wall installation
with ceramic sealing discs
connection cold and hot 1/2"
2 outlets 1/2"
1 bath outlet 3/4"
installation depth infinitely adjustable
66 - 113 mm
DR-brass
min. recommended pressure 1.0 bar






19 796 000 chrome 188.00

Allure Brilliant
Concealed valve exposed part
set for final installation for
29 032 000 (preassembled headpart 1/2")
29 068 000 (preassembled ceramic headpart 1/2" -
not to be used for the main line shut-off)
35 028 000
GROHE StarLight chrome finish
installation depth infinitely adjustable
43 - 91 mm

GROHE ALLURE BRILLIANT

	Ref. No.	Colour	Price netto (€)
 	40 494 000	chrome	332.50
<p>Allure Brilliant Holder with soap dispenser GROHE StarLight chrome finish</p>			
 	40 493 000	chrome	215.83
<p>Allure Brilliant Holder with tumbler GROHE StarLight chrome finish</p>			
 	40 503 000	chrome	257.50
<p>Allure Brilliant Shelf with tumbler GROHE StarLight chrome finish</p>			
 	40 504 000	chrome	257.50
<p>Allure Brilliant Shelf with soap dish GROHE StarLight chrome finish</p>			
 	40 496 000	chrome	182.50
<p>Allure Brilliant Towel bar 2 parts GROHE StarLight chrome finish length 431 mm non swivelling</p>			
 	40 497 000	chrome	207.50
<p>Allure Brilliant Towel rail 600 mm GROHE StarLight chrome finish</p>			

GROHE ALLURE BRILLIANT


	Ref. No.	Colour	Price netto (€)
	<p>40 498 000</p> <p>Allure Brilliant Robe hook GROHE StarLight chrome finish</p>	<p>chrome</p>	<p>87.49</p>
	<p>40 499 000</p> <p>Allure Brilliant Toilet paper holder GROHE StarLight chrome finish</p>	<p>chrome</p>	<p>174.17</p>
	<p>40 500 000</p> <p>Allure Brilliant Toilet brush set GROHE StarLight chrome finish</p>	<p>chrome</p>	<p>282.50</p>

GROHE ALLURE



GROHE ALLURE


Ref. No. Colour Price netto (€)



32 757 000 chrome 415.00

Allure
Single-lever basin mixer 1/2"
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy 6.0 l/min. flow limiter
rapid installation system
mousseur
pop-up waste set 1 1/4"
flexible connection hoses


32 759 000 chrome 463.00
ditto, smooth body



32 146 000 chrome 485.00


Allure
Single-lever basin mixer 1/2"
L-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy 6.0 l/min. flow limiter
rapid installation system
mousseur
U - spout
pop-up waste set 1 1/4"
flexible connection hoses

23 076 000 chrome 485.00
ditto, without pop-up waste set




32 760 000 chrome 789.00

Allure
Single-lever basin mixer 1/2"
XL-Size
single hole installation
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy 6.0 l/min. flow limiter
rapid installation system
mousseur
pop-up waste set 1 1/4"
flexible connection hoses
projection 104 mm
min. recommended pressure 1.0 bar



23 403 000 chrome 715.00

Allure
Single-lever basin mixer 1/2"
XL-Size
single hole installation
metal lever
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy 6.0 l/min. flow limiter
GROHE QuickFix Plus installation system
smooth body
projection 180 mm
flexible connection hoses
temperature limiter
min. recommended pressure 1.0 bar




32 249 000 chrome 864.00

Allure
Single-lever basin mixer 1/2"
XL-Size
single hole installation
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy 6.0 l/min. flow limiter
rapid installation system
mousseur
U - spout
pop-up waste set 1 1/4"
flexible connection hoses


GROHE ALLURE

	Ref. No.	Colour	Price netto (€)
 	20 143 000	chrome	721.00
<p>Allure Three-hole basin mixer 1/2" M-Size with metal plate GROHE StarLight chrome finish Carbodur ceramic headpart 1/2", 180° flow limiter 8 l/min. spout with mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves min. recommended pressure 1.0 bar</p>			
 	20 188 000	chrome	721.00
<p>Allure Three-hole basin mixer 1/2" M-Size with lever handles metal escutcheon ceramic headparts 1/2", 90° GROHE StarLight chrome finish flow limiter 8 l/min. spout with mousseur pressure-proof, flexible connection hoses between spout and side valves pop-up waste set 1 1/4"</p>			
 	20 190 000	chrome	635.00
<p>Allure Three-hole basin mixer 1/2" S-Size wall mounted without concealed body set for final installation for 32 706 000 with metal plate valves hot/cold with Carbodur ceramic headparts 1/2" - 180° GROHE StarLight chrome finish flow limiter 8 l/min. spout with mousseur, centre distance 200 mm projection 172 mm,</p>			
	20 192 000	chrome	679.00
<p>ditto, projection 220 mm</p>			
 	32 706 000	chrome	229.00
<p>Two-handle basin mixer concealed body, 1/2" for 3-hole wash-basin mixer wall installation without finishing trim set installation depth 30 - 75 mm DR-brass installation device</p>			
 	20 189 000	chrome	635.00
<p>Allure Three-hole basin mixer 1/2" S-Size wall mounted without concealed body set for final installation for 29 025 000 with lever handles, with metal plate valves hot/cold with ceramic headparts 1/2" - 90° GROHE StarLight chrome finish flow limiter 8 l/min. spout with mousseur, centre distance 200 mm projection 172 mm,</p>			
	20 193 000	chrome	679.00
<p>ditto, projection 220 mm</p>			


Ref. No. Colour Price netto (€)




29 025 000 **chrome** **232.00**
Two-handle basin mixer concealed body, 1/2"
 for 3-hole wash-basin mixer
 wall installation
 without finishing trim set
 Installation depth 43 - 85 mm
 DR-brass
 installation device




19 309 000 **chrome** **635.00**
Allure
Two-hole basin mixer S-Size
 wall mounted
 without concealed body
 set for final installation for 33 769 000
 with metal plate
GROHE StarLight chrome finish
 flow limiter 8 l/min.
 spout with mousseur, centre distance 110 mm
 projection 172 mm
19 386 000 **chrome** **679.00**
ditto, projection 220 mm



33 769 000 **chrome** **246.00**
Single-lever mixer 1/2", concealed body
 for 2-hole basin mixers
 wall installation
 without finishing trim set
GROHE SilkMove 46 mm ceramic cartridge
 adjustable flow rate limiter
 installation depth 45 to 75 mm
 installation device












32 147 000 **chrome** **415.00**
Allure
Single-lever bidet mixer 1/2"
M-Size
 single hole installation
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
 rapid installation system
 ball-joint mousseur
 pop-up waste set 1 1/4"
 flexible connection hoses



19 380 000 **chrome** **571.00**
Allure
Thermostatic shower mixer
 set for final installation for GROHE Rapido T 35 500 000
GROHE StarLight chrome finish
 temperature scale handle with GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
 volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
 escutcheon- and shaft-sealing
 metal handles
 metal escutcheon
 covered fixing
 Carborund ceramic headpart 1/2", 180°
 without concealed body
35 500 000 **chrome** **239.00**
GROHE Rapido T Universal thermostatic mixer for concealed installation


GROHE ALLURE

	Ref. No.	Colour	Price netto (€)
 	19 446 000	chrome	650.00
<p>Allure Thermostat with integrated 2-way diverter for bath or shower with more than one outlet set for final installation for GROHE Rapido T 35 500 000 GROHE StarLight chrome finish temperature scale handle with GROHE SafeStop at 38°C GROHE SafeStop Plus optional temperature limiter at 43°C included shut off and flow control Aquadimmer with multiple function diverter for 2 outlets escutcheon- and shaft-sealing metal handles metal escutcheon covered coupling without concealed body</p>			
	35 500 000	chrome	239.00
<p>GROHE Rapido T Universal thermostatic mixer for concealed installation</p>			
 	19 316 000	chrome	1,220.00
<p>Allure Three-hole single-lever bath combination for installation under tiled surround GROHE StarLight chrome finish trim set for 33 339 without baseframe consisting of: OHM operating element, bath inlet with automatic diverter bath/shower hand shower Sena (28 034 000) metal shower hose 2000 mm min. recommended pressure 1.0 bar</p>			
 	33 339 000	chrome	793.00
<p>Three-hole single-lever bath combination baseframe for installation under tiled surround without finishing trim set consisting of: mounting plate and base frame GROHE SilkMove 46 mm cartridge and spout fixing pre-assembled flexible connection hoses connection for shower hose drainage box with integrated outlet for splash water protected against backflow</p>			
	45 388 000	chrome	130.00
<p>Supporting legs for baseframe</p>			
 	13 218 000	chrome	1,360.00
<p>Allure Bath spout, floor mounted set for final installation for 45 984 without roughing-in-set GROHE StarLight chrome finish spout with mousseur projection 300 mm Total height 910 mm min. recommended pressure 1.0 bar</p>			




45 984 001 **chrome** **433.00**

Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm
installation depth 65-157 mm for shower mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
gasket
fixing material




29 086 000 **chrome** *

Rough-in set 1/2"
for floor-mounted tub spouts and mixers without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 47-151 mm
depth compensation 104 mm
two 1/2" female connections (hot/cold supplies)
flushing plug




13 317 000 **chrome** **717.00**

Allure
Cascade spout for bath and shower
wall mounted
GROHE StarLight chrome finish
projection 180 mm
min. recommended pressure 1.0 bar




13 264 000 **chrome** **259.00**

Allure
Bath spout 3/4"
wall mounted
GROHE StarLight chrome finish
projection 172 mm
mousseur
min. recommended pressure 1.0 bar



19 590 000 **chrome** **195.00**





Allure
5-way diverter
set for final installation for 29 033
without concealed body
bayonet union escutcheon
installation depth infinitely adjustable
66 - 113 mm
only for use with concealed body
GROHE StarLight chrome finish








29 033 000 **chrome** **261.00**

5-way diverter
concealed body
wall installation
with ceramic sealing discs
connection cold and hot 1/2"
2 outlets 1/2"
1 bath outlet 3/4"
installation depth infinitely adjustable
66 - 113 mm
DR-brass
min. recommended pressure 1.0 bar







GROHE ALLURE

	Ref. No.	Colour	Price netto (€)
 	19 334 000	chrome	132.00
<p>Allure Concealed valve exposed part set for final installation for 35 028 000 for GROHE concealed valves, 1/2", 3/4", 1" installation depth infinitely adjustable 20-80 mm escutcheon with screwable wall sealing without concealed body GROHE StarLight chrome finish</p>			
 	19 384 000	chrome	132.00
<p>Allure Concealed valve exposed part with lever handle set for final installation for 29 032 35 028 000 installation depth infinitely adjustable 43 - 91 mm metal escutcheon without concealed body GROHE StarLight chrome finish</p>			
	35 028 000	chrome	132.00
<p>GROHE Rapido C rough-in box for single volume control</p>			

GROHE ALLURE

	Ref. No.	Colour	Price netto (€)
 	40 363 000	chrome	182.50
<p>Allure Soap dispenser wall model complete with holder and tank GROHE StarLight chrome finish</p>			
 	40 278 000	chrome	83.33
<p>Allure Holder for glass or soap dish without glass GROHE StarLight chrome finish</p>			
	40 254 000	chrome	28.33
<p>Glass</p>			
 	40 278 000	chrome	83.33
<p>Allure Holder for glass or soap dish without glass GROHE StarLight chrome finish</p>			
	40 256 000	chrome	40.41
<p>Soap dish</p>			
 	40 339 000	chrome	112.49
<p>Allure Towel ring GROHE StarLight chrome finish</p>			
 	40 342 000	chrome	166.66
<p>Allure Towel bar 2 parts swivelling GROHE StarLight chrome finish length 426 mm</p>			
 	40 341 000	chrome	166.66
<p>Allure Towel rail 600 mm GROHE StarLight chrome finish</p>			

GROHE ALLURE

	Ref. No.	Colour	Price netto (€)
 	40 284 000 Allure Robe hook GROHE StarLight chrome finish	chrome	46.24
 	40 279 000 Allure Toilet paper holder without cover GROHE StarLight chrome finish	chrome	112.49
 	40 340 000 Allure Toilet brush set wall model GROHE StarLight chrome finish 40 207 000 Spare brush head 40 206 000 Spare brush 40 265 000 Spare glass for brush	chrome	182.50
		chrome	14.00
		chrome	50.00
		chrome	84.00

GROHE ATRIO

new




GROHE ATRIO

Ref. No.

Colour

Price netto (€)

new




32 043 003
32 043 DC3
32 043 AL3

chrome *
supersteel *
brushed hard graphite *

Atrio
Single-lever basin mixer 1/2"
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular C-spout with mousseur
stop limiter
Push-open waste set 1 1/4"
flexible connection hoses

new




32 042 003
32 042 DC3
32 042 AL3

chrome *
supersteel *
brushed hard graphite *

Atrio
Single-lever basin mixer 1/2"
L-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular C-spout with mousseur
stop limiter
Push-open waste set 1 1/4"
flexible connection hoses

new




32 647 003
32 647 DC3
32 647 AL3

chrome *
supersteel *
brushed hard graphite *

Atrio
Single-lever basin mixer 1/2"
XL-Size
single hole installation
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular C-spout with mousseur
stop limiter
Push-open waste set 1 1/4"
flexible connection hoses

new




19 287 003
19 287 DC3
19 287 AL3

chrome *
supersteel *
brushed hard graphite *

Atrio
Two-hole basin mixer joystick
wall mounted
without concealed body
set for final installation for
23 429 000
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
centre distance 110 mm
projection 185 mm

new




19 918 003
19 918 DC3
19 918 AL3

chrome *
supersteel *
brushed hard graphite *

Atrio
Two-hole basin mixer joystick
wall mounted
without concealed body
set for final installation for
23 429 000
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
centre distance 110 mm
projection 221 mm

GROHE ATRIO


Ref. No. Colour Price netto (€)



23 429 000 chrome 231.00

Joystick mixer 1/2", concealed body
for 2-hole basin mixers
without finishing trim set
GROHE FeatherControl Joystick cartridge
wall installation
installation device
DR-brass


new



32 108 003 chrome *
32 108 DC3 supersteel *
32 108 AL3 brushed hard graphite *

Atrio
Single-lever bidet mixer 1/2"
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
rapid installation system
tubular C-spout with ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses


new



32 650 003 chrome *
32 650 DC3 supersteel *
32 650 AL3 brushed hard graphite *

Atrio
Single-lever shower mixer 1/2"
wall mounted
GROHE SilkMove 35 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2"
with integrated non return-valve
covered S-unions
protected against backflow


new



32 652 003 chrome *
32 652 DC3 supersteel *
32 652 AL3 brushed hard graphite *

Atrio
Single-lever bath mixer 1/2"
wall mounted
GROHE SilkMove 35 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
cast spout
mousseur
shower bottom outlet 1/2"
with integrated non return-valve
covered S-unions
protected against backflow

new



32 653 003 chrome *
32 653 DC3 supersteel *
32 653 AL3 brushed hard graphite *


Atrio
Single-lever bath mixer, floor mounted
set for final installation for
45 984
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
spout with mousseur
projection 301 mm
integrated non-return valve in the shower outlet 1/2"
with shower holder
hand shower Sena Stick (26 465)
Silverflex shower hose 1250 mm
protected against backflow

GROHE ATRIO

Ref. No.

Colour

Price netto (€)



45 984 001

chrome

433.00


Rough-in set 1/2"

for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and
3° vertical adjustment
installation depth 53-157 mm for bath mixers/
spouts, depth compensation 104 mm
installation depth 65-157 mm for shower
mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
gasket
fixing material

GROHE ATRIO

Ref. No. Colour Price netto (€)


new



- 20 021 003 chrome *
- 20 021 DC3 supersteel *
- 20 021 AL3 brushed hard graphite *

Atrio
Pillar tap 1/2"
XS-Size
 Headpart 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
 rapid installation system
 mousseur
 fixed spout
 flexible connection hoses
 with lever handle


new



- 21 022 003 chrome *
- 21 022 DC3 supersteel *
- 21 022 AL3 brushed hard graphite *

Atrio
One-hole basin mixer, 1/2"
L-Size
 ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
 rapid installation system
 swivel tubular spout
 with mousseur and stop limiter
 Push-open waste set 1 1/4"
 flexible connection hoses
 with lever handles
 Two different sets of caps included. One set with
 „H" and „C" marking, one set without marking.


new



- 21 019 003 chrome *
- 21 019 DC3 supersteel *
- 21 019 AL3 brushed hard graphite *

Atrio
One-hole basin mixer, 1/2"
L-Size
 ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
 rapid installation system
 swivel tubular spout
 with mousseur and stop limiter
 Push-open waste set 1 1/4"
 flexible connection hoses
 with cross handles
 Two different sets of caps included. One set with
 „H" and „C" marking, one set without marking.

new



- 21 044 003 chrome *
- 21 044 AL3 brushed hard graphite *

Atrio
One-hole basin mixer, 1/2"
XL-Size
for free-standing basins
 ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
 rapid installation system
 swivel tubular spout
 with mousseur and stop limiter
 Push-open waste set 1 1/4"
 flexible connection hoses
 with cross handles
 Two different sets of caps included. One set with
 „H" and „C" marking, one set without marking.


GROHE ATRIO

Ref. No.

Colour

Price netto (€)

new



20 009 003
20 009 DC3
20 009 AL3


chrome
supersteel
brushed hard graphite

*
*
*

Atrio
Three-hole basin mixer 1/2"
M-Size

ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular spout
with mousseur and stop limiter
pop-up waste set 1 1/4"
flexible connection hoses between spout and side valves
with lever handles
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.

new



20 008 003
20 008 DC3
20 008 AL3


chrome
supersteel
brushed hard graphite

*
*
*

Atrio
Three-hole basin mixer 1/2"
M-Size

ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular spout
with mousseur and stop limiter
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves
with cross handles
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.

new



20 169 003
20 169 DC3
20 169 AL3


chrome
supersteel
brushed hard graphite

*
*
*

Atrio
Three-hole basin mixer 1/2"
S-Size

wall mounted
set for final installation for 29 025 000
without concealed body
valves hot/cold with ceramic headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
centre distance 200 mm
projection 180 mm
with lever handles
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.

new



20 164 003
20 164 DC3
20 164 AL3

chrome
supersteel
brushed hard graphite


*
*
*

Atrio
Three-hole basin mixer

wall mounted
set for final installation for 29 025 000
without concealed body
valves hot/cold with ceramic headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
centre distance 200 mm
projection 180 mm
with cross handles
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.


GROHE ATRIO

Ref. No. Colour Price netto (€)




29 025 000 **chrome** **232.00**
Two-handle basin mixer concealed body, 1/2"
 for 3-hole wash-basin mixer
 wall installation
 without finishing trim set
 Installation depth 43 - 85 mm
 DR-brass
 installation device

new




24 027 003 **chrome** *
24 027 DC3 **supersteel** *
24 027 AL3 **brushed hard graphite** *
Atrio
Single-hole bidet mixer 1/2"
M-Size
 ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
 rapid installation system
 ball-joint mousseur
 bow spout
 pop-up waste set 1 1/4"
 flexible connection hoses
 with cross handles
 Two different sets of caps included. One set with
 „H“ and „C“ marking, one set without marking.

new



26 003 003 **chrome** *
26 003 DC3 **supersteel** *
26 003 AL3 **brushed hard graphite** *
Atrio
Shower mixer 1/2"
 wall mounted
 ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
 shower outlet 1/2"
 integrated non-return valves in the shower outlet 1/2"
covered S-unions
 protected against backflow
 without shower set
 with cross handles
 Two different sets of caps included. One set with
 „H“ and „C“ marking, one set without marking.

new



25 010 003 **chrome** *
25 010 DC3 **supersteel** *
25 010 AL3 **brushed hard graphite** *
Atrio
Bath mixer 1/2"
 wall mounted
 ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
 automatic diverter: bath/shower
 tubular spout
 with stop restriction
 mousseur
 integrated non-return valves in the shower outlet 1/2"
covered S-unions
 protected against backflow
 without shower set
 with cross handles
 Two different sets of caps included. One set with
 „H“ and „C“ marking, one set without marking.


GROHE ATRIO

Ref. No.

Colour

Price netto (€)

new




25 044 003
25 044 DC3
25 044 AL3

chrome *
supersteel *
brushed hard graphite *

Atrio

Bath mixer 1/2"

floor-mounted installation with high pillar unions (765 mm) set for final installation for 45 984 001 without roughing-in-set ceramic headparts 1/2", 90° GROHE StarLight chrome finish automatic diverter: bath/shower swivel tubular spout with mousseur and stop limiter projection 301 mm integrated non-return valve in the shower outlet 1/2" hand shower Sena Stick (26 465) with shower holder Silverflex shower hose 1 250 mm (28 362) protected against backflow with cross handles Two different sets of caps included. One set with „H" and „C" marking, one set without marking.



45 984 001


chrome

433.00

Rough-in set 1/2"

for floor-mounted bath mixers/spouts and shower mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm installation depth 65-157 mm for shower mixers, depth compensation 92 mm two 1/2" female connections (hot/cold supplies) flushing plug gasket fixing material

new



19 088 003
19 088 DC3
19 088 AL3


chrome *
supersteel *
brushed hard graphite *

Atrio

Concealed valve exposed part

for concealed valve 35 028 000 or 29 032 000 GROHE StarLight chrome finish installation depth infinitely adjustable 20-80 mm escutcheon with screwable wall sealing with lever handle

new




19 069 003
19 069 DC3
19 069 AL3

chrome *
supersteel *
brushed hard graphite *

Atrio

Concealed valve exposed part

for concealed valve 35 028 000 or 29 032 000 GROHE StarLight chrome finish installation depth infinitely adjustable 20-80 mm escutcheon with screwable wall sealing with cross handle



35 028 000

chrome

132.00

Rapido C/concealed valves


Rough-in for single volume control

for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4" connection threads 1/2" flow rate: 55 l/min. at 3 bar installation depth 70 - 95 mm min. recommended pressure 1.0 bar

GROHE ATRIO

Ref. No. Colour Price netto (€)


new



- 19 922 003 chrome *
- 19 922 DC3 supersteel *
- 19 922 AL3 brushed hard graphite *

Atrio
5-hole bath combination
 ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
 consisting of:
 pre-assembled spout fixing
 with lever handles
 bath spout with mousseur and diverter bath/shower
 Sena hand shower 6.6 l/min
 shower hose 2000 mm
 flexible connection hoses
 connection for shower hose
 protected against backflow
 can be used with 29 037 001
 Two different sets of caps included. One set with
 „H“ and „C“ marking, one set without marking.


new



- 19 923 003 chrome *
- 19 923 DC3 supersteel *
- 19 923 AL3 brushed hard graphite *

Atrio
5-hole bath combination
 ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
 consisting of:
 pre-assembled spout fixing
 with cross handles
 bath spout with mousseur and diverter bath/shower
 Sena hand shower 6.6 l/min
 shower hose 2000 mm
 flexible connection hoses
 connection for shower hose
 protected against backflow
 can be used with 29 037 001
 Two different sets of caps included. One set with
 „H“ and „C“ marking, one set without marking.


new



- 29 037 001 chrome *

4/5-hole bath combination (optional)
baseframe for installation under tiled surround
 consisting of:
 base frame
 drainage box with integrated outlet for splash water
 19 922 003
 19 923 003

new




- 13 139 003 chrome *
- 13 139 DC3 supersteel *
- 13 139 AL3 brushed hard graphite *

Atrio
Bath spout
 wall mounted
GROHE StarLight chrome finish
 mousseur
 projection 171 mm
 min. recommended pressure 1.0 bar

Ref. No. Colour Price netto (€)

new

29 118 000	chrome	425.00
29 118 DC0	supersteel	*
29 118 AL0	brushed hard graphite	*



Grohtherm SmartControl

Thermostat for concealed installation with one valve

set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix**
(covered escutcheon and shaft sealing, covered
fixing), retroactively 6° adjustable

GROHE StarLight chrome finish

GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow, exchangeable symbols

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

built-in non return valves and dirt strainers

without roughing-in-set


flow performance:

outlet A (to external shut-off) = 34 l/min

outlet B/C = 29 l/min

new

29 119 000	chrome	463.00
29 119 DC0	supersteel	*
29 119 AL0	brushed hard graphite	*



Grohtherm SmartControl

Thermostat for concealed installation with 2 valves

set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix**
(covered escutcheon and shaft sealing, covered
fixing), retroactively 6° adjustable

GROHE StarLight chrome finish

GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
exchangeable symbols

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

built-in non return valves and dirt strainers

multiple outlets can be run simultaneously

without roughing-in-set


flow performance:

outlet B = 24 l/min

outlet C = 26 l/min

new

29 120 000	chrome	551.00
29 120 DC0	supersteel	*
29 120 AL0	brushed hard graphite	*



Grohtherm SmartControl

Thermostat for concealed installation with 2 valves and integrated shower holder

set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix**
(covered escutcheon and shaft sealing, covered
fixing), retroactively 6° adjustable

GROHE StarLight chrome finish

GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow, exchangeable symbols

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

built-in non return valves and dirt strainers

multiple outlets can be run simultaneously

integrated shower union with shower outlet 1/2"

without roughing-in-set

flow performance:

outlet B = 24 l/min


hand shower = 12 l/min

GROHE ATRIO

Ref. No. Colour Price netto (€)

new


29 121 000	chrome	500.00
29 121 DC0	supersteel	*
29 121 AL0	brushed hard graphite	*




Grotherm SmartControl
Thermostat for concealed installation with 3 valves
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
 metal wall escutcheon with **GROHE QuickFix**
 (covered escutcheon and shaft sealing, covered
 fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for
 volume adjustment from EcoJoy to full flow, exchangeable symbols
GROHE TurboStat compact cartridge
 with wax thermoelement
 GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
 built-in non return valves and dirt strainers
 multiple outlets can be run simultaneously
 without roughing-in-set
 flow performance:
 outlet A = 23 l/min
 outlet B = 27 l/min
 outlet C = 23 l/min

new

29 122 000	chrome	305.00
29 122 DC0	supersteel	*
29 122 AL0	brushed hard graphite	*



Grotherm SmartControl
Triple volume control trim
 set for final installation for
 GROHE Rapido SmartBox 35 600 000/35 601 000
 metal wall escutcheon with **GROHE QuickFix**
 (covered escutcheon and shaft sealing, covered
 fixing), retroactively 6° adjustable
 10 mm thin profile escutcheon
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for
 volume adjustment from EcoJoy to full flow, exchangeable symbols
 multiple outlets can be run simultaneously
 without roughing-in-set
 flow performance:
 outlet D = 28 l/min
 outlet E = 28 l/min
 outlet A = 28 l/min
 outlet D+E+A = 65 l/min



35 600 000	chrome	66.00
------------	--------	-------

GROHE Rapido SmartBox
Universal rough-in box, 1/2"
 3 outlets 1/2"
 2 inlets below, 1/2"
 installation depth 75-105 mm
 connection unit in DR brass
 pre-mounted flushing plug
 stable build-in box and protective cover
 fixation options for solid walls and dry
 cladding
 gasket
 without set for final installation

GROHE ATRIO

Ref. No.

Colour


Price netto (€)

new

40 256 003

chrome

*



**Atrio
Soap dish**

material: glass

fits in the following holder:
Atrio (40 305 xx3)

40 791 001


white

4.99

40 791 KS1

velvet black

4.99



Essentials

Spare brush head

fits in the following toilet brushes:

Essentials (40 374)

Essentials Cube (40 513)


Atrio (40 314)

GROHE ATRIO




GROHE ATRIO

Ref. No. Colour Price netto (€)




32 042 001 chrome 459.00

Atrio
Single-lever basin mixer 1/2"
L-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
rapid installation system
swivel tubular C-spout with mousseur
stop limiter
pop-up waste set 1 1/4"
flexible connection hoses




32 129 001 chrome 459.00

Atrio
Single-lever basin mixer 1/2"
L-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
rapid installation system
swivel tubular 7° spout with mousseur
stop limiter
pop-up waste set 1 1/4"
flexible connection hoses



32 647 001 chrome 642.00


Atrio
Single-lever basin mixer 1/2"
XL-Size
single hole installation
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
rapid installation system
swivel tubular C-spout with mousseur
stop limiter
pop-up waste set 1 1/4"
flexible connection hoses



19 287 001 chrome 459.00

Atrio
Two-hole basin mixer
S-Size
wall mounted
without concealed body
set for final installation for 23 571 000
separate escutcheons Ø 70 mm
GROHE StarLight chrome finish
centre distance 110 mm
projection 180 mm

19 918 000 chrome 516.00
ditto, projection 220 mm




23 571 000 chrome 230.00

Single-lever mixer 1/2", universal concealed body
for 2-hole basin mixers
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
DR-brass
installation device


GROHE ATRIO

Ref. No. Colour Price netto (€)




32 108 001 **chrome** **459.00**

Atrio
Single-lever bidet mixer 1/2"
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
rapid installation system
tubular C-spout with ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses




32 134 001 **chrome** **459.00**

Atrio
Single-lever bidet mixer 1/2"
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
rapid installation system
tubular 7° spout with ball-joint mousseur
stop limiter
pop-up waste set 1 1/4"
flexible connection hoses




32 653 002 **chrome** **1,850.00**

Atrio
Single-lever bath mixer 1/2", floor mounted
without roughing-in-set
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
diverter bath/shower
swivel tubular spout
with mousseur and stop limiter
integrated non-return valve in the shower outlet 1/2"
with shower holder
hand shower Sena (28 034 000)
shower hose 1500 mm
protected against backflow
for use with: 45 984
min. recommended pressure 1.0 bar




45 984 001 **chrome** **433.00**

Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm
installation depth 65-157 mm for shower mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
gasket
fixing material



29 086 000 **chrome** *

Rough-in set 1/2"
for floor-mounted tub spouts and mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 47-151 mm
depth compensation 104 mm
two 1/2" female connections (hot/cold supplies)
flushing plug




21 022 000

chrome

459.00

Atrio
One-hole basin mixer, 1/2"
L-Size

ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
rapid installation system
swivel tubular spout
with mousseur and stop limiter
pop-up waste set 1 1/4"
flexible connection hoses
with Jota handle




20 009 000

chrome

643.00

Atrio
Three-hole basin mixer 1/2"
M-Size

ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
swivel tubular spout
with mousseur and stop limiter
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves
union nut with 10.5 mm drilling
with Jota handle




20 169 000

chrome

545.00

Atrio
Three-hole basin mixer 1/2"
S-Size

wall mounted
set for final installation for
32 706 000
without concealed body
valves hot/cold with ceramic headparts 1/2" - 90°
GROHE StarLight chrome finish
centre distance 200 mm
projection 180 mm
with Jota handle
min. recommended pressure 1.0 bar




32 706 000

chrome

229.00

Two-handle basin mixer
concealed body, 1/2"

for 3-hole wash-basin mixer
wall installation
without finishing trim set
installation depth 30 - 75 mm
DR-brass
installation device



24 026 000





chrome

459.00

Atrio
Single-hole bidet mixer 1/2"
M-Size

ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
rapid installation system
ball-joint mousseur
bow spout
pop-up waste set 1 1/4"
flexible connection hoses
with Jota handle

GROHE ATRIO

	Ref. No.	Colour	Price netto (€)
 	19 398 000	chrome	498.00
<p>Atrio Thermostatic shower mixer set for final installation for GROHE Rapido T 35 500 000 without concealed body GROHE StarLight chrome finish GROHE SafeStop at 38°C volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) Carborundum ceramic headpart 1/2", 180° escutcheon- and shaft-sealing wall escutcheon covered fixing with Jota handle</p>			
	35 500 000	chrome	239.00
<p>GROHE Rapido T Universal thermostatic mixer for concealed installation</p>			
 	19 399 000	chrome	560.00
<p>Atrio Thermostat with integrated 2-way diverter for bath or shower with more than one outlet set for final installation for GROHE Rapido T 35 500 000 without concealed body GROHE StarLight chrome finish GROHE SafeStop at 38°C Aquadimmer with multiple function diverter for 2 outlets - diverter: bath/shower shut off and flow control escutcheon- and shaft-sealing wall escutcheon covered fixing with Jota handle</p>			
	35 500 000	chrome	239.00
<p>GROHE Rapido T Universal thermostatic mixer for concealed installation</p>			
 	13 139 000	chrome	227.00
<p>Atrio Bath spout wall mounted GROHE StarLight chrome finish mousseur projection 168 mm min. recommended pressure 1.0 bar</p>			
 	19 134 000	chrome	157.00
<p>Atrio 5-way diverter set for final installation (for 29 708) without concealed body GROHE StarLight chrome finish escutcheon with wall sealing screwable with Jota handle</p>			
 	29 708 000	chrome	277.00
<p>5-way diverter concealed body, 1/2" without finishing trim set wall installation with ceramic sealing discs connection cold and hot 1/2" 2 outlets 1/2" bath outlet 3/4" protection sleeve installation depth infinitely adjustable 24-60 mm DR-brass</p>			

* price upon request

GROHE ATRIO

Ref. No.


Colour

Price netto (€)

19 088 000

chrome

108.00



Atrio

Concealed valve exposed part

set for final installation for

35 028 000

for GROHE concealed valves, 1/2", 3/4", 1"

GROHE StarLight chrome finish







installation depth infinitely adjustable


20-80 mm

escutcheon with screwable wall sealing

with Jota handle

GROHE ATRIO

	Ref. No.	Colour	Price netto (€)
 	21 019 000	chrome	459.00
<p>Atrio One-hole basin mixer, 1/2" L-Size ceramic headparts 1/2", 90° GROHE StarLight chrome finish rapid installation system swivel tubular spout with mousseur and stop limiter pop-up waste set 1 1/4" flexible connection hoses with Ypsilon handle</p>			
 	21 044 000	chrome	674.00
<p>Atrio One-hole basin mixer, 1/2" XL-Size for free-standing basins ceramic headparts 1/2", 90° GROHE StarLight chrome finish rapid installation system swivel tubular spout with mousseur and stop limiter height 419 mm without lift rod and without pop up waste flexible connection hoses with Ypsilon handle</p>			
 	20 008 000	chrome	681.00
<p>Atrio Three-hole basin mixer 1/2" M-Size ceramic headparts 1/2", 90° GROHE StarLight chrome finish swivel tubular spout with mousseur and stop limiter pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves union nut with 10.5 mm drilling with Ypsilon handle</p>			
 	20 164 000	chrome	545.00
<p>Atrio Three-hole basin mixer S-Size wall mounted without concealed body set for final installation for 32 706 000 valves hot/cold with ceramic headparts 1/2" - 90° GROHE StarLight chrome finish centre distance 200 mm projection 180 mm with Ypsilon handle min. recommended pressure 1.0 bar</p>			
	20 387 000	chrome	549.00
<p>ditto, projection 220 mm</p>			
 	32 706 000	chrome	229.00
<p>Two-handle basin mixer concealed body, 1/2" for 3-hole wash-basin mixer wall installation without finishing trim set installation depth 30 - 75 mm DR-brass installation device</p>			




24 027 000

chrome

459.00

Atrio
Single-hole bidet mixer 1/2"
M-Size

ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
rapid installation system
ball-joint mousseur
bow spout
pop-up waste set 1 1/4"
flexible connection hoses
with Ypsilon handle




19 394 000

chrome

515.00

Atrio
Thermostatic shower mixer

set for final installation for
GROHE Rapido T 35 500 000
without concealed body
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
volume handle with **GROHE EcoButton** (economy
button with individually adjustable economy stop)
Carborundum ceramic headpart 1/2", 180°
escutcheon- and shaft-sealing
wall escutcheon
covered fixing
with Ypsilon handle




19 395 000

chrome

560.00

Atrio
Thermostat with integrated 2-way diverter
for bath or shower with more than one outlet

set for final installation for
GROHE Rapido T 35 500 000
without concealed body
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
Aquadimmer with multiple function
shut off and flow control
diverter for 2 outlets
escutcheon- and shaft-sealing
wall escutcheon
covered fixing
with Ypsilon handle




25 044 000

chrome

1,930.00

Atrio
Bath mixer 1/2"

floor-mounted installation
with high pillar unions (765 mm)
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
automatic diverter: bath/shower
swivel tubular spout
with mousseur and stop limiter
projection 228 mm
integrated non-return valve in the shower outlet 1/2"
Sena hand shower
with shower holder
shower hose 1500 mm
protected against backflow
to be used with, 45 473
without roughing-in-set
with Ypsilon handle



45 473 000





chrome

783.00













Roughing-in-set for
stand-alone bath mixer
(for 25044/25046/25047)

without finishing trim set
installation plate for precise fitting
floor equalization 80 - 160 mm
1/2" connections (warm/cold-supplies)
plug
fixing material







GROHE ATRIO

		Ref. No.	Colour	Price netto (€)
		13 139 000	chrome	227.00
<p>Atrio Bath spout wall mounted GROHE StarLight chrome finish mousseur projection 168 mm min. recommended pressure 1.0 bar</p>				
		19 069 000	chrome	113.00
<p>Atrio Concealed valve exposed part set for final installation for 35 028 000 for GROHE concealed valves, 1/2", 3/4", 1" GROHE StarLight chrome finish installation depth infinitely adjustable 20-80 mm escutcheon with screwable wall sealing with Ypsilon handle</p>				

GROHE ATRIO

	Ref. No.	Colour	Price netto (€)
 	40 306 000	chrome	174.17
	Atrio Soap dispenser GROHE StarLight chrome finish		
	40 179 000	chrome	117.00
	Spare bottle		
 	40 304 000	chrome	99.99
	Atrio Glass holder without glass GROHE StarLight chrome finish		
	40 254 000	chrome	28.33
	Glass		
 	40 305 000	chrome	99.99
	Atrio Holder for soap dish without soap dish GROHE StarLight chrome finish		
	40 256 000	chrome	40.41
	Soap dish		
 	40 307 000	chrome	112.49
	Atrio Towel ring GROHE StarLight chrome finish		
 	40 308 000	chrome	124.99
	Atrio Towel bar length 489 mm 2 parts swivelling GROHE StarLight chrome finish		
 	40 309 000	chrome	166.66
	Atrio Towel rail 600 mm GROHE StarLight chrome finish		

GROHE ATRIO


	Ref. No.	Colour	Price netto (€)
 	40 312 000 Atrio Robe hook GROHE StarLight chrome finish	chrome	53.74
 	40 313 000 Atrio Toilet paper holder without cover GROHE StarLight chrome finish	chrome	141.66
 	40 314 000 Atrio Toilet brush set wall model GROHE StarLight chrome finish	chrome	199.17
	40 206 000 Spare brush	chrome	50.00
	40 207 000 Spare brush head	chrome	14.00

GROHE GRANDERA




GROHE GRANDERA

Ref. No. Colour Price netto (€)




23 303 000	chrome	345.00
23 303 IGO	chrome/gold	447.00
23 303 GL0	cool sunrise	421.00
23 303 DA0	warm sunset	421.00
23 303 A00	hard graphite	421.00
23 303 AL0	brushed hard graphite	421.00

Grandera
Single-lever basin mixer 1/2"
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE QuickFix installation system
GROHE AquaGuide adjustable mousseur 5.7 l/min
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar




23 310 000	chrome	345.00
23 310 IGO	chrome/gold	447.00
23 310 DA0	warm sunset	430.00

Grandera
Single-lever basin mixer 1/2"
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE QuickFix installation system
GROHE AquaGuide adjustable mousseur 5.7 l/min
smooth body
flexible connection hoses
min. recommended pressure 1.0 bar




23 321 000	chrome	*
------------	--------	---

Grandera
Single-lever basin mixer 1/2"
M-Size
single hole installation
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE QuickFix installation system
GROHE AquaGuide adjustable mousseur 5.7 l/min
smooth body
flexible connection hoses



21 107 000	chrome	413.00
21 107 IGO	chrome/gold	537.00

Grandera
Two-handle basin mixer, 1/2"
L-Size
single hole installation
valves hot/cold with ceramic headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
swivel spout
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar




23 313 000	chrome	455.00
23 313 IGO	chrome/gold	593.00

Grandera
Single-lever basin mixer 1/2"
XL-Size
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE QuickFix installation system
GROHE AquaGuide adjustable mousseur 5.7 l/min
smooth body
flexible connection hoses
min. recommended pressure 1.0 bar


GROHE GRANDERA

Ref. No. Colour Price netto (€)




20 417 000 chrome 484.00
20 417 IGO chrome/gold 629.00

Grandera
Three-hole basin mixer 1/2"
S-Size
valves hot/cold with ceramic headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves
min. recommended pressure 1.0 bar



20 389 000 chrome 537.00
20 389 IGO chrome/gold 697.00
20 389 GLO cool sunrise 656.00
20 389 DAO warm sunset 656.00
20 389 ALO brushed hard graphite 656.00


Grandera
Three-hole basin mixer 1/2"
M-Size
valves hot/cold with ceramic headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves
min. recommended pressure 1.0 bar



20 414 000 chrome 402.00
20 414 IGO chrome/gold 522.00


Grandera
Three-hole basin mixer 1/2"
S-Size
wall mounted
set for final installation for 29 025 000
without concealed body
valves hot/cold with ceramic headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
centre distance 200 mm
projection 177 mm

20 415 000 chrome 445.00
20 415 IGO chrome/gold 579.00
20 415 DAO warm sunset 555.00
ditto, projection 234 mm



29 025 000 chrome 232.00

Two-handle basin mixer
concealed body, 1/2"
for 3-hole wash-basin mixer
wall installation
without finishing trim set
Installation depth 43 - 85 mm
DR-brass
installation device



19 929 000 chrome 413.00
19 929 IGO chrome/gold 537.00

Grandera
Two-hole basin mixer
S-Size
wall mounted
set for final installation for 23 319 000
without concealed body
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
centre distance 110 mm
projection 177 mm

19 930 000 chrome 455.00
19 930 IGO chrome/gold 593.00
ditto, projection 234 mm








* price upon request

GROHE GRANDERA

Ref. No. Colour Price netto (€)


		<p>23 319 000 chrome 218.00</p> <p>Grandera Single-lever mixer 1/2", concealed body for 2-hole basin mixers wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter installation depth 45 to 75 mm installation device min. recommended pressure 1.0 bar</p>
		<p>23 315 000 chrome 387.00 23 315 IGO chrome/gold 504.00</p> <p>Grandera Single-lever bidet mixer 1/2" M-Size single hole installation GROHE SilkMove 28 mm ceramic cartridge temperature limiter GROHE StarLight chrome finish GROHE QuickFix installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar</p>
		<p>23 316 000 chrome 402.00 23 316 IGO chrome/gold 522.00</p> <p>Grandera Single-lever shower mixer 1/2" wall mounted GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter integrated hand shower holder shower outlet 1/2" integrated non-return valve covered S-unions protected against backflow min. recommended pressure 1.0 bar</p>
		<p>23 317 000 chrome 502.00 23 317 IGO chrome/gold 652.00</p> <p>Grandera Single-lever bath mixer 1/2" wall mounted GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter integrated hand shower holder automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" covered S-unions protected against backflow min. recommended pressure 1.0 bar</p>
		<p>19 932 000 chrome 301.00 19 932 IGO chrome/gold 392.00</p> <p>Grandera Single-lever shower mixer set for final installation for 35 501 000 without concealed body GROHE StarLight chrome finish escutcheon- and shaft-sealing metal escutcheon covered fixing min. recommended pressure 1.0 bar</p> <p>35 501 000 chrome 100.00 GROHE Rapido E Universal single-lever mixer for concealed installation</p>

GROHE GRANDERA

	Ref. No.	Colour	Price netto (€)
	19 920 000	chrome	330.00
	19 920 IGO	chrome/gold	430.00
	19 920 DA0	warm sunset	440.00
	Grandera Single-lever bath mixer set for final installation for 35 501 000 without concealed body GROHE StarLight chrome finish automatic diverter: bath/shower escutcheon- and shaft-sealing metal escutcheon covered fixing min. recommended pressure 1.0 bar		
	35 501 000	chrome	100.00
	GROHE Rapido E Universal single-lever mixer for concealed installation		
	<hr/>		
		19 934 000	chrome
19 934 IGO		chrome/gold	541.00
Grandera Thermostatic shower mixer set for final installation for 35 500 000 without concealed body GROHE StarLight chrome finish GROHE SafeStop at 38°C GROHE SafeStop Plus optional temperature limiter at 43°C included volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) Carborundum ceramic headparts 1/2", 180° wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal handles			
35 500 000		chrome	239.00
	19 937 000	chrome	445.00
	19 937 IGO	chrome/gold	579.00
	19 937 DA0	warm sunset	593.00
	Grandera Thermostatic shower mixer with integrated 2-way diverter set for final installation for 35 500 000 without concealed body GROHE StarLight chrome finish GROHE SafeStop at 38°C GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE AquaDimmer Eco with multiple function: shut off and flow control diverter: shower head/hand shower Integrated Eco-Button with Eco-Stop for shower wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing)		
	35 500 000	chrome	239.00
	GROHE Rapido T Universal thermostatic mixer for concealed installation		
	<hr/>		
		19 948 000	chrome
19 948 IGO		chrome/gold	579.00
19 948 DA0		warm sunset	593.00
Grandera Thermostatic bath mixer with integrated 2-way diverter set for final installation for 35 500 000 without concealed body GROHE StarLight chrome finish GROHE SafeStop at 38°C GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE AquaDimmer Eco with multiple function: shut off and flow control diverter: hand shower/bath spout Integrated Eco-Button with Eco-Stop for shower wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing)			
	35 500 000	chrome	239.00
	GROHE Rapido T Universal thermostatic mixer for concealed installation		


GROHE GRANDERA

Ref. No. Colour Price netto (€)




19 936 000	chrome	1,060.00
19 936 IG0	chrome/gold	1,380.00
19 936 GL0	cool sunrise	1,300.00
19 936 DA0	warm sunset	1,300.00
19 936 A00	hard graphite	1,300.00
19 936 AL0	brushed hard graphite	1,300.00

Grandera
Four-hole single-lever bath combination
 GROHE SilkMove 46 mm ceramic cartridge
 GROHE StarLight chrome finish
 consisting of:
 pre-assembled spout fixing
 OHM operating element,
 bath spout with mousseur and diverter bath/shower
 Grandera hand shower 7,6 l
 metal shower hose 1500 mm
 flexible connection hoses
 connection for shower hose
 protected against backflow
 can be used with 29 037 000
 min. recommended pressure 1.0 bar



19 919 000	chrome	1,130.00
19 919 IG0	chrome/gold	1,470.00
19 919 DA0	warm sunset	1,410.00

Grandera
5-hole bath combination
 ceramic headparts 1/2", 90°
 GROHE StarLight chrome finish
 consisting of:
 pre-assembled spout fixing
 OHM operating element,
 bath spout with mousseur and diverter bath/shower
 Grandera hand shower 7,6 l
 metal shower hose 1500 mm
 flexible connection hoses
 connection for shower hose
 protected against backflow
 can be used with 29 037 000
 min. recommended pressure 1.0 bar




29 037 000	chrome	734.00
------------	--------	--------

4/5-hole bath combination (optional)
baseframe for installation under tiled surround
 consisting of:
 base frame
 drainage box with integrated outlet for splash water







45 388 000	chrome	130.00
------------	--------	--------

Supporting legs for baseframe



23 318 000	chrome	1,610.00
23 318 IG0	chrome/gold	2,090.00
23 318 GL0	cool sunrise	1,970.00
23 318 DA0	warm sunset	1,970.00
23 318 A00	hard graphite	1,970.00
23 318 AL0	brushed hard graphite	1,970.00







Grandera
Single-lever bath mixer 1/2", floor mounted
 set for final installation for 45 984
without roughing-in set
 GROHE SilkMove 46 mm ceramic cartridge
 GROHE StarLight chrome finish
 automatic diverter: bath/shower
 spout with mousseur
 projection 320 mm
 with shower holder
 Grandera hand shower 7,6 l
 Silverflex shower hose 1250 mm
 protected against backflow

	Ref. No.	Colour	Price netto (€)
	13 341 000	chrome	230.00
	13 341 IGO	chrome/gold	299.00
	13 341 DA0	warm sunset	287.00
	Grandera Bath spout wall mounted GROHE StarLight chrome finish mousseur projection 177 mm min. recommended pressure 1.0 bar		
	19 942 000	chrome	144.00
	19 942 IGO	chrome/gold	187.00
		Grandera 5-way diverter set for final installation for 29 708 000 without concealed body GROHE StarLight chrome finish min. recommended pressure 1.0 bar	
	19 944 000	chrome	103.00
	19 944 IGO	chrome/gold	135.00
		Grandera Volume Control Trim set for final installation for 35 028 000 29 032 000 (preassembled headpart 1/2") 29 068 000 (preassembled ceramic headpart 1/2" - not to be used for the main line shut-off) GROHE StarLight chrome finish installation depth infinitely adjustable 43 - 91 mm for use with rough-in valve (35 029)	

GROHE GRANDERA

	Ref. No.	Colour	Price netto (€)	
	40 627 000	chrome	166.66	
	40 627 IG0	chrome/gold	215.83	
	Grandera Holder with ceramic soap dispenser GROHE StarLight chrome finish			
	40 626 000	chrome	129.16	
	40 626 IG0	chrome/gold	166.66	
	Grandera Holder with ceramic tumbler GROHE StarLight chrome finish			
	40 628 000	chrome	158.33	
	40 628 IG0	chrome/gold	207.50	
	Grandera Holder with ceramic soap dish GROHE StarLight chrome finish			
	40 630 000	chrome	108.33	
	40 630 IG0	chrome/gold	141.66	
	40 630 DA0	warm sunset	149.99	
	Grandera Towel ring Ø 205 mm GROHE StarLight chrome finish			
	40 629 000	chrome	174.17	
	40 629 IG0	chrome/gold	232.50	
	40 629 DA0	warm sunset	249.17	
	Grandera Towel rail 600 mm GROHE StarLight chrome finish			
	40 631 000	chrome	51.24	
	40 631 IG0	chrome/gold	66.66	
	40 631 BE0	polished nickel	71.66	
	40 631 GL0	cool sunrise	71.66	
	40 631 GN0	brushed cool sunrise	71.66	
	40 631 DA0	warm sunset	71.66	
	40 631 DL0	brushed warm sunset	71.66	
	40 631 A00	hard graphite	71.66	
		Grandera Robe hook GROHE StarLight chrome finish		

GROHE GRANDERA


	Ref. No.	Colour	Price netto (€)
	40 633 000	chrome	120.83
	40 633 IG0	chrome/gold	154.16
	Grandera Bath grip length 385 mm GROHE StarLight chrome finish		
	40 625 000	chrome	133.33
	40 625 IG0	chrome/gold	174.17
	40 625 DA0	warm sunset	182.50
	Grandera Toilet paper holder GROHE StarLight chrome finish		
	40 632 000	chrome	182.50
	40 632 IG0	chrome/gold	240.83
	Grandera Toilet brush set material: ceramic GROHE StarLight chrome finish		

GROHE LINEARE




GROHE LINEARE

Ref. No. Colour Price netto (€)




32 109 001 chrome 177.00
32 109 DC1 supersteel 230.00

Lineare
Single-lever basin mixer 1/2"
XS-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses




23 791 001 chrome 177.00
23 791 DC1 supersteel 230.00

Lineare
Single-lever basin mixer 1/2"
XS-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses




32 114 001 chrome 188.00
32 114 DC1 supersteel 245.00

Lineare
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses



23 106 001 chrome 188.00
23 106 DC1 supersteel 245.00











Lineare
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses



23 296 001 chrome 247.00
23 296 DC1 supersteel 322.00


Lineare
Single-lever basin mixer 1/2"
L-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
swivel spout with mousseur and stop limiter
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar

GROHE LINEARE

		Ref. No.	Colour	Price netto (€)
		23 405 001 23 405 DC1	chrome supersteel	264.00 344.00
<p>Lineare Single-lever basin mixer 1/2" XL-Size single hole installation metal lever for free-standing basins GROHE SilkMove 28 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus rapid installation system smooth body flexible connection hoses min. recommended pressure 1.0 bar</p>				
		20 304 001	chrome	277.00
<p>Lineare Three-hole basin mixer 1/2" M-Size metal lever ceramic headparts 1/2", 90° GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix installation system pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves min. recommended pressure 1.0 bar union nut 1/2" x 10.5 mm</p>				
		19 409 001 19 409 DC1	chrome supersteel	215.00 279.00
<p>Lineare Two-hole basin mixer M-Size wall mounted set for final installation for 23 571 000 without concealed body metal escutcheon metal lever GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 149 mm min. recommended pressure 1.0 bar</p>				
		23 444 001 23 444 DC1	chrome supersteel	233.00 303.00
<p>Lineare Two-hole basin mixer L-Size wall mounted set for final installation for 23 571 000 without concealed body metal escutcheon metal lever GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 207 mm min. recommended pressure 1.0 bar</p>				
		23 571 000	chrome	230.00
<p>Single-lever mixer 1/2", universal concealed body for 2-hole basin mixers wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device</p>				


* price upon request

Ref. No. Colour Price netto (€)




33 848 001 chrome 207.00
33 848 DC1 supersteel 269.00

Lineare
Single-lever bidet mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix Plus installation system
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar




19 577 001 chrome 736.00
19 577 DC1 supersteel 833.00

Lineare
Four-hole single-lever bath combination
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
consisting of:
pre-assembled spout fixing
OHM operating element,
metal lever
bath inlet with mousseur
diverter bath/shower
hand shower Sena Stick (26 465)
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
for use with (29 037 000)
min. recommended pressure 1.0 bar



19 965 001 chrome 595.00

Lineare
Three-hole single-lever bath combination
Three hole installation
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
consisting of:
OHM operating element,
diverter bath/shower
without spout
hand shower Sena Stick (26 465)
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
for use with (29 037 000)
for combination with (28 990 / 28 991)




29 037 000 chrome 734.00

4/5-hole bath combination (optional)
baseframe for installation under tiled surround
consisting of:
base frame
drainage box with integrated outlet for splash water


45 388 000 chrome 130.00
Supporting legs for baseframe

Ref. No. Colour Price netto (€)




23 792 001 **chrome** 1,370.00
23 792 DC1 **supersteel** 1,700.00

Lineare
Single-lever bath mixer 1/2", floor mounted
set for final installation for 45 984
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge with temperature limiter
GROHE StarLight chrome finish automatic diverter: bath/shower spout with mousseur
projection 271 mm
integrated non-return valve in the shower outlet 1/2" with shower holder
hand shower Sena Stick (26 465)
Silverflex shower hose 1 250 mm (28 362)
protected against backflow



45 984 001 **chrome** 433.00

Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm
installation depth 65-157 mm for shower mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
gasket
fixing material



13 383 001 **chrome** *
13 383 DC1 **supersteel** *


Lineare
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
male thread 1/2"
projection 170 mm

GROHE EUROCUBE JOY




GROHE EUROCUBE JOY

Ref. No. Colour Price netto (€)




23 654 000 chrome 227.00

Eurocube Joy
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses




23 656 000 chrome 221.00

Eurocube Joy
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
smooth body
flexible connection hoses




23 657 000 chrome 238.00

Eurocube Joy
Single-lever basin mixer 1/2"
M-Size
single hole installation
metal lever
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses



23 658 000 chrome 233.00











Eurocube Joy
Single-lever basin mixer 1/2"
M-Size
single hole installation
metal lever
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
smooth body
flexible connection hoses



23 661 000 chrome 314.00

Eurocube Joy
Single-lever basin mixer 1/2"
XL-Size
single hole installation
metal lever
for free-standing basins
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
smooth body
flexible connection hoses

GROHE EUROCUBE JOY


	Ref. No.	Colour	Price netto (€)
 	19 997 000 Eurocube Joy Two-hole basin mixer M-Size wall mounted set for final installation for 23 429 000 without concealed body GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min centre distance 110 mm projection 170 mm	chrome	257.00
	19 998 000 ditto, projection 231 mm	chrome	270.00
 	23 429 000 Joystick mixer 1/2", concealed body for 2-hole basin mixers without finishing trim set GROHE FeatherControl Joystick cartridge wall installation installation device DR-brass	chrome	231.00
 	46 901 000 Extension-set, 25 mm for 23 429 000 Joystick mixer 1/2", concealed body for 2-hole basin mixers wall installation including disassembly-key	chrome	53.00
 	23 664 000 Eurocube Joy Single-lever bidet mixer 1/2" single hole installation metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish GROHE EcoJoy ball-joint mousseur 5.7 l/min GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses	chrome	244.00
 	45 984 001 Rough-in set 1/2" for floor-mounted bath mixers/spouts and shower mixers without finishing plate set installation plate with 360° horizontal and 3° vertical adjustment installation depth 53-157 mm for bath mixers/ spouts, depth compensation 104 mm installation depth 65-157 mm for shower mixers, depth compensation 92 mm two 1/2" female connections (hot/cold supplies) flushing plug gasket fixing material	chrome	433.00

GROHE EUROCUBE




GROHE EUROCUBE

Ref. No. Colour Price netto (€)




23 137 000 **chrome** **166.00**
Eurocube
Pillar tap
XS-Size
single hole installation
 metal lever
 ceramic headpart 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
 union nut 1/2" x 10.5 mm




23 127 00E **chrome** **209.00**
Eurocube
Single-lever basin mixer 1/2"
S-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
 pop-up waste set 1 1/4"
 flexible connection hoses

23 127 000 **chrome** **209.00**
ditto, with non-restricted flow




23 132 00E **chrome** **204.00**
Eurocube
Single-lever basin mixer 1/2"
S-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
 smooth body
 flexible connection hoses

23 132 000 **chrome** **204.00**
ditto, with non-restricted flow




23 445 000 **chrome** **221.00**
Eurocube
Single-lever basin mixer 1/2"
M-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
 pop-up waste set 1 1/4"
 flexible connection hoses
 min. recommended pressure 1.0 bar



23 446 000 **chrome** **216.00**
Eurocube
Single-lever basin mixer 1/2"
M-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
 smooth body
 flexible connection hoses
 min. recommended pressure 1.0 bar

GROHE EUROCUBE

Ref. No. Colour Price netto (€)




23 135 00E **chrome** **239.00**

Eurocube
Single-lever basin mixer 1/2"
L-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
 swivel tubular spout with stop limiter
 pop-up waste set 1 1/4"
 flexible connection hoses


23 135 000 **chrome** **239.00**

ditto, with non-restricted flow




23 406 000 **chrome** **293.00**

Eurocube
Single-lever basin mixer 1/2"
XL-Size
single hole installation
 metal lever
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
 temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
 smooth body
 flexible connection hoses
 min. recommended pressure 1.0 bar



20 351 000 **chrome** **300.00**

Eurocube
Three-hole basin mixer 1/2"
S-Size
 metal lever
 ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE QuickFix Plus installation system
 spout with mousseur
 pop-up waste set 1 1/4"
 pressure-proof, flexible connection hoses
 between spout and side valves
 union nut 1/2" x 10.5 mm




19 895 000 **chrome** **260.00**

Eurocube
Two-hole basin mixer
S-Size
 wall mounted
 set for final installation for
 concealed body 23 200 000
 without concealed body
 metal escutcheon
 metal lever
GROHE StarLight chrome finish
GROHE AquaGuide adjustable mousseur
 centre distance 110 mm
 projection 171 mm
 min. recommended pressure 1.0 bar

23 447 000 **chrome** **272.00**

ditto, projection 231 mm




23 200 000 **chrome** **230.00**

Single-lever mixer 1/2", concealed body
 for 2-hole basin mixers
 wall installation
 without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
 adjustable flow rate limiter
 installation depth 45 to 75 mm
 DR-brass
 installation device


GROHE EUROCUBE

Ref. No. Colour Price netto (€)




23 138 000 chrome 209.00

Eurocube
Single-lever bidet mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix Plus installation system
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses



19 966 000 chrome 723.00

Eurocube
3-hole bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
consisting of:
OHM operating element,
diverter bath/shower
without spout
Euphoria Cube hand shower (27 699 000) 9.4 l/min
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
for use with (29 037 000)
for combination with (28 990 / 28 991)




29 037 000 chrome 734.00

4/5-hole bath combination (optional)
baseframe for installation under tiled surround
consisting of:
base frame
drainage box with integrated outlet for splash water


45 388 000 chrome 130.00

Supporting legs for baseframe



45 984 001 chrome 433.00





Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and
3° vertical adjustment
installation depth 53-157 mm for bath mixers/
spouts, depth compensation 104 mm
installation depth 65-157 mm for shower
mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
gasket
fixing material



13 303 000 chrome 118.00


Eurocube
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
male thread 1/2"
projection 170 mm
min. recommended pressure 1.0 bar

GROHE EUROCUBE

	Ref. No.	Colour	Price netto (€)
		13 304 000 Bath spout wall mounted GROHE StarLight chrome finish mousseur automatic diverter: bath/shower with concealed connection piece male thread 1/2" projection 170 mm min. recommended pressure 1.0 bar	chrome 132.00
		19 910 000 Eurocube Volume Control Trim for GROHE concealed valves, 1/2", 3/4", 1" without concealed body installation depth infinitely adjustable 16 - 38 mm metal handle sliding escutcheon with wall sealing GROHE StarLight chrome finish for use with rough-in valve 29 273 & 29 274	chrome 50.00

GROHE EUROPLUS





33 156 002

chrome

188.00

Europlus
Single-lever basin mixer 1/2"
XS-Size

single hole installation
metal lever

GROHE SilkMove 28 mm ceramic cartridge


GROHE StarLight chrome finish

rapid installation system

adjustable mousseur

pop-up waste set 1 1/4"

flexible connection hoses



32 612 00E

chrome

188.00

Europlus
Single-lever basin mixer 1/2"
S-Size

metal lever

GROHE SilkMove 35 mm ceramic cartridge

adjustable flow rate limiter

adjustable minimum flow rate

approx. 2.5 l/min

temperature limiter

GROHE StarLight chrome finish

GROHE EcoJoy SpeedClean mousseur 5.7 l/min

GROHE QuickFixPlus installation

system with centering support

pop-up waste set 1 1/4"


flexible connection hoses

32 612 002

chrome

188.00

ditto, with non-restricted flow



33 163 002

chrome

188.00

Europlus
Single-lever basin mixer 1/2"
S-Size

single hole installation

metal lever

GROHE SilkMove 35 mm ceramic cartridge

adjustable flow rate limiter

adjustable minimum flow rate

approx. 2.5 l/min

temperature limiter

GROHE StarLight chrome finish

GROHE QuickFixPlus installation


system with centering support

SpeedClean mousseur

smooth body

flexible connection hoses

certificate applied for



33 155 002

chrome

258.00

Europlus
Single-lever basin mixer 1/2"
S-Size

single hole installation

metal lever

GROHE SilkMove 35 mm ceramic cartridge

adjustable flow rate limiter

adjustable minimum flow rate

approx. 2.5 l/min

temperature limiter

GROHE StarLight chrome finish

rapid installation system

pull out spout with **SpeedClean** mousseur

integrated non-return valve

pop-up waste set 1 1/4"

flexible connection hoses

GROHE EUROPLUS

Ref. No. Colour Price netto (€)

		<p>32 618 002</p> <p>Europlus Single-lever basin mixer 1/2" XL-Size single hole installation metal lever for free-standing basins GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate approx. 2.5 l/min temperature limiter GROHE StarLight chrome finish GROHE QuickFixPlus installation system with centering support SpeedClean mousseur pop-up waste set 1 1/4" flexible connection hoses certificate applied for</p>	<p>chrome 258.00</p>
		<p>33 241 002</p> <p>Europlus Single-lever bidet mixer 1/2" S-Size single hole installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate approx. 2.5 l/min temperature limiter GROHE StarLight chrome finish GROHE QuickFixPlus installation system with centering support ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses certificate applied for</p>	<p>chrome 188.00</p>
		<p>20 301 000</p> <p>Europlus Three-hole basin mixer 1/2" S-Size ceramic headparts 1/2", 90° GROHE StarLight chrome finish GROHE QuickFix installation system with centering support spout with mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves union nut with 10.5 mm drilling</p>	<p>chrome 311.00</p>


* price upon request

GROHE ESSENCE




GROHE ESSENCE

Ref. No. Colour Price netto (€)




23 589 001	chrome	147.00
23 589 DC1	supersteel	201.00
23 589 BE1	polished nickel	188.00
23 589 EN1	brushed nickel	188.00
23 589 GL1	cool sunrise	188.00
23 589 GN1	brushed cool sunrise	188.00
23 589 DA1	warm sunset	188.00
23 589 DL1	brushed warm sunset	188.00
23 589 A01	hard graphite	188.00
23 589 AL1	brushed hard graphite	188.00

Essence
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses




23 590 001	chrome	142.00
23 590 DC1	supersteel	194.00
23 590 BE1	polished nickel	182.00
23 590 EN1	brushed nickel	182.00
23 590 GL1	cool sunrise	182.00
23 590 GN1	brushed cool sunrise	182.00
23 590 DA1	warm sunset	182.00
23 590 DL1	brushed warm sunset	182.00
23 590 A01	hard graphite	182.00
23 590 AL1	brushed hard graphite	182.00

Essence
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
smooth body
flexible connection hoses



23 591 001	chrome	147.00
------------	--------	--------

Essence
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses




23 797 001	chrome	135.00
------------	--------	--------

Essence
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix Plus installation system
smooth body
waste-set with push-open plug
flexible connection hoses

Ref. No.

Colour

Price netto (€)



32 898 001

chrome

147.00

Essence
Single-lever basin mixer 1/2"
S-Size

single hole installation
metal lever

GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter

GROHE StarLight chrome finish


GROHE EcoJoy mousseur 5.7 l/min

GROHE QuickFix Plus installation system

pop-up waste set 1 1/4"

flexible connection hoses

min. recommended pressure 1.0 bar



32 899 001

chrome

142.00

Essence
Single-lever basin mixer 1/2"
S-Size

single hole installation
metal lever

GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter


GROHE StarLight chrome finish

GROHE EcoJoy mousseur 5.7 l/min

GROHE QuickFix Plus installation system

retractable chain

flexible connection hoses



34 294 001

chrome

142.00

Essence
Single-lever basin mixer 1/2"
S-Size

single hole installation
metal lever

GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter


GROHE StarLight chrome finish

GROHE EcoJoy mousseur 5.7 l/min

GROHE QuickFix Plus installation system

smooth body

flexible connection hoses



32 215 001

chrome

*

Essence
Single-lever basin mixer 1/2"
S-Size

single hole installation
metal lever

GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter

GROHE StarLight chrome finish

GROHE EcoJoy mousseur 5.0 l/min


GROHE QuickFix Plus installation system

smooth body

flexible connection hoses

DR-brass


Ref. No.	Colour	Price netto (€)
23 462 001	chrome	181.00
23 462 DC1	supersteel	235.00
23 462 BE1	polished nickel	220.00
23 462 EN1	brushed nickel	220.00
23 462 GL1	cool sunrise	220.00
23 462 GN1	brushed cool sunrise	220.00
23 462 DA1	warm sunset	220.00
23 462 DL1	brushed warm sunset	220.00
23 462 A01	hard graphite	220.00
23 462 AL1	brushed hard graphite	220.00



Essence
Single-lever basin mixer 1/2"
M-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
 swivel spout with mousseur and stop limiter
 pop-up waste set 1 1/4"
 flexible connection hoses
 min. recommended pressure 1.0 bar


23 480 001	chrome	168.00
------------	--------	--------

Essence
Single-lever basin mixer 1/2"
M-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
 swivel spout with mousseur and stop limiter
 retractable chain
 flexible connection hoses




23 798 001	chrome	157.00
------------	--------	--------

Essence
Single-lever basin mixer 1/2"
M-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
 swivel spout with mousseur and stop limiter
 smooth body
 waste-set with push-open plug
 flexible connection hoses
 min. recommended pressure 1.0 bar




23 463 001	chrome	168.00
------------	--------	--------

Essence
Single-lever basin mixer 1/2"
M-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
 swivel spout with mousseur and stop limiter
 smooth body
 flexible connection hoses




Ref. No. Colour Price netto (€)




23 488 001 **chrome** *

Essence
Single-lever basin mixer 1/2"
M-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix Plus installation system
 swivel spout with mousseur and stop limiter
 smooth body
 flexible connection hoses
 DR-brass




32 628 001 **chrome** 199.00
32 628 DC1 **supersteel** 258.00
32 628 BE1 **polished nickel** 242.00
32 628 EN1 **brushed nickel** 242.00
32 628 GL1 **cool sunrise** 242.00
32 628 GN1 **brushed cool sunrise** 242.00
32 628 DA1 **warm sunset** 242.00
32 628 DL1 **brushed warm sunset** 242.00
32 628 A01 **hard graphite** 242.00
32 628 AL1 **brushed hard graphite** 242.00

Essence
Single-lever basin mixer 1/2"
L-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
 swivel spout with mousseur and stop limiter
 pop-up waste set 1 1/4"
 flexible connection hoses
 min. recommended pressure 1.0 bar



23 799 001 **chrome** 173.00

Essence
Single-lever basin mixer 1/2"
L-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
 swivel spout with mousseur and stop limiter
 smooth body
 waste-set with push-open plug
 flexible connection hoses
 min. recommended pressure 1.0 bar




23 541 001 **chrome** 195.00

Essence
Single-lever basin mixer 1/2"
L-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
 swivel spout with mousseur and stop limiter
 smooth body
 flexible connection hoses
 min. recommended pressure 1.0 bar


GROHE ESSENCE

Ref. No. Colour Price netto (€)




32 901 001	chrome	269.00
32 901 DC1	supersteel	349.00
32 901 BE1	polished nickel	328.00
32 901 EN1	brushed nickel	328.00
32 901 GL1	cool sunrise	328.00
32 901 GN1	brushed cool sunrise	328.00
32 901 DA1	warm sunset	328.00
32 901 DL1	brushed warm sunset	328.00
32 901 A01	hard graphite	328.00
32 901 AL1	brushed hard graphite	328.00

Essence
Single-lever basin mixer 1/2"
XL-Size
single hole installation
metal lever
for free-standing basins
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus rapid installation system
swivel spout with mousseur and stop limiter
smooth body
flexible connection hoses
min. recommended pressure 1.0 bar



20 296 001	chrome	253.00
------------	--------	--------

Essence
Three-hole basin mixer 1/2"
M-Size
metal lever
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
spout with mousseur
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves
union nut 1/2" x 10.5 mm




20 299 001	chrome	278.00
------------	--------	--------

Essence
3-hole basin mixer
L-Size
metal lever
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix installation system
GROHE AquaGuide adjustable mousseur
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves
union nut 1/2" x 10.5 mm


Ref. No. Colour Price netto (€)

19 408 001	chrome	199.00
19 408 DC1	supersteel	258.00
19 408 BE1	polished nickel	242.00
19 408 EN1	brushed nickel	242.00
19 408 GL1	cool sunrise	242.00
19 408 GN1	brushed cool sunrise	242.00
19 408 DA1	warm sunset	242.00
19 408 DL1	brushed warm sunset	242.00
19 408 A01	hard graphite	242.00
19 408 AL1	brushed hard graphite	242.00




Essence
Two-hole basin mixer
M-Size
wall mounted
set for final installation for 23 571 000
without concealed body
metal escutcheon
metal lever
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
centre distance 110 mm
projection 183 mm

19 967 001	chrome	213.00
19 967 DC1	supersteel	290.00
19 967 BE1	polished nickel	273.00
19 967 EN1	brushed nickel	273.00
19 967 GL1	cool sunrise	273.00
19 967 GN1	brushed cool sunrise	273.00
19 967 DA1	warm sunset	273.00
19 967 DL1	brushed warm sunset	273.00
19 967 A01	hard graphite	273.00
19 967 AL1	brushed hard graphite	273.00
ditto, projection 230 mm		



23 571 000	chrome	230.00
------------	--------	--------


Single-lever mixer 1/2", universal concealed body
for 2-hole basin mixers
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
DR-brass
installation device



32 935 001	chrome	147.00
32 935 DC1	supersteel	216.00
32 935 BE1	polished nickel	188.00
32 935 EN1	brushed nickel	188.00
32 935 GL1	cool sunrise	188.00
32 935 GN1	brushed cool sunrise	188.00
32 935 DA1	warm sunset	188.00
32 935 DL1	brushed warm sunset	188.00
32 935 A01	hard graphite	188.00
32 935 AL1	brushed hard graphite	188.00


Essence
Single-lever bidet mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix Plus installation system
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar

Ref. No. Colour Price netto (€)




33 636 001	chrome	171.00
33 636 DC1	supersteel	230.00
33 636 BE1	polished nickel	208.00
33 636 EN1	brushed nickel	208.00
33 636 GL1	cool sunrise	208.00
33 636 GN1	brushed cool sunrise	208.00
33 636 DA1	warm sunset	208.00
33 636 DL1	brushed warm sunset	208.00
33 636 A01	hard graphite	208.00
33 636 AL1	brushed hard graphite	208.00

Essence
Single-lever shower mixer 1/2"
 wall mounted
 metal lever
GROHE SilkMove 35 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
 shower outlet 1/2"
 integrated non-return valve
 S-unions
 protected against backflow
 min. recommended pressure 1.0 bar



33 624 001	chrome	210.00
33 624 DC1	supersteel	272.00
33 624 BE1	polished nickel	256.00
33 624 EN1	brushed nickel	256.00
33 624 GL1	cool sunrise	256.00
33 624 GN1	brushed cool sunrise	256.00
33 624 DA1	warm sunset	256.00
33 624 DL1	brushed warm sunset	256.00
33 624 A01	hard graphite	256.00
33 624 AL1	brushed hard graphite	256.00


Essence
Single-lever bath mixer 1/2"
 wall mounted
 metal lever
GROHE SilkMove 35 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
 automatic diverter: bath/shower
 mousseur
 shower outlet 1/2"
 integrated non-return valve
 S-unions
 protected against backflow
 min. recommended pressure 1.0 bar



33 628 001	chrome	252.00
------------	--------	--------

Essence
Single-lever bath mixer 1/2"
 wall mounted
 metal lever
GROHE SilkMove 35 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
 automatic diverter: bath/shower
 mousseur
 shower outlet 1/2"
 integrated non-return valve
 S-unions
 protected against backflow
 with shower set
 consisting of:
 hand shower Euphoria Cosmopolitan
 Stick (27 400 000) 6.6 l/min
 wall shower holder New Tempesta Cosmopolitan 100
 (27 594 000)
 Silverflex shower hose 1.500 mm (28 364)
 min. recommended pressure 1.0 bar

Ref. No. Colour Price netto (€)




19 286 001	chrome	142.00
19 286 DC1	supersteel	193.00
19 286 BE1	polished nickel	181.00
19 286 EN1	brushed nickel	181.00
19 286 GL1	cool sunrise	181.00
19 286 GN1	brushed cool sunrise	181.00
19 286 DA1	warm sunset	181.00
19 286 DL1	brushed warm sunset	181.00
19 286 A01	hard graphite	181.00
19 286 AL1	brushed hard graphite	181.00

Essence
Single-lever shower mixer
 set for final installation for
 35 501 000
 without concealed body
 metal lever
GROHE StarLight chrome finish
 escutcheon- and shaft-sealing
 metal escutcheon
 covered fixing

35 501 000	chrome	100.00
------------	--------	--------

GROHE Rapido E Universal single-lever mixer for concealed installation




19 285 001	chrome	161.00
19 285 DC1	supersteel	209.00
19 285 BE1	polished nickel	197.00
19 285 EN1	brushed nickel	197.00
19 285 GL1	cool sunrise	197.00
19 285 GN1	brushed cool sunrise	197.00
19 285 DA1	warm sunset	197.00
19 285 DL1	brushed warm sunset	197.00
19 285 A01	hard graphite	197.00
19 285 AL1	brushed hard graphite	197.00

Essence
Single-lever bath mixer
 set for final installation for
 35 501 000
 without concealed body
 metal lever
GROHE StarLight chrome finish
 automatic diverter: bath/shower
 escutcheon- and shaft-sealing
 metal escutcheon
 covered fixing


35 501 000	chrome	100.00
------------	--------	--------

GROHE Rapido E Universal single-lever mixer for concealed installation




19 578 001	chrome	716.00
19 578 DC1	supersteel	928.00
19 578 BE1	polished nickel	874.00
19 578 EN1	brushed nickel	916.00
19 578 GL1	cool sunrise	874.00
19 578 GN1	brushed cool sunrise	874.00
19 578 DA1	warm sunset	874.00
19 578 DL1	brushed warm sunset	874.00
19 578 A01	hard graphite	874.00
19 578 AL1	brushed hard graphite	874.00

Essence
Four-hole single-lever bath combination
GROHE SilkMove 35 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
 pre-assembled spout fixing
 OHM operating element,
 metal lever
 bath inlet with mousseur
 diverter bath/shower
 hand shower 27 400 000
 metal shower hose 2000 mm
 flexible connection hoses
 connection for shower hose
 protected against backflow
 for use with (29 037 000)



19 976 001 chrome 502.00

Essence
Three-hole single-lever bath combination
Three hole installation
GROHE SilkMove 35 mm ceramic cartridge
GROHE StarLight chrome finish
OHM operating element, diverter bath/shower
hand shower 27 400 000
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
for use with (29 037 000)
for combination with (28 990 / 28 991)




29 037 000 chrome 734.00

4/5-hole bath combination (optional) baseframe for installation under tiled surround
consisting of:
base frame
drainage box with integrated outlet for splash water

45 388 000 chrome 130.00

Supporting legs for baseframe




23 741 001 chrome 2,020.00
23 741 DC1 supersteel 2,630.00

Essence
Single-lever free-standing shower mixer 1/2"
floor-mounted
set for final installation for 45 984 001
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge with temperature limiter
GROHE StarLight chrome finish
automatic diverter:
head shower/hand shower
360° horizontal swivable shower arm
integrated non-return valve in the shower outlet 1/2"
with shower holder
Rainshower Cosmopolitan 310 head shower 9.5 l/min (27 477 000)
with ball joint
rotation angle ± 15°
GROHE DreamSpray perfect spray pattern
SpeedClean anti-lime system
hand shower Euphoria Cosmopolitan Stick (27 806 000) 7.6 l/min.
Silverflex shower hose 1750 mm (28 388 000)
protected against backflow
min. recommended pressure 1.0 bar

GROHE ESSENCE

Ref. No. Colour Price netto (€)



23 491 001	chrome	1,230.00
23 491 DC1	supersteel	1,470.00
23 491 BE1	polished nickel	1,380.00
23 491 EN1	brushed nickel	1,380.00
23 491 GL1	cool sunrise	1,380.00
23 491 GN1	brushed cool sunrise	1,380.00
23 491 DA1	warm sunset	1,380.00
23 491 DL1	brushed warm sunset	1,380.00
23 491 A01	hard graphite	1,380.00
23 491 AL1	brushed hard graphite	1,380.00

Essence

Single-lever bath mixer 1/2", floor mounted

set for final installation for 45 984

without roughing-in-set

GROHE SilkMove 35 mm ceramic cartridge with temperature limiter

GROHE StarLight chrome finish

automatic diverter: bath/shower

swivel spout with mousseur and stop limiter

projection 277 mm


integrated non-return valve in the shower outlet 1/2"

with shower holder

hand shower Euphoria Cosmopolitan Stick (27 806 000) 7.6 l/min.

Silverflex shower hose 1 250 mm (28 362)

protected against backflow



45 984 001	chrome	433.00
------------	--------	--------

Rough-in set 1/2"

for floor-mounted bath mixers/spouts and shower mixers

without finishing trim set

installation plate with 360° horizontal and

3° vertical adjustment

installation depth 53-157 mm for bath mixers/

spouts, depth compensation 104 mm

installation depth 65-157 mm for shower

mixers, depth compensation 92 mm

two 1/2" female connections (hot/cold supplies)

flushing plug

gasket


fixing material

GROHE EURODISC JOY




GROHE EURODISC JOY

Ref. No. Colour Price netto (€)




23 425 000 chrome 188.00
23 425 LS0 moon white/chrome 244.00

Eurodisc Joy
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses




23 427 000 chrome 200.00
23 427 LS0 moon white/chrome 260.00

Eurodisc Joy
Single-lever basin mixer 1/2"
M-Size
single hole installation
metal lever
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses




23 428 000 chrome 278.00
23 428 LS0 moon white/chrome 375.00

Eurodisc Joy
Single-lever basin mixer 1/2"
XL-Size
single hole installation
metal lever
for free-standing basins
GROHE FeatherControl Joystick cartridge
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE StarLight chrome finish
GROHE QuickFix Plus installation system
smooth body
flexible connection hoses



19 968 000 chrome 218.00
19 968 LS0 moon white/chrome 285.00


Eurodisc Joy
Two-hole basin mixer
M-Size
wall mounted
set for final installation for
23 429 000
without concealed body
metal lever
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
centre distance 110 mm
projection 171 mm
min. recommended pressure 1.0 bar



19 969 000 chrome 231.00
19 969 LS0 moon white/chrome 299.00

Eurodisc Joy
Two-hole basin mixer
L-Size
wall mounted
set for final installation for
23 429 000
without concealed body
metal lever
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
centre distance 110 mm
projection 226 mm
min. recommended pressure 1.0 bar

GROHE EURODISC JOY


	Ref. No.	Colour	Price netto (€)
 	23 429 000	chrome	231.00
<p>Joystick mixer 1/2", concealed body for 2-hole basin mixers without finishing trim set GROHE FeatherControl Joystick cartridge wall installation installation device DR-brass</p>			
 	46 901 000	chrome	53.00
<p>Extension-set, 25 mm for 23 429 000 Joystick mixer 1/2", concealed body for 2-hole basin mixers wall installation including disassembly-key</p>			
 	24 036 000 24 036 LSO	chrome moon white/chrome	200.00 260.00
<p>Eurodisc Joy Single-lever bidet mixer 1/2" S-Size single hole installation metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish GROHE EcoJoy ball-joint mousseur 5.7 l/min GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses</p>			
 	19 467 000 19 467 LSO	chrome moon white/chrome	348.00 416.00
<p>Grotherm 3000 Cosmopolitan Thermostatic shower mixer set for final installation for GROHE Rapido T 35 500 000 wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) GROHE StarLight chrome finish GROHE SafeStop at 38°C GROHE SafeStop Plus optional temperature limiter at 43°C included volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) Carbodur ceramic headpart 1/2", 180° without concealed body</p>			
 	19 468 000 19 468 LSO	chrome moon white/chrome	411.00 543.00
<p>Grotherm 3000 Cosmopolitan Thermostat with integrated 2-way diverter for bath or shower with more than one outlet set for final installation for GROHE Rapido T 35 500 000 wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) GROHE StarLight chrome finish GROHE SafeStop at 38°C GROHE SafeStop Plus optional temperature limiter at 43°C included Aquadimmer with multiple function shut off and flow control diverter for 2 outlets without concealed body</p>			
	35 500 000	chrome	239.00
<p>GROHE Rapido T Universal thermostatic mixer for concealed installation</p>			
	35 500 000	chrome	239.00
<p>GROHE Rapido T Universal thermostatic mixer for concealed installation</p>			

GROHE EURODISC COSMOPOLITAN




GROHE EURODISC COSMOPOLITAN

Ref. No. Colour Price netto (€)




23 051 002 **chrome** 100.00

Eurodisc Cosmopolitan
Pillar tap
XS-Size
single hole installation
metal lever
ceramic headpart 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
union nut 1/2" x 10.5 mm
min. recommended pressure 1.0 bar
acoustic group I in accordance with DIN 4109



23 049 002 **chrome** 160.00

Eurodisc Cosmopolitan
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE QuickFixPlus installation
system with centering support
mousseur
pop-up waste set 1 1/4"
flexible connection hoses




33 190 20E **chrome** 160.00

Eurodisc Cosmopolitan
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate
approx. 2.5 l/min
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFixPlus installation
system with centering support
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar
acoustic group I in accordance with DIN 4109

33 190 002 **chrome** 160.00

ditto, with non-restricted flow




32 469 20E **chrome** 153.00

Eurodisc Cosmopolitan
Single-lever basin mixer 1/2"
S-Size
metal lever
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate
approx. 2.5 l/min
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFixPlus installation
system with centering support
smooth body
flexible connection hoses
min. recommended pressure 1.0 bar
acoustic group I in accordance with DIN 4109


GROHE EURODISC COSMOPOLITAN

Ref. No. Colour Price netto (€)




23 448 002 chrome 174.00

Eurodisc Cosmopolitan
Single-lever basin mixer 1/2"
M-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate
approx. 2.5 l/min
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar




23 449 002 chrome 176.00

Eurodisc Cosmopolitan
Single-lever basin mixer 1/2"
M-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate
approx. 2.5 l/min
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix installation system
smooth body
flexible connection hoses
min. recommended pressure 1.0 bar



23 054 002 chrome 201.00

Eurodisc Cosmopolitan
Single-lever basin mixer 1/2"
L-Size
single hole installation
metal lever
covered lever fixing
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE QuickFix Plus installation system
mousseur
swivel tubular spout with stop limiter
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar
optional temperature limiter ref. no. 46 375 000




23 432 000 chrome 275.00

Eurodisc Cosmopolitan
Single-lever basin mixer 1/2"
XL-Size
single hole installation
metal lever
for free-standing basins
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate
approx. 2.5 l/min
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
smooth body
flexible connection hoses
min. recommended pressure 1.0 bar
optional temperature limiter ref. no. 46 375 000


GROHE EURODISC COSMOPOLITAN

Ref. No. Colour Price netto (€)



23 055 002 chrome 225.00


Eurodisc Cosmopolitan
Single-lever basin mixer 1/2"
XL-Size
single hole installation
metal lever
for free-standing basins
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate
approx. 2.5 l/min
GROHE StarLight chrome finish
GROHE QuickFixPlus installation
system with centering support
mousseur
pop-up waste set 1 1/4"
flexible connection hoses
optional temperature limiter ref. no. 46 375 000
acoustic group I in accordance with DIN 4109



19 573 002 chrome 201.00


Eurodisc Cosmopolitan
Two-hole basin mixer
M-Size
wall mounted
set for final installation for
23 571 000
without concealed body
metal escutcheon
metal lever
GROHE StarLight chrome finish
GROHE AquaGuide mousseur
centre distance 110 mm
projection 170 mm
min. recommended pressure 1.0 bar

19 974 002 chrome 212.00
ditto, projection 225 mm



23 571 000 chrome 230.00





Single-lever mixer 1/2", universal concealed body
for 2-hole basin mixers
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
DR-brass
installation device



33 244 002 chrome 160.00

Eurodisc Cosmopolitan
Single-lever bidet mixer 1/2"
S-Size
metal lever
single hole installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate
approx. 2.5 l/min
GROHE StarLight chrome finish
GROHE QuickFixPlus installation
system with centering support
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar
optional temperature limiter ref. no. 46 375 000
acoustic group I in accordance with DIN 4109

GROHE EURODISC COSMOPOLITAN

	Ref. No.	Colour	Price netto (€)
 	33 569 002	chrome	160.00
<p>Eurodisc Cosmopolitan Single-lever shower mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter adjustable minimum flow rate approx. 2.5 l/min shower bottom outlet 1/2" integrated non-return valve S-unions protected against backflow optional temperature limiter ref. no. 46 308 000 acoustic group I in accordance with DIN 4109</p>			
 	33 390 002	chrome	201.00
<p>Eurodisc Cosmopolitan Single-lever bath mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter adjustable minimum flow rate approx. 2.5 l/min automatic diverter: bath/shower mousseur, integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter ref. no. 46 308 000 acoustic group I in accordance with DIN 4109</p>			
 	33 395 002	chrome	239.00
<p>Eurodisc Cosmopolitan Single-lever bath mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter adjustable minimum flow rate approx. 2.5 l/min automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter ref. no. 46 308 000 acoustic group I in accordance with DIN 4109 with shower set consisting of: Euphoria hand shower (27 222 000) wall shower holder (27 056 000) Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151)</p>			
 	13 278 002	chrome	96.00
<p>Eurodisc Cosmopolitan Bath spout wall mounted GROHE StarLight chrome finish mousseur male thread 1/2" projection 170 mm min. recommended pressure 1.0 bar</p>			
 	13 279 002	chrome	114.00
<p>Eurodisc Cosmopolitan Bath spout wall mounted GROHE StarLight chrome finish mousseur automatic diverter: bath/shower with concealed connection piece male thread 1/2" projection 170 mm</p>			

GROHE EURODISC COSMOPOLITAN

Ref. No.


Colour

Price netto (€)

37 624 000

chrome

80.00



Arena Cosmopolitan S

Wall plate

for dual flush or start & stop actuation

for pneumatic discharge valve AV1

GD 2 cistern

vertical installation

130 x 172 mm

made of ABS

GROHE StarLight chrome finish

GROHE EcoJoy technology for less water and perfect flow

flush plate with magnetic holder

and fixing brackets included


small shaft 40 911 000 sold separately

GROHE CONCETTO




GROHE CONCETTO

Ref. No. Colour Price netto (€)



32 207 001 **chrome** **110.00**


Concetto
Pillar tap
XS-Size
single hole installation
metal lever
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
union nut 1/2" x 10.5 mm
acoustic group I in accordance with DIN 4109



32 204 10E **chrome** **138.00**


Concetto
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix installation system
with centering support
pop-up waste set 1 1/4"
flexible connection hoses
acoustic group I in accordance with DIN 4109

32 204 001 **chrome** **138.00**
ditto, with non-restricted flow




23 060 001 **chrome** **150.00**

Concetto
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE QuickFix installation system
with centering support
flow straightener
pop-up waste set 1 1/4"
flexible connection hoses
for open water heater
optional temperature limiter ref. no. 46 375 000
acoustic group I in accordance with DIN 4109



32 240 10E **chrome** **134.00**


Concetto
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix installation system
with centering support
smooth body
flexible connection hoses
min. recommended pressure 1.0 bar
acoustic group I in accordance with DIN 4109



23 450 001 **chrome** **159.00**


Concetto
Single-lever basin mixer 1/2"
M-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar

Ref. No. Colour Price netto (€)




23 451 001 **chrome** **141.00**

Concetto
Single-lever basin mixer 1/2"
M-Size
single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix rapid installation system
 smooth body
 flexible connection hoses
 min. recommended pressure 1.0 bar




23 739 001 **chrome** **221.00**

Concetto
Single-lever basin mixer 1/2"
L-Size
single hole installation
 metal lever
GROHE SilkMove 35 mm ceramic cartridge
 adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix installation system
 swivel spout with stop restriction
 pop-up waste set 1 1/4"
 flexible connection hoses
 optional temperature limiter ref. no. 46 375 000
 min. recommended pressure 1.0 bar




32 629 001 **chrome** **201.00**

Concetto
Single-lever basin mixer 1/2"
L-Size
single hole installation
 metal lever
 covered lever fixing
GROHE SilkMove 35 mm ceramic cartridge
 adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE QuickFix installation system
 mousseur
 swivel tubular spout with stop limiter
 pop-up waste set 1 1/4"
 flexible connection hoses
 min. recommended pressure 1.0 bar
 optional temperature limiter ref. no. 46 375 000



20 216 001 **chrome** **263.00**

Concetto
Three-hole basin mixer 1/2"
L-Size
 ceramic headpart 1/2", 90°
GROHE StarLight chrome finish
GROHE QuickFix installation system
 with centering support
 spout with mousseur
 pop-up waste set 1 1/4"
 pressure-proof, flexible connection hoses
 between middle-body and side valves
 union nut with 10.5 mm drilling




19 575 001 **chrome** **194.00**


Concetto
Two-hole basin mixer
S-Size
 wall mounted
 set for final installation for 23 571 000
 without concealed body
 metal escutcheon
 metal lever
GROHE StarLight chrome finish
GROHE AquaGuide adjustable mousseur
 centre distance 110 mm
 projection 147 mm

GROHE CONCETTO

Ref. No. Colour Price netto (€)




23 571 000 **chrome** **230.00**
Single-lever mixer 1/2", universal concealed body
 for 2-hole basin mixers
 wall installation
 without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
 adjustable flow rate limiter
 with temperature limiter
 spout can be positioned on the right or left
 DR-brass
 installation device




32 208 001 **chrome** **138.00**
Concetto
Single-lever bidet mixer 1/2"
S-Size
 single hole installation
 metal lever
GROHE SilkMove 28 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix installation system
 with centering support
 ball-joint mousseur
 pop-up waste set 1 1/4"
 flexible connection hoses
 acoustic group I in accordance with DIN 4109

32 209 001 **chrome** **134.00**
 ditto, with retractable chain




29 037 000 **chrome** **734.00**
4/5-hole bath combination (optional)
baseframe for installation under tiled surround
 consisting of:
 base frame
 drainage box with integrated outlet for splash water

45 388 000 **chrome** **130.00**
Supporting legs for baseframe



13 280 001 **chrome** **99.00**
Concetto
Bath spout
 wall mounted
GROHE StarLight chrome finish
 mousseur
 male thread 1/2"
 min. recommended pressure 1.0 bar



13 281 001 **chrome** **132.00**
Concetto
Bath spout with diverter
 wall mounted
GROHE StarLight chrome finish
 mousseur
 automatic diverter: bath/shower
 male thread 1/2"

GROHE EUROSTYLE COSMOPOLITAN




GROHE EUROSTYLE COSMOPOLITAN

Ref. No.

Colour

Price netto (€)



23 039 002

chrome

96.00

**Eurostyle Cosmopolitan
Pillar tap
XS-Size**

single hole installation

metal lever

ceramic headpart 1/2", 90°


GROHE StarLight chrome finish

mousseur

min. recommended pressure 1.0 bar

acoustic group I in accordance with DIN 4109

union nut 1/2" x 10.5 mm



23 037 002

chrome

128.00

Eurostyle Cosmopolitan

Single-lever basin mixer 1/2"

S-Size

single hole installation

metal lever

GROHE SilkMove 28 mm ceramic cartridge

GROHE StarLight chrome finish


GROHE QuickFix installation system

with centering support

mousseur

pop-up waste set 1 1/4"

flexible connection hoses



33 552 20E

chrome

128.00

Eurostyle Cosmopolitan

Single-lever basin mixer 1/2"

S-Size

single hole installation

metal lever

GROHE SilkMove 35 mm ceramic cartridge

adjustable flow rate limiter

adjustable minimum flow rate

approx. 2.5 l/min

temperature limiter

GROHE StarLight chrome finish

GROHE EcoJoy SpeedClean mousseur 5.7 l/min

GROHE QuickFix installation system

with centering support

pop-up waste set 1 1/4"

flexible connection hoses

min. recommended pressure 1.0 bar


acoustic group I in accordance with DIN 4109

33 552 002

chrome

128.00

ditto, with non-restricted flow



33 561 002

chrome

151.00

Eurostyle Cosmopolitan

Single-lever basin mixer 1/2"

S-Size

single hole installation

metal lever

GROHE SilkMove 35 mm ceramic cartridge

adjustable flow rate limiter

adjustable minimum flow rate

approx. 2.5 l/min

GROHE StarLight chrome finish

GROHE QuickFix installation system

with centering support

flow straightener

pop-up waste set 1 1/4"

flexible connection hoses

for open water heater

optional temperature limiter ref. no. 46 375 000

acoustic group I in accordance with DIN 4109











GROHE EUROSTYLE COSMOPOLITAN

Ref. No. Colour Price netto (€)









	<p>23 549 000 chrome *</p> <p>Eurostyle Cosmopolitan Single-lever basin mixer 1/2" S-Size single hole installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter temperature limiter GROHE StarLight finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix installation system retractable chain flexible connection hoses with shower set consisting of: hand shower with integrated diverter wall shower holder shower hose recommended pressure 1.0 - 5.0 bar</p>
	<p>32 468 20E chrome 120.00</p> <p>Eurostyle Cosmopolitan Single-lever basin mixer 1/2" S-Size single hole installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate approx. 2.5 l/min temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix installation system with centering support smooth body flexible connection hoses min. recommended pressure 1.0 bar acoustic group I in accordance with DIN 4109</p>
	<p>23 043 002 chrome 183.00</p> <p>Eurostyle Cosmopolitan Single-lever basin mixer 1/2" L-Size single hole installation metal lever covered lever fixing GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish GROHE QuickFix installation system mousseur swivel tubular spout with stop limiter pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar optional temperature limiter ref. no. 46 375 000</p>
	<p>20 208 002 chrome 262.00</p> <p>Eurostyle Cosmopolitan Three-hole basin mixer S-Size metal lever ceramic headparts 1/2", 90° GROHE StarLight chrome finish GROHE QuickFix installation system with centering support spout with mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between middle-body and side valves union nut with 10.5 mm drilling</p>

* price upon request







GROHE EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	Price netto (€)
 	19 571 002	chrome	225.00
<p>Eurostyle Cosmopolitan Two-hole basin mixer S-Size wall mounted set for final installation for 23 571 000 without concealed body metal escutcheon metal lever GROHE StarLight chrome finish GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 171 mm</p>			
 	23 571 000	chrome	230.00
<p>Single-lever mixer 1/2", universal concealed body for 2-hole basin mixers wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device</p>			
 	33 565 002	chrome	128.00
<p>Eurostyle Cosmopolitan Single-lever bidet mixer 1/2" S-Size single hole installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate approx. 2.5 l/min GROHE StarLight chrome finish GROHE QuickFix installation system with centering support ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar optional temperature limiter ref. no. 46 375 000</p>			
	33 566 002	chrome	120.00
<p>ditto, with retractable chain</p>			
 	33 590 002	chrome	128.00
<p>Eurostyle Cosmopolitan Single-lever shower mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter shower bottom outlet 1/2" integrated non-return valve S-unions protected against backflow optional temperature limiter ref. no. 46 308 000 acoustic group I in accordance with DIN 4109 min. recommended pressure 1.0 bar</p>			
 	33 591 002	chrome	168.00
<p>Eurostyle Cosmopolitan Single-lever bath mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter ref. no. 46 308 000 acoustic group I in accordance with DIN 4109 min. recommended pressure 1.0 bar</p>			

GROHE EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	Price netto (€)
 	19 507 002 Eurostyle Cosmopolitan Single-lever shower mixer set for final installation for 35 501 000 without concealed body metal lever GROHE StarLight chrome finish escutcheon- and shaft-sealing wall escutcheon covered fixing	chrome	161.00
	35 501 000 GROHE Rapido E Universal single-lever mixer for concealed installation	chrome	100.00
 	33 635 002 Eurostyle Cosmopolitan Single-lever shower mixer 1/2" wall installation GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish consisting of: set for final installation concealed body 33 964 000 adjustable flow rate limiter adjustable minimum flow rate approx. 2.5 l/min metal lever escutcheon- and shaft-sealing metal escutcheon screwed optional temperature limiter	chrome	172.00
 	19 506 002 Eurostyle Cosmopolitan Single-lever bath mixer set for final installation for 35 501 000 without concealed body metal lever GROHE StarLight chrome finish automatic diverter: bath/shower escutcheon- and shaft-sealing wall escutcheon covered fixing	chrome	172.00
	35 501 000 GROHE Rapido E Universal single-lever mixer for concealed installation	chrome	100.00
 	33 637 002 Eurostyle Cosmopolitan Single-lever bath mixer 1/2" wall installation GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish consisting of: set for final installation concealed body 33 963 000 adjustable flow rate limiter adjustable minimum flow rate approx. 2.5 l/min metal lever escutcheon- and shaft-sealing metal escutcheon screwed optional temperature limiter	chrome	198.00

GROHE EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	Price netto (€)
	29 037 000	chrome	734.00
	<p>4/5-hole bath combination (optional) baseframe for installation under tiled surround consisting of: base frame drainage box with integrated outlet for splash water</p>		
	45 388 000	chrome	130.00
	<p>Supporting legs for baseframe</p>		
	13 276 002	chrome	102.00
	<p>Eurostyle Cosmopolitan Bath spout wall mounted GROHE StarLight chrome finish mousseur male thread 1/2" projection 170 mm min. recommended pressure 1.0 bar</p>		
	13 277 002	chrome	126.00
			

GROHE EUROSTYLE




GROHE EUROSTYLE

Ref. No.

Colour

Price netto (€)




33 558 003
33 558 LS3

chrome
moon white/chrome

115.00
149.00

Eurostyle
Single-lever basin mixer 1/2"
S-Size
single hole installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses




23 707 003
23 707 LS3

chrome
moon white/chrome

110.00
143.00

Eurostyle
Single-lever basin mixer 1/2"
S-Size
single hole installation
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses




23 564 003

chrome

120.00

Eurostyle
Single-lever basin mixer 1/2"
S-Size
single hole installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses




23 708 003

chrome

115.00

Eurostyle
Single-lever basin mixer 1/2"
S-Size
single hole installation
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses













23 374 003
23 374 LS3

chrome
moon white/chrome

115.00
149.00

Eurostyle
Single-lever basin mixer 1/2"
S-Size
single hole installation
loop metal lever
GROHE SilkMove ES 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses


GROHE EUROSTYLE

		Ref. No.	Colour	Price netto (€)
		23 709 003 23 709 LS3	chrome moon white/chrome	110.00 143.00
		<p>Eurostyle Single-lever basin mixer 1/2" S-Size single hole installation solid metal lever GROHE SilkMove ES 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system pop-up waste set 1 1/4" flexible connection hoses</p>		
		33 561 003	chrome	162.00
		<p>Eurostyle Single-lever basin mixer 1/2" S-Size single hole installation loop metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE QuickFix rapid installation system flow straightener pop-up waste set 1 1/4" flexible connection hoses for open water heater</p>		
		23 710 003	chrome	*
		<p>Eurostyle Single-lever basin mixer 1/2" S-Size single hole installation solid metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE QuickFix rapid installation system flow straightener pop-up waste set 1 1/4" flexible connection hoses for open water heater</p>		
		32 468 003	chrome	110.00
		<p>Eurostyle Single-lever basin mixer 1/2" S-Size single hole installation loop metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system smooth body flexible connection hoses</p>		
		23 715 003	chrome	105.00
		<p>Eurostyle Single-lever basin mixer 1/2" S-Size single hole installation solid metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system smooth body flexible connection hoses</p>		

* price upon request


GROHE EUROSTYLE

Ref. No. Colour Price netto (€)




23 567 003 chrome 115.00

Eurostyle
Single-lever basin mixer 1/2"
S-Size
single hole installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
smooth body
flexible connection hoses




23 716 003 chrome 110.00

Eurostyle
Single-lever basin mixer 1/2"
S-Size
single hole installation
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero separated inner water ways - lead and nickel free
GROHE QuickFix rapid installation system
smooth body
flexible connection hoses




23 569 003 chrome 180.00
23 569 LS3 moon white/chrome 234.00

Eurostyle
Single-lever basin mixer 1/2"
L-Size
single hole installation
loop metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
swivel cast spout
swivel area 360°
pop-up waste set 1 1/4"
flexible connection hoses



23 718 003 chrome 171.00
23 718 LS3 moon white/chrome 223.00










Eurostyle
Single-lever basin mixer 1/2"
L-Size
single hole installation
solid metal lever
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
swivel cast spout
swivel area 360°
pop-up waste set 1 1/4"



23 570 003 chrome 225.00
23 570 LS3 moon white/chrome 291.00

Eurostyle
Single-lever basin mixer 1/2"
XL-Size
single hole installation
loop metal lever
for free-standing basins
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
smooth body
flexible connection hoses

GROHE EUROSTYLE


		Ref. No.	Colour	Price netto (€)
		23 719 003	chrome	213.00
		23 719 LS3	moon white/chrome	275.00
<p>Eurostyle Single-lever basin mixer 1/2" XL-Size single hole installation solid metal lever for free-standing basins GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system smooth body flexible connection hoses</p>				
		19 571 003	chrome	216.00
		19 571 LS3	moon white/chrome	282.00
<p>Eurostyle Two-hole basin mixer M-Size wall mounted without concealed body set for final installation for 23 571 000 metal escutcheon loop metal lever GROHE StarLight chrome finish GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 203 mm</p>				
		29 097 003	chrome	205.00
		29 097 LS3	moon white/chrome	267.00
<p>Eurostyle Two-hole basin mixer M-Size wall mounted without concealed body set for final installation for 23 571 000 metal escutcheon solid metal lever GROHE StarLight chrome finish GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 203 mm</p>				
		23 571 000	chrome	230.00
		<p>Single-lever mixer 1/2", universal concealed body for 2-hole basin mixers wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device</p>		
		33 565 003	chrome	115.00
		33 565 LS3	moon white/chrome	149.00
<p>Eurostyle Single-lever bidet mixer 1/2" S-Size single hole installation loop metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system with ball joint pop-up waste set 1 1/4" flexible connection hoses</p>				

GROHE EUROSTYLE

Ref. No.

Colour

Price netto (€)




23 720 003
23 720 LS3

chrome
moon white/chrome

110.00
143.00

Eurostyle
Single-lever bidet mixer 1/2"
S-Size
single hole installation
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
with ball joint
pop-up waste set 1 1/4"
flexible connection hoses




23 722 LS3

moon white/chrome

157.00

Eurostyle
Single-lever shower mixer 1/2"
wall mounted
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
shower outlet 1/2" with integrated non-return valve
covered S-unions
metal wall escutcheons
protected against backflow




33 591 LS3

moon white/chrome

203.00

Eurostyle
Single-lever bath mixer 1/2"
wall mounted
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
shower outlet 1/2" with integrated non-return valve
covered S-unions
metal wall escutcheons
protected against backflow




23 726 LS3

moon white/chrome

193.00

Eurostyle
Single-lever bath mixer 1/2"
wall mounted
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
shower outlet 1/2" with integrated non-return valve
covered S-unions
protected against backflow
metal wall escutcheon



19 507 LS3

moon white/chrome

168.00









Eurostyle
Single-lever shower mixer
set for final installation for
35 501 000
without concealed body
GROHE StarLight chrome finish
GROHE QuickFix covered fixation
loop metal lever
escutcheon- and shaft-sealing
metal wall escutcheon

35 501 000
GROHE Rapido E Universal single-lever
mixer for concealed installation

chrome

100.00

GROHE EUROSTYLE

	Ref. No.	Colour	Price netto (€)
 	29 098 LS3 Eurostyle Single-lever shower mixer set for final installation for 35 501 000 without concealed body solid metal lever GROHE StarLight chrome finish GROHE QuickFix covered fixation escutcheon- and shaft-sealing metal wall escutcheon	moon white/chrome	161.00
	35 501 000 GROHE Rapido E Universal single-lever mixer for concealed installation	chrome	100.00
 	23 725 003 Eurostyle Single-lever shower mixer 1/2" wall installation consisting of: set for final installation (19 507 003) with concealed body solid metal lever GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish metal wall escutcheon escutcheon- and shaft-sealing GROHE QuickFix covered fixation optional temperature limiter ref. no. 46 308 000	chrome	142.00
 	19 506 LS3 Eurostyle Single-lever bath mixer set for final installation for 35 501 000 without concealed body loop metal lever GROHE StarLight chrome finish GROHE QuickFix covered fixation automatic diverter: bath/shower escutcheon- and shaft-sealing metal wall escutcheon	moon white/chrome	183.00
	35 501 000 GROHE Rapido E Universal single-lever mixer for concealed installation	chrome	100.00
 	29 099 LS3 Eurostyle Single-lever bath mixer set for final installation for 35 501 000 without concealed body solid metal lever GROHE StarLight chrome finish GROHE QuickFix covered fixation automatic diverter: bath/shower escutcheon- and shaft-sealing metal wall escutcheons	moon white/chrome	176.00
	35 501 000 GROHE Rapido E Universal single-lever mixer for concealed installation	chrome	100.00

GROHE EUROSMART COSMOPOLITAN




GROHE EUROSMART COSMOPOLITAN

Ref. No.

Colour

Price netto (€)



32 825 00E

chrome


108.00

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2"
S-Size

single hole installation
metal lever

GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate
approx. 2.5 l/min

temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix installation system
with centering support
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar
acoustic group I in accordance with DIN 4109



32 825 000

chrome


108.00

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2"
S-Size

single hole installation
metal lever

GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE QuickFix installation system
with centering support

mousseur
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar
optional temperature limiter ref. no. 46 375 000
acoustic group I in accordance with DIN 4109



23 125 000

chrome

179.00

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2"
S-Size

single hole installation
metal lever

GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate
approx. 2.5 l/min


GROHE StarLight chrome finish
rapid installation system
mousseur
retractable chain
flexible connection hoses
optional temperature limiter
with shower set consisting of:
hand shower with integrated diverter
wall shower holder
shower hose

23 433 000

chrome

287.00

with integrated stop valve



32 824 000

chrome

102.00











Eurosmart Cosmopolitan
Single-lever basin mixer 1/2"
S-Size

single hole installation
metal lever

GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate
approx. 2.5 l/min

GROHE StarLight chrome finish
GROHE QuickFix installation system
with centering support
mousseur
smooth body
flexible connection hoses
optional temperature limiter ref. no. 46 375 000
acoustic group I in accordance with DIN 4109





GROHE EUROSMART COSMOPOLITAN

		Ref. No.	Colour	Price netto (€)
		23 325 000	chrome	124.00
<p>Eurosmart Cosmopolitan Single-lever basin mixer 1/2" M-Size single hole installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar optional temperature limiter ref. no. 46 375 000</p>				
		23 327 000	chrome	118.00
<p>Eurosmart Cosmopolitan Single-lever basin mixer 1/2" M-Size single hole installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system smooth body flexible connection hoses min. recommended pressure 1.0 bar optional temperature limiter ref. no. 46 375 000</p>				
		23 398 00E	chrome	118.00
<p>Eurosmart Cosmopolitan Single-lever basin mixer 1/2" M-Size single hole installation metal lever GROHE SilkMove ES 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter adjustable minimum flow rate approx. 2.5 l/min temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix installation system with centering support smooth body flexible connection hoses</p>				
		32 830 000	chrome	159.00
<p>Eurosmart Cosmopolitan Single-lever basin mixer 1/2" L-Size single hole installation metal lever covered lever fixing GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish GROHE QuickFix installation system mousseur swivel tubular spout with stop limiter pop-up waste set 1 1/4" flexible connection hoses</p>				
		20 187 000	chrome	209.00
<p>Eurosmart Cosmopolitan Three-hole basin mixer 1/2" S-Size metal lever ceramic headparts 1/2", 90° GROHE StarLight chrome finish GROHE QuickFix installation system with centering support spout with mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves union nut with 10.5 mm drilling</p>				

GROHE EUROSMART COSMOPOLITAN


	Ref. No.	Colour	Price netto (€)	
		19 381 000	chrome	201.00
<p>Eurosmart Cosmopolitan Two-hole basin mixer S-Size wall mounted set for final installation for 23 571 000 without concealed body metal escutcheon metal lever GROHE StarLight chrome finish GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 170 mm</p>				
		23 571 000	chrome	230.00
<p>Single-lever mixer 1/2", universal concealed body for 2-hole basin mixers wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device</p>				
		32 839 000	chrome	108.00
<p>Eurosmart Cosmopolitan Single-lever bidet mixer 1/2" S-Size single hole installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish GROHE QuickFix installation system with centering support ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter ref. no. 46 375 000 acoustic group I in accordance with DIN 4109</p>				
		32 840 000	chrome	102.00
<p>ditto, with retractable chain</p>				
		32 847 000	chrome	234.00
<p>Eurosmart Cosmopolitan Solid basin mixer, 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter adjustable minimum flow rate approx. 2.5 l/min automatic diverter: bath/shower swivel tubular spout projection 400 mm S-unions</p>				
		32 880 000	chrome	129.00
<p>Eurosmart Cosmopolitan Single-lever shower mixer 1/2" wall installation GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish consisting of: set for final installation concealed body 33 962 000 adjustable flow rate limiter adjustable minimum flow rate approx. 2.5 l/min metal lever escutcheon- and shaft-sealing metal escutcheon screwed optional temperature limiter</p>				

GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	Price netto (€)
 	13 261 000	chrome	96.00
	Eurosmart Cosmopolitan Bath spout wall mounted GROHE StarLight chrome finish mousseur male thread 1/2" projection 170 mm min. recommended pressure 1.0 bar		
 	13 262 000	chrome	111.00
	Eurosmart Cosmopolitan Bath spout wall mounted GROHE StarLight chrome finish mousseur automatic diverter: bath/shower male thread 1/2" projection 170 mm		

GROHE EUROSMART






33 265 002

chrome

93.00

Eurosmart
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses




23 456 002

chrome

*

Eurosmart
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
hybrid pop-up waste set 1 1/4"
flexible connection hoses




23 124 002

chrome

136.00

Eurosmart
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
retractable chain
flexible connection hoses
with shower set consisting of:
hand shower with integrated diverter
wall shower holder
shower hose




32 467 002

chrome

88.00

Eurosmart
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
smooth body
flexible connection hoses



23 322 001


chrome

108.00

Eurosmart
Single-lever basin mixer 1/2"
M-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses


GROHE EUROSMART

Ref. No. Colour Price netto (€)




23 324 001 chrome 101.00

Eurosmart
Single-lever basin mixer 1/2"
M-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
smooth body
flexible connection hoses




23 537 002 chrome 150.00

Eurosmart
Single-lever basin mixer 1/2"
L-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
swivel tubular spout
swivel area 360°
pop-up waste set 1 1/4"
flexible connection hoses




23 743 002 chrome 144.00

Eurosmart
Single-lever basin mixer 1/2"
L-Size
single hole installation
metal lever
GROHE SilkMove 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
swivel tubular spout
swivel area 360°
flexible connection hoses
retractable chain
GROHE QuickFix rapid installation system













32 929 002 chrome 93.00

Eurosmart
Single-lever bidet mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
with ball joint
pop-up waste set 1 1/4"
flexible connection hoses



33 555 002 chrome 97.00


Eurosmart
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2"
with integrated non return-valve
S-unions
metal wall escutcheons
protected against backflow

	Ref. No.	Colour	Price netto (€)
 	33 300 002	chrome	117.00
<p>Eurosmart Single-lever bath mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions metal wall escutcheons protected against backflow</p>			
 	19 970 002	chrome	51.00
<p>Eurosmart 3-way diverter for use with diverter rough-in valve 29 706 000 without concealed body GROHE StarLight chrome finish</p>			
 	29 706 000	chrome	255.00
<p>3-way diverter concealed body, 1/2" without finishing trim set wall installation DR-brass ceramic discs connection mixed water 1/2" 2 outlets 1/2" protection sleeve installation depth infinitely adjustable 24-60 mm</p>			
 	19 972 002	chrome	51.00
<p>Eurosmart 5-way diverter for use with diverter rough-in valve 29 708 000 without concealed body GROHE StarLight chrome finish</p>			
 	29 708 000	chrome	277.00
<p>5-way diverter concealed body, 1/2" without finishing trim set wall installation with ceramic sealing discs connection cold and hot 1/2" 2 outlets 1/2" bath outlet 3/4" protection sleeve installation depth infinitely adjustable 24-60 mm DR-brass</p>			

GROHE BAUEDGE




Ref. No. Colour Price netto (€)



20 421 000 chrome 61.00

BauEdge
Pillar tap 1/2"
XS-Size
single hole installation
metal lever
ceramic headpart 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
fixation nut G 1/2"
min. recommended pressure 1.0 bar




23 328 000 chrome 78.00

BauEdge
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses


23 802 000 chrome *

ditto, with temperature limiter




23 330 000 chrome 73.00

BauEdge
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses
min. recommended pressure 1.0 bar



23 757 000 chrome 91.00


BauEdge
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE Longlife 35 mm ceramic cartridge
GROHE StarLight chrome finish
mousseur
with shower set
rapid installation system
retractable chain
flexible connection hoses



23 758 000 chrome 80.00


BauEdge
Single-lever basin mixer 1/2"
M-Size
single hole installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses

Ref. No. Colour Price netto (€)




23 759 000 **chrome** **80.00**

BauEdge
Single-lever basin mixer 1/2"
M-Size
single hole installation
 metal lever
GROHE Longlife ES 28 mm ceramic cartridge
 with energy saving function via cold start
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
 rapid installation system
 plastic pop-up waste set 1 1/4"
 flexible connection hoses



23 760 000 **chrome** **91.00**

BauEdge
Single-lever basin mixer 1/2"
L-Size
single hole installation
 metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
 rapid installation system
 swivel tubular spout
 plastic pop-up waste set 1 1/4"
 flexible connection hoses




23 761 000 **chrome** **108.00**

BauEdge
Single-lever basin mixer 1/2"
XL-Size
single hole installation
for free-standing basins
 metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
 rapid installation system
 smooth body
 flexible connection hoses



20 474 000 **chrome** *

BauEdge
Two-hole basin mixer
 wall mounted
 consisting of:
 set for final installation and concealed body
 metal lever
GROHE Longlife 35 mm ceramic cartridge
GROHE StarLight chrome finish
 mousseur
 centre distance 110 mm
 projection 166 mm




23 331 000 **chrome** **78.00**

BauEdge
Single-lever bidet mixer 1/2"
single hole installation
 metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
 rapid installation system
 with ball joint
 pop-up waste set 1 1/4"
 flexible connection hoses


		<p>23 333 000</p> <p>BauEdge Single-lever shower mixer 1/2" wall mounted metal lever GROHE Longlife 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve S-unions metal wall escutcheon protected against backflow optional temperature limiter ref. no. 46 308 000</p>	<p>chrome 78.00</p>
		<p>23 334 000</p> <p>BauEdge Single-lever bath mixer 1/2" wall mounted metal lever GROHE Longlife 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower spout with mousseur shower bottom outlet 1/2" with integrated non return-valve S-unions metal wall escutcheon protected against backflow optional temperature limiter ref. no. 46 308 000</p>	<p>chrome 96.00</p>
		<p>29 078 000</p> <p>BauEdge Single-lever shower mixer 1/2" concealed installation consisting of: set for final installation concealed body (33 964) metal lever GROHE Longlife 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter escutcheon- and shaft-sealing optional temperature limiter ref. no. 46 308 000</p>	<p>chrome 121.00</p>
		<p>29 079 000</p> <p>BauEdge Single-lever bath mixer 1/2" concealed installation consisting of: set for final installation concealed body (32 963000) metal lever GROHE Longlife 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower escutcheon- and shaft-sealing optional temperature limiter ref. no. 46 308 000</p>	<p>chrome 132.00</p>

GROHE BAULOOP







20 422 000 **chrome** **61.00**
BauLoop
Pillar tap 1/2"
XS-Size
single hole installation
 metal lever
 ceramic headpart 1/2", 90°
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
 fixation nut G 1/2"
 min. recommended pressure 1.0 bar




23 335 000 **chrome** **78.00**
BauLoop
Single-lever basin mixer 1/2"
S-Size
single hole installation
 metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
 rapid installation system
 plastic pop-up waste set 1 1/4"
 flexible connection hoses
23 803 000 **chrome** *
ditto, with temperature limiter



23 337 000 **chrome** **73.00**
BauLoop
Single-lever basin mixer 1/2"
S-Size
single hole installation
 metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
 GROHE EcoJoy mousseur 5.7 l/min
 rapid installation system
 smooth body
 flexible connection hoses
 min. recommended pressure 1.0 bar



23 762 000 **chrome** **80.00**
BauLoop
Single-lever basin mixer 1/2"
M-Size
single hole installation
 metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
 rapid installation system
 plastic pop-up waste set 1 1/4"
 flexible connection hoses



23 763 000 **chrome** **91.00**
BauLoop
Single-lever basin mixer 1/2"
L-Size
single hole installation
 metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
 rapid installation system
 swivel tubular spout
 plastic pop-up waste set 1 1/4"
 flexible connection hoses

GROHE BAULOOP


Ref. No. Colour Price netto (€)

		<p>23 764 000</p> <p>BauLoop Single-lever basin mixer 1/2" XL-Size single hole installation for free-standing basins metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system smooth body flexible connection hoses</p>	<p>chrome 108.00</p>
		<p>20 289 000</p> <p>BauLoop Two-hole basin mixer wall mounted consisting of: set for final installation and concealed body metal lever GROHE Longlife 35 mm ceramic cartridge GROHE StarLight chrome finish mousseur centre distance 110 mm projection 166 mm</p>	<p>chrome *</p>
		<p>23 338 000</p> <p>BauLoop Single-lever bidet mixer 1/2" single hole installation metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system with ball joint pop-up waste set 1 1/4" flexible connection hoses</p>	<p>chrome 78.00</p>
		<p>23 340 000</p> <p>BauLoop Single-lever shower mixer 1/2" wall mounted metal lever GROHE Longlife 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve S-unions metal wall escutcheon protected against backflow optional temperature limiter ref. no. 46 308 000</p>	<p>chrome 78.00</p>
		<p>23 341 000</p> <p>BauLoop Single-lever bath mixer 1/2" wall mounted metal lever GROHE Longlife 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower spout with mousseur shower bottom outlet 1/2" with integrated non return-valve S-unions metal wall escutcheon protected against backflow optional temperature limiter ref. no. 46 308 000</p>	<p>chrome 96.00</p>

Ref. No.

Colour

Price netto (€)




29 080 000

chrome

121.00

BauLoop
Single-lever shower mixer 1/2"

concealed installation
consisting of:
set for final installation
concealed body (33 964)
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
escutcheon- and shaft-sealing
optional temperature limiter ref. no. 46 308 000




29 042 000

chrome

*

BauLoop
Single-lever shower mixer

concealed installation
consisting of:
set for final installation
concealed body (32 962 000)
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
adjustable minimum flow rate
approx. 2.5 l/min
automatic diverter: bath/shower
escutcheon- and shaft-sealing
optional temperature limiter



29 081 000

chrome


132.00

BauLoop
Single-lever bath mixer 1/2"


concealed installation
consisting of:
set for final installation
concealed body (32 963000)
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
escutcheon- and shaft-sealing
optional temperature limiter ref. no. 46 308 000

GROHE BAUFLOW







20 575 000 **chrome** **46.00**
BauFlow
Pillar tap 1/2"
XS-Size
single hole installation
 metal lever
 ceramic headpart 1/2", 90°
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
 fixation nut G 1/2"




23 751 000 **chrome** **74.00**
BauFlow
Single-lever basin mixer 1/2"
S-Size
single hole installation
 metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
 rapid installation system
 plastic pop-up waste set 1 1/4"
 flexible connection hoses
23 801 000 **chrome** *
 ditto, with temperature limiter



23 752 000 **chrome** **61.00**
BauFlow
Single-lever basin mixer 1/2"
S-Size
single hole installation
 metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
 rapid installation system
 smooth body
 flexible connection hoses











23 753 000 **chrome** **91.00**
BauFlow
Single-lever basin mixer 1/2"
L-Size
single hole installation
 metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
 rapid installation system
 swivel tubular spout
 plastic pop-up waste set 1 1/4"
 flexible connection hoses



23 754 000 **chrome** **74.00**
BauFlow
Single-lever bidet mixer 1/2"
single hole installation
 metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
 GROHE EcoJoy mousseur 5.7 l/min
 rapid installation system
 with ball joint
 pop-up waste set 1 1/4"
 flexible connection hoses

GROHE BAUFLOW

	Ref. No.	Colour	Price netto (€)
 	23 755 000 BauFlow Single-lever shower mixer 1/2" wall mounted metal lever GROHE Longlife 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve S-unions metal wall escutcheons protected against backflow	chrome	65.00
 	23 756 000 BauFlow Single-lever bath mixer 1/2" wall mounted metal lever GROHE Longlife 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower spout with mousseur shower bottom outlet 1/2" with integrated non return-valve S-unions metal wall escutcheons protected against backflow	chrome	79.00
 	29 112 000 BauFlow Single-lever shower mixer concealed installation consisting of: set for final installation concealed body (33 964) metal lever GROHE Longlife 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter escutcheon- and shaft-sealing metal wall escutcheon	chrome	109.00
 	29 113 000 BauFlow Single-lever bath mixer concealed installation consisting of: set for final installation concealed body(33 963) metal lever GROHE Longlife 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower escutcheon- and shaft-sealing metal wall escutcheon	chrome	121.00

GROHE SILKMOVE ES




GROHE SILKMOVE ES

Ref. No.

Colour

Price netto (€)




23 790 001

chrome

177.00

Lineare
Single-lever basin mixer 1/2"
XS-Size
single hole installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses



23 390 00E

chrome

209.00


Eurocube
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix Plus rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses

23 392 00E

chrome

204.00

ditto, smooth body




23 591 001

chrome

147.00

Essence
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses











23 379 001

chrome

147.00

Essence
Single-lever basin mixer 1/2"
S-Size
single hole installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses

GROHE SILKMOVE ES


	Ref. No.	Colour	Price netto (€)
	23 382 20E	chrome	153.00
	<p>Eurodisc Cosmopolitan Single-lever basin mixer 1/2" S-Size single hole installation metal lever GROHE SilkMove ES 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter adjustable minimum flow rate approx. 2.5 l/min temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFixPlus installation system with centering support smooth body flexible connection hoses min. recommended pressure 1.0 bar</p>		
	23 385 10E	chrome	134.00
	<p>Concetto Single-lever basin mixer 1/2" S-Size metal lever single hole installation GROHE SilkMove ES 28 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system smooth body flexible connection hoses</p>		
	23 373 20E	chrome	120.00
	<p>Eurostyle Cosmopolitan Single-lever basin mixer 1/2" S-Size single hole installation metal lever GROHE SilkMove ES 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter adjustable minimum flow rate approx. 2.5 l/min temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix installation system with centering support smooth body flexible connection hoses</p>		
	23 374 003 23 374 LS3	chrome moon white/chrome	115.00 149.00
	<p>Eurostyle Single-lever basin mixer 1/2" S-Size single hole installation loop metal lever GROHE SilkMove ES 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system pop-up waste set 1 1/4" flexible connection hoses</p>		

GROHE SILKMOVE ES

Ref. No.

Colour

Price netto (€)



23 709 003
23 709 LS3

chrome
moon white/chrome

110.00
143.00

Eurostyle
Single-lever basin mixer 1/2"

S-Size
single hole installation

solid metal lever


GROHE SilkMove ES 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
with temperature limiter

GROHE StarLight chrome finish

GROHE EcoJoy mousseur 5.7 l/min

GROHE QuickFix rapid installation system

pop-up waste set 1 1/4"
flexible connection hoses



23 376 00E

chrome

102.00

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2"

S-Size
single hole installation

metal lever

GROHE SilkMove ES 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
adjustable minimum flow rate


approx. 2.5 l/min
temperature limiter

GROHE StarLight chrome finish

GROHE EcoJoy mousseur 5.7 l/min

GROHE QuickFix installation system

with centering support
smooth body
flexible connection hoses



23 398 00E

chrome

118.00

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2"

M-Size
single hole installation

metal lever

GROHE SilkMove ES 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
adjustable minimum flow rate


approx. 2.5 l/min
temperature limiter

GROHE StarLight chrome finish

GROHE EcoJoy mousseur 5.7 l/min

GROHE QuickFix installation system

with centering support
smooth body
flexible connection hoses



32 154 002

chrome

88.00

Eurosmart
Single-lever basin mixer 1/2"

S-Size
single hole installation

metal lever

GROHE SilkMove ES 35 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
with temperature limiter

GROHE StarLight chrome finish

GROHE EcoJoy mousseur 5.7 l/min

GROHE QuickFix rapid installation system


smooth body
flexible connection hoses

GROHE SILKMOVE ES

Ref. No.

Colour

Price netto (€)



23 395 10E

chrome

101.00

Eurosmart
Single-lever basin mixer 1/2"
M-Size

single hole installation

metal lever

GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter

GROHE StarLight chrome finish

GROHE EcoJoy mousseur 5.7 l/min

GROHE QuickFix rapid installation system

smooth body

flexible connection hoses

GROHE COSTA L




GROHE COSTA L

Ref. No.

Colour

Price netto (€)




20 393 001

chrome

77.00

Costa L
Pillar tap 1/2"
metal handle
heat-insulated
screwable
marking: blue
Longlife-headpart
swivel tubular spout with mousseur
union nut 1/2" with 10.5 mm drilling
GROHE StarLight chrome finish




21 390 001

chrome

179.00

Costa L
One-hole basin mixer, 1/2"
metal handles
heat-insulated
screwable
Longlife-headpart
cast spout with mousseur
pop-up waste set 1 1/4"
flexible connection hoses
GROHE StarLight chrome finish




21 375 001

chrome

127.00

Costa L
One-hole basin mixer, 1/2"
metal handles
heat-insulated
screwable
Longlife-headpart
swivel tubular spout with mousseur
pop-up waste set 1 1/4"
flexible connection hoses
GROHE StarLight chrome finish




21 374 001

chrome

88.00

Costa L
One-hole basin mixer, 1/2"
metal handles
heat-insulated
screwable
Longlife-headpart
swivel tubular spout with mousseur
retractable chain
flexible connection hoses
GROHE StarLight chrome finish













24 480 001

chrome

173.00

Costa L
Single-hole bidet mixer 1/2"
metal handles
heat-insulated
screwable
Longlife-headpart
cast spout with ball joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses
GROHE StarLight chrome finish


GROHE COSTA L

	Ref. No.	Colour	Price netto (€)
 	26 330 001 Costa L Shower mixer 1/2" wall mounted metal handles heat-insulated screwable Longlife-headpart shower connection 1/2" S-unions GROHE StarLight chrome finish	chrome	88.00
 	25 450 001 Costa L Bath mixer 1/2" wall mounted metal handles heat-insulated screwable Longlife-headpart automatic diverter: bath/shower mousseur S-unions GROHE StarLight chrome finish	chrome	125.00
 	30 484 001 Costa L Bibtap 1/2" wall mounted metal handle heat-insulated marking: blue GROHE StarLight finish mousseur Longlife-headparts swivel tubular spout swivel area 360° projection 200 mm	chrome	53.00
 	19 808 001 Costa L Concealed valve exposed part set for final installation for 35 028 000 for GROHE concealed valves, 1/2", 3/4", 1" installation depth infinitely adjustable 20-80 mm escutcheon with wall sealing screwable metal handle heat-insulated marking: blue GROHE StarLight chrome finish	chrome	27.00
	19 809 001 ditto, marking red	chrome	27.00
 	19 806 001 Costa L Concealed valve exposed part set for final installation for 35 028 000 for GROHE concealed valves, 1/2", 3/4", 1" installation depth infinitely adjustable 20 - 200 mm escutcheon with wall sealing screwable metal handle heat-insulated marking: blue GROHE StarLight chrome finish	chrome	45.00

35 028 000

chrome

132.00



Rapido C/concealed valves

Rough-in for single volume control

for grid installation of Grohtherm Custom Shower system

built-in box with removable protection cover

waterproof membrane base for wall sealing

for masonry and drywall installation

fixing points for front and back wall

body of DR brass

pre-assembled ceramic headpart 3/4"

connection threads 1/2"

flow rate:

55 l/min. at 3 bar

installation depth 70 - 95 mm

min. recommended pressure 1.0 bar

GROHE COSTA S




GROHE COSTA S

Ref. No.

Colour

Price netto (€)




20 405 001

chrome

58.00

Costa S
Pillar tap 1/2"
metal handle
heat-insulated
screwable
marking: blue
Carbodur headpart
cast spout with mousseur
union nut 1/2" x 10.5 mm
GROHE StarLight chrome finish




20 179 001

chrome

115.00

Costa S
Pillar tap
metal handle
heat-insulated
screwable
GROHE StarLight finish
ceramic headpart 1/2", 90°
flow straightener
swivel tubular spout
swivel area 360°
union nut 1/2" with 10.5 mm drilling




21 255 001

chrome

176.00

Costa S
One-hole basin mixer, 1/2"
metal handles
heat-insulated
screwable
Carbodur headpart
cast spout with mousseur
pop-up waste set 1 1/4"
flexible connection hoses
GROHE StarLight chrome finish




21 257 001

chrome

139.00

Costa S
One-hole basin mixer, 1/2"
heat-insulated
metal handles
screwable
Carbodur headpart
swivel tubular spout with mousseur
pop-up waste set 1 1/4"
flexible connection hoses
GROHE StarLight chrome finish




21 338 001

chrome

113.00

Costa S
One-hole basin mixer, 1/2"
metal handles
heat-insulated
screwable
Carbodur headpart
swivel tubular spout with mousseur
retractable chain
flexible connection hoses
GROHE StarLight chrome finish



26 317 001

chrome


106.00

Costa S
Shower mixer 1/2"
wall mounted
metal handles
heat-insulated
screwable
Carbodur headpart
shower connection 1/2"
S-unions
GROHE StarLight chrome finish

Ref. No.

Colour

Price netto (€)




25 483 001

chrome

156.00

Costa S
Bath mixer 1/2"
wall mounted
metal handles
heat-insulated
screwable
Carbodur headpart
automatic diverter: bath/shower
mousseur
S-unions
GROHE StarLight chrome finish



26 788 001

chrome

121.00

Costa S
Solid basin mixer, 3/8"
wall mounted
metal handles
heat-insulated
screwable
Carbodur headpart
diverter
without connection unions
swivel tubular spout
centre distance 120 mm
GROHE StarLight chrome finish

GROHE UNIVERSAL TAP




GROHE UNIVERSAL TAP

Ref. No.

Colour

Price netto (€)




20 201 000

chrome

102.00

Universal pillar tap DN15

C-spout
Flow rate: 6l/min at 3 bar flow pressure
Flow-Stop mousseur
ceramic headpart
union nut 1/2"
with 10.5 mm drilling
GROHE StarLight chrome finish
projection 113 mm




20 202 000

chrome

111.00

Universal pillar tap DN15

7°-spout
Flow rate: 6l/min at 3 bar flow pressure
Flow-Stop mousseur
ceramic headpart
union nut 1/2"
with 10.5 mm drilling
GROHE StarLight chrome finish
projection 114 mm




20 205 000

chrome

89.00

Universal wall-mounted tap DN15

Flow rate: 6l/min at 3 bar flow pressure
Flow-Stop mousseur
ceramic headpart
connection thread 1/2"
GROHE StarLight chrome finish
projection 106 mm



20 203 000

chrome

90.00

Universal wall-mounted tap DN15

Flow rate: 6l/min at 3 bar flow pressure
Flow-Stop mousseur
ceramic headpart
connection thread 1/2"
GROHE StarLight chrome finish
projection 185 mm

GROHE TALENTOFILL



GROHE TALENTOFILL

	Ref. No.	Colour	Price netto (€)
 	19 952 000	chrome	169.00
<p>Talentofill Inlet-, pop-up and waste-system set for final installation consisting of: escutcheon, supply part, waste plug, fixing set in combination with Talentofill 28 990/28 991 GROHE StarLight chrome finish</p>			
 	28 990 000	chrome	167.00
<p>Talentofill Inlet-, pop-up and waste-system for normal bath tubs without finishing trim set with bottle trap and 45°-outlet-bend without anti-vacuum device installation acc. to DIN 1988 only with anti-vacuum device A2 type or Talentofill connection set (28 995)</p>			
 	28 991 000	chrome	150.00
<p>Talentofill Inlet-, pop-up and waste-system for body formed bath tubs without finishing trim set with bottle trap and 45°-outlet-bend without anti-vacuum device installation acc. to DIN 1988 only with anti-vacuum device A2 type or Talentofill connection set (28 995)</p>			
 	28 993 000	chrome	56.00
<p>Talentofill Connection set 3/4" with 1.5 m-flexible connection pipe without finishing trim set</p>			
 	28 995 000	chrome	245.00
<p>Talentofill Connection set 3/4" with concealed anti-vacuum device consisting of: -concealed-pipe-interrupter (A2 type, DIN 1988, part IV) - 3.5 m-flexible connection pipe (in 2 parts) without escutcheon (19 954)</p>			
 	19 954 000	chrome	17.50
<p>Talentofill Escutcheon for connection set 28 995 GROHE StarLight chrome finish</p>			

GROHE TALENTOFILL

	Ref. No.	Colour	Price netto (€)
	29 007 000 Safety Combination (EN 1717) for Rapido T 35 500 000 re-fitting-set for backflow protection, for use with inlet- pop-up and waste-sets e.g.: Talentofill 28 990 000 or 28 991 000 replaces use of pipe interrupter, therefore no additional escutcheon necessary	chrome	168.00
	28 963 000 Inlet part with mousseur suitable for Talentofill 28 990/28 991 production before 03/2007	chrome	37.00
	29 009 000 Inlet part with mousseur suitable for Talentofill 28 990/28 991 production after 03/2007	chrome	41.00
	14 055 000 Backflow protection combination (DIN-EN1717) fits Grohtherm SmartControl and SmartControl mixer sets for final installation with 2 valves retrofit set for protection against backflow in combination with integrated inlet-, pop-up and waste systems replaces separate pipe interrupter for residential use	chrome	136.00
 	19 025 000 Talento Waste and overflow set for bath tubes set for final installation escutcheon, waste plug, fixing set in combination with Talentofill 28 939/28 943 GROHE StarLight chrome finish	chrome	56.00
 	28 939 000 Talento Pop-up bath waste and overflow set for normal bath and deep shower trays with bowden cable without finishing trim set bottle trap 45° waste elbow	chrome	78.00


* price upon request

GROHE TALENTOFILL

Ref. No.

Colour

Price netto (€)



28 943 000

chrome

87.00

Talento
Pop-up bath waste and overflow
 set for special baths
 with bowden cable
 without finishing trim set
 bottle trap
 45° waste elbow












GROHE SELECTION CUBE









GROHE SELECTION CUBE

	Ref. No.	Colour	Price netto (€)
 	40 865 000	chrome	35.83
<p>Selection Cube Holder for Selection Cube glass (40 789 000), Selection Cube soap dish (40 806 000) or Selection Cube soap dispenser (40 805 000) material: metal concealed fastening GROHE StarLight chrome finish</p>			
 	40 805 000	chrome	44.58
<p>Selection Cube Soap dispenser material: glass / metal GROHE StarLight finish fits in the following holder: Selection Cube (40 865 000)</p>			
 	40 806 000	daVinci satin white	29.58
<p>Selection Cube Soap dish material: glass fits in the following holder: Selection Cube (40 865 000)</p>			
 	40 783 000	daVinci satin white	23.74
<p>Selection Cube Glass material: glass fits in the following holder: Selection Cube (40 865 000)</p>			
 	40 766 000	chrome	50.41
<p>Selection Cube Towel ring material: metal concealed fastening GROHE StarLight finish</p>			
 	40 768 000	chrome	141.66
<p>Selection Cube Double towel bar material: metal concealed fastening 2 arms, pivotable 400 mm GROHE StarLight finish</p>			

GROHE SELECTION CUBE

	Ref. No.	Colour	Price netto (€)
 	40 767 000 Selection Cube Towel rail material: metal 500 mm (functional length 459 mm) concealed fastening GROHE StarLight finish	chrome	95.83
 	40 804 000 Selection Cube Multi bath towel rack material: metal 600 mm (functional length 575 mm) concealed fastening GROHE StarLight finish	chrome	265.83
 	40 782 000 Selection Cube Robe hook material: metal concealed fastening GROHE StarLight finish	chrome	26.66
 	40 807 000 Selection Cube Grip bar/towel bar material: metal 600 mm (functional length 548 mm) concealed fastening GROHE StarLight finish	chrome	149.99
 	40 781 000 Selection Cube Toilet paper holder material: metal concealed fastening with cover GROHE StarLight finish	chrome	77.08
 	40 784 000 Selection Cube Reserve toilet paper holder material: metal wall mounted concealed fastening GROHE StarLight finish	chrome	35.83

GROHE SELECTION CUBE

	Ref. No.	Colour	Price netto (€)
 	40 857 000	chrome	104.16
	Selection Cube Toilet brush set material: glass / metal wall mounted concealed fastening GROHE StarLight finish		
	40 870 000	chrome	9.58
	Spare brush head		
	40 868 000	chrome	32.08
	40 867 000	chrome	40.41
Spare glass			
 	40 809 000	chrome	104.16
	Selection Cube Corner shelf material: metal for corner installation GROHE StarLight finish		
 	40 808 000	chrome	129.16
	Selection Cube Cosmetic mirror material: glass / metal wall mounted concealed fastening magnification: x 3 GROHE StarLight finish		

GROHE ESSENTIALS













GROHE ESSENTIALS











	Ref. No.	Colour	Price netto (€)	
 	40 369 001	chrome	19.99	
	40 369 DC1	supersteel	26.24	
	40 369 BE1	polished nickel	28.33	
	40 369 EN1	brushed nickel	28.33	
	40 369 GL1	cool sunrise	28.33	
	40 369 GN1	brushed cool sunrise	28.33	
	40 369 DA1	warm sunset	28.33	
	40 369 DL1	brushed warm sunset	28.33	
	40 369 A01	hard graphite	28.33	
	40 369 AL1	brushed hard graphite	28.33	
	Essentials Holder material: metal for crystal glass (40 372 001) soap dish (40 368 001) or soap dispenser (40 394 001) concealed fastening GROHE StarLight chrome finish			
	 	40 394 001	chrome	16.66
		40 394 DC1	supersteel	21.66
40 394 BE1		polished nickel	23.33	
40 394 EN1		brushed nickel	23.33	
40 394 GL1		cool sunrise	23.33	
40 394 GN1		brushed cool sunrise	23.33	
40 394 DA1		warm sunset	23.33	
40 394 DL1		brushed warm sunset	23.33	
40 394 A01		hard graphite	23.33	
40 394 AL1		brushed hard graphite	23.33	
Essentials Soap dispenser material: glass / metal fits in the following holders: Essentials (40 369) Essentials Cube (40 508) Bau Cosmopolitan (40 585) Essentials Authentic (40 652) GROHE StarLight chrome finish				
 		40 368 001	chrome	5.58
		Essentials Soap dish material: glass fits in the following holders: Essentials (40 369) Essentials Cube (40 508) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)		
 	40 372 001	chrome	6.66	
	Essentials Crystal glass material: glass fits in the following holders: Essentials (40 369) Essentials Cube (40 508) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)			
 	40 448 001	chrome	37.49	
	40 448 DC1	supersteel	47.91	
Essentials Soap dispenser with holder material: glass / metal consisting of: holder (40 369 001) soap dispenser (40 394 001) concealed fastening GROHE StarLight chrome finish				

	Ref. No.	Colour	Price netto (€)
 	40 444 001	chrome	25.83
	40 444 DC1	supersteel	33.33
<p>Essentials Soap dish with holder material: glass / metal consisting of: holder (40 369 001) soap dish (40 368 001) concealed fastening GROHE StarLight chrome finish</p>			
 	40 447 001	chrome	24.99
	40 447 DC1	supersteel	33.33
<p>Essentials Crystal glass with holder material: glass / metal consisting of: holder (40 369 001) Glass cup (40 372 001) concealed fastening GROHE StarLight chrome finish</p>			
 	40 365 001	chrome	19.99
	40 365 DC1	supersteel	26.24
	40 365 BE1	polished nickel	28.33
	40 365 EN1	brushed nickel	28.33
	40 365 GL1	cool sunrise	28.33
	40 365 GN1	brushed cool sunrise	28.33
	40 365 DA1	warm sunset	28.33
	40 365 DL1	brushed warm sunset	28.33
	40 365 A01	hard graphite	28.33
	40 365 AL1	brushed hard graphite	28.33
	<p>Essentials Towel ring material: metal concealed fastening GROHE StarLight chrome finish</p>		
 	40 371 001	chrome	35.83
	40 371 DC1	supersteel	46.66
	40 371 BE1	polished nickel	49.99
	40 371 EN1	brushed nickel	49.99
	40 371 GL1	cool sunrise	49.99
	40 371 GN1	brushed cool sunrise	49.99
	40 371 DA1	warm sunset	49.99
	40 371 DL1	brushed warm sunset	49.99
	40 371 A01	hard graphite	49.99
	40 371 AL1	brushed hard graphite	49.99
	<p>Essentials Towel bar material: metal 2 arms, pivotable 439 mm concealed fastening GROHE StarLight chrome finish</p>		
 	40 688 001	chrome	29.58
	40 688 DC1	supersteel	38.33
	40 688 BE1	polished nickel	41.24
	40 688 GL1	cool sunrise	41.24
	40 688 GN1	brushed cool sunrise	41.24
	40 688 DA1	warm sunset	41.24
	40 688 DL1	brushed warm sunset	41.24
40 688 AL1	brushed hard graphite	41.24	
<p>Essentials Towel rail material: metal 504 mm (functional length 450 mm) concealed fastening GROHE StarLight chrome finish</p>			








GROHE ESSENTIALS

	Ref. No.	Colour	Price netto (€)	
 	40 366 001	chrome	32.08	
	40 366 DC1	supersteel	41.66	
	40 366 BE1	polished nickel	44.99	
	40 366 EN1	brushed nickel	40.83	
	40 366 GL1	cool sunrise	44.99	
	40 366 GN1	brushed cool sunrise	44.99	
	40 366 DA1	warm sunset	44.99	
	40 366 DL1	brushed warm sunset	44.99	
	40 366 A01	hard graphite	44.99	
	40 366 AL1	brushed hard graphite	44.99	
	Essentials Towel rail material: metal 654 mm (functional length 600 mm) concealed fastening GROHE StarLight chrome finish			
	 	40 386 001	chrome	40.41
		40 386 DC1	supersteel	52.49
Essentials Towel rail material: metal 854 mm (functional length 800 mm) concealed fastening GROHE StarLight chrome finish				
 		40 802 001	chrome	54.99
		40 802 DC1	supersteel	71.66
		40 802 BE1	polished nickel	77.08
		40 802 EN1	brushed nickel	77.08
		40 802 GL1	cool sunrise	77.08
		40 802 GN1	brushed cool sunrise	77.08
		40 802 DA1	warm sunset	77.08
		40 802 DL1	brushed warm sunset	77.08
		40 802 A01	hard graphite	77.08
		40 802 AL1	brushed hard graphite	77.08
	Essentials Double towel rail material: metal 654 mm (functional length 600 mm) concealed fastening GROHE StarLight chrome finish			
	 	40 800 001	chrome	108.33
		40 800 DC1	supersteel	141.66
40 800 BE1		polished nickel	149.99	
40 800 EN1		brushed nickel	149.99	
40 800 GL1		cool sunrise	149.99	
40 800 GN1		brushed cool sunrise	149.99	
40 800 DA1		warm sunset	149.99	
40 800 DL1		brushed warm sunset	149.99	
40 800 A01		hard graphite	149.99	
40 800 AL1		brushed hard graphite	149.99	
Essentials Multi bath towel rack material: metal 604 mm (functional length 550 mm) concealed fastening GROHE StarLight chrome finish				
 		40 364 001	chrome	11.24
		40 364 DC1	supersteel	14.16
	40 364 BE1	polished nickel	15.41	
	40 364 EN1	brushed nickel	15.41	
	40 364 GL1	cool sunrise	15.41	
	40 364 GN1	brushed cool sunrise	15.41	
	40 364 DA1	warm sunset	15.41	
	40 364 DL1	brushed warm sunset	15.41	
	40 364 A01	hard graphite	15.41	
	40 364 AL1	brushed hard graphite	15.41	
	Essentials Robe hook material: metal concealed fastening GROHE StarLight chrome finish			






GROHE ESSENTIALS

	Ref. No.	Colour	Price netto (€)
 	40 421 001	chrome	32.08
	40 421 DC1	supersteel	41.66
	40 421 BE1	polished nickel	44.99
	40 421 EN1	brushed nickel	44.99
	40 421 GL1	cool sunrise	44.99
	40 421 GN1	brushed cool sunrise	44.99
	40 421 DA1	warm sunset	44.99
	40 421 DL1	brushed warm sunset	44.99
	40 421 A01	hard graphite	44.99
	40 421 AL1	brushed hard graphite	44.99
	Essentials Grip bar material: metal 349 mm (functional length 295 mm) concealed fastening GROHE StarLight chrome finish		
 	40 795 001	chrome	67.91
	40 795 DC1	supersteel	87.49
Essentials Grip bar material: metal 957 mm (functional length 900 mm) concealed fastening GROHE StarLight chrome finish			
 	40 796 001	chrome	78.74
	40 796 DC1	supersteel	104.16
Essentials Grip bar material: metal 1123 mm (functional length 1066 mm) concealed fastening GROHE StarLight chrome finish			
 	40 793 001	chrome	45.83
	40 793 DC1	supersteel	59.58
Essentials Grip bar material: metal 507 mm (functional length 450 mm) concealed fastening GROHE StarLight chrome finish			
 	40 794 001	chrome	54.99
	40 794 DC1	supersteel	71.66
Essentials Grip bar material: metal 657 mm (functional length 600 mm) concealed fastening GROHE StarLight chrome finish			

GROHE ESSENTIALS

	Ref. No.	Colour	Price netto (€)
 	40 797 001	chrome	141.66
	Essentials Grip bar material: metal 737 x 997 mm (functional length 680 x 940 mm) concealed fastening GROHE StarLight chrome finish		
 	40 799 001 40 799 DC1	chrome supersteel	36.66 47.91
	Essentials Glass shelf material: glass / metal 530 mm (functional length 380 mm) concealed fastening GROHE StarLight chrome finish		
 	40 689 001 40 689 DC1 40 689 BE1 40 689 EN1 40 689 GL1 40 689 GN1 40 689 DA1 40 689 DL1 40 689 A01 40 689 AL1	chrome supersteel polished nickel brushed nickel cool sunrise brushed cool sunrise warm sunset brushed warm sunset hard graphite brushed hard graphite	23.74 30.83 33.33 33.33 33.33 33.33 33.33 33.33 33.33 33.33
	Essentials Toilet paper holder material: metal without cover concealed fastening GROHE StarLight chrome finish		
 	40 367 001 40 367 DC1 40 367 BE1 40 367 EN1 40 367 GL1 40 367 GN1 40 367 DA1 40 367 DL1 40 367 A01 40 367 AL1	chrome supersteel polished nickel brushed nickel cool sunrise brushed cool sunrise warm sunset brushed warm sunset hard graphite brushed hard graphite	26.66 34.58 37.08 31.66 37.08 37.08 37.08 37.08 37.08 37.08
	Essentials Toilet paper holder material: metal with cover concealed fastening GROHE StarLight chrome finish		
 	40 385 001 40 385 DC1 40 385 BE1 40 385 EN1 40 385 GL1 40 385 GN1 40 385 DA1 40 385 DL1 40 385 A01 40 385 AL1	chrome supersteel polished nickel brushed nickel cool sunrise brushed cool sunrise warm sunset brushed warm sunset hard graphite brushed hard graphite	19.99 26.24 28.33 28.33 28.33 28.33 28.33 28.33 28.33 28.33
	Essentials Spare toilet paper holder material: metal wall mounted concealed fastening GROHE StarLight chrome finish		

GROHE ESSENTIALS





	Ref. No.	Colour	Price netto (€)	
	40 374 001	chrome	32.91	
	40 374 DC1	supersteel	42.91	
	40 374 BE1	polished nickel	46.24	
	40 374 EN1	brushed nickel	46.24	
	40 374 GL1	cool sunrise	46.24	
	40 374 GN1	brushed cool sunrise	46.24	
	40 374 DA1	warm sunset	46.24	
	40 374 DL1	brushed warm sunset	46.24	
	40 374 A01	hard graphite	46.24	
	40 374 AL1	brushed hard graphite	46.24	
	Essentials Toilet brush set material: glass / metal wall mounted concealed fastening GROHE StarLight chrome finish			
		40 791 001	white	4.99
40 791 KS1		velvet black	4.99	
Spare brush head				
40 392 000		chrome	24.00	
40 393 000		daVinci satin white	19.50	
Spare glass				
	40 407 001	chrome	63.74	
	40 407 DC1	supersteel	82.91	
	Essentials City restroom accessories set 3-in-1 material: glass / metal consisting of: toilet brush set (40 374 001) robe hook (40 364 001) toilet paper holder (40 367 001) concealed fastening GROHE StarLight chrome finish			
	40 775 001	chrome	62.91	
	40 775 DC1	supersteel	81.66	
	Essentials Guest bathroom accessories set 3-in-1 material: metal consisting of: towel rail, 600 mm (40 366 001) robe hook (40 364 001) toilet paper holder (40 367 001) concealed fastening GROHE StarLight chrome finish			
	40 776 001	chrome	80.83	
	40 776 DC1	supersteel	104.16	
	Essentials Master bathroom accessories set 4-in-1 material: metal consisting of: towel ring (40 365 001) robe hook (40 364 001) toilet paper holder (40 367 001) towel rail, 600 mm (40 366 001) concealed fastening GROHE StarLight chrome finish			

GROHE ESSENTIALS

Ref. No.

Colour

Price netto (€)


		<p>40 846 001</p> <p>Essentials Master bathroom accessories set 4-in-1 material: metal consisting of: soap dispenser with holder (40 448 001) crystal glass with holder (40 447 001) double towel bar (40 371 001) robe hook (40 364 001) concealed fastening GROHE StarLight finish</p>	<p>chrome</p>	<p>99.99</p>
		<p>40 344 001 40 344 DC1</p> <p>Essentials Master bathroom accessories set 5-in-1 material: glass / metal consisting of: towel ring (40 365 001) towel rail, 600 mm (40 366 001) robe hook (40 364 001) paper holder with cover (40 367 001) soap dish with holder (40 444 001) concealed fastening GROHE StarLight chrome finish</p>	<p>chrome supersteel</p>	<p>104.16 *</p>

GROHE ESSENTIALS CUBE




GROHE ESSENTIALS CUBE

Ref. No. Colour Price netto (€)




40 508 001 **chrome** **26.66**

Essentials Cube Holder
material: metal
for crystal glass (40 372 001)
soap dish (40 368 001) or soap dispenser (40 394 001)
concealed fastening
GROHE StarLight chrome finish




40 394 001 **chrome** **16.66**

Essentials Soap dispenser
material: glass / metal
fits in the following holders:
Essentials (40 369)
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)
GROHE StarLight chrome finish




40 368 001 **chrome** **5.58**

Essentials Soap dish
material: glass
fits in the following holders:
Essentials (40 369)
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)




40 372 001 **chrome** **6.66**

Essentials Crystal glass
material: glass
fits in the following holders:
Essentials (40 369)
Essentials Cube (40 508)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)



40 756 001 **chrome** **43.33**













Essentials Cube Soap dispenser with holder
material: glass / metal
consisting of:
holder (40 508 001)
soap dispenser (40 394 001)
concealed fastening
GROHE StarLight chrome finish













40 755 001 **chrome** **32.08**

Essentials Cube Crystal glass with holder
material: glass / metal
consisting of:
holder (40 508 001)
crystal glass (40 372 001)
concealed fastening
GROHE StarLight chrome finish









GROHE ESSENTIALS CUBE

	Ref. No.	Colour	Price netto (€)
 	40 754 001	chrome	32.49
<p>Essentials Cube Soap dish with holder material: glass / metal consisting of: holder (40 508 001) soap dish (40 368 001) concealed fastening GROHE StarLight chrome finish</p>			
 	40 510 001	chrome	36.66
<p>Essentials Cube Towel ring material: metal concealed fastening GROHE StarLight chrome finish</p>			
 	40 624 001	chrome	51.66
<p>Essentials Cube Towel bar material: metal 2 arms, pivotable 439 mm concealed fastening GROHE StarLight chrome finish</p>			
 	40 509 001	chrome	40.83
<p>Essentials Cube Towel rail material: metal 600 mm (functional length 558 mm) concealed fastening GROHE StarLight chrome finish</p>			
 	40 512 001	chrome	133.33
<p>Essentials Cube Multi-towel rack material: metal 600 mm (functional length 558 mm) concealed fastening GROHE StarLight chrome finish</p>			
 	40 511 001	chrome	15.41
<p>Essentials Cube Robe hook material: metal concealed fastening GROHE StarLight chrome finish</p>			

GROHE ESSENTIALS CUBE

	Ref. No.	Colour	Price netto (€)
 	40 514 001 Essentials Cube Grip bar material: metal 392 mm (functional length 340 mm) concealed fastening GROHE StarLight chrome finish	chrome	54.99
 	40 507 001 Essentials Cube Toilet paper holder material: metal without cover concealed fastening GROHE StarLight chrome finish	chrome	30.83
 	40 623 001 Essentials Cube Spare toilet paper holder material: metal concealed fastening GROHE StarLight chrome finish	chrome	25.83
 	40 513 001 Essentials Cube Toilet brush set material: glass / metal wall mounted concealed fastening GROHE StarLight chrome finish	chrome	53.33
	40 791 001 40 791 KS1 Spare brush head	white velvet black	4.99 4.99
	40 392 000 Spare brush	chrome	24.00
	40 393 000 Spare glass	daVinci satin white	19.50
 	40 757 001 Essentials Cube City restroom accessories set 3-in-1 material: glass / metal consisting of: robe hook (40 511 001) toilet paper holder (40 507 001) toilet brush (40 513 001) concealed fastening GROHE StarLight chrome finish	chrome	91.66

GROHE ESSENTIALS CUBE

	Ref. No.	Colour	Price netto (€)
 	40 777 001	chrome	78.33
<p>Essentials Cube Guest bathroom accessories set 3-in-1 material: metal consisting of: robe hook (40 511 001) toilet paper holder (40 507 001) towel rail, 558 mm (40 509 001) concealed fastening GROHE StarLight chrome finish</p>			
 	40 778 001	chrome	112.49
<p>Essentials Cube Master bathroom accessories set 4-in-1 material: metal consisting of: robe hook (40 511 001) towel ring (40 510 001) toilet paper holder (40 507 001) towel rail, 558 mm (40 509 001) concealed fastening GROHE StarLight chrome finish</p>			
 	40 847 001	chrome	129.16
<p>Essentials Cube Bathroom accessories set 4-in-1 material: glass / metal consisting of: soap dispenser with holder (40 756 001) crystal glass with holder (40 755 001) double towel bar (40 624 001) robe hook (40 511 001) concealed fastening GROHE StarLight finish</p>			
 	40 758 001	chrome	137.49
<p>Essentials Cube Master bathroom accessories set 5-in-1 material: glass / metal consisting of: soap dish with holder (40 754 001) towel rail, 558 mm (40 509 001) toilet paper holder (40 507 001) robe hook (40 511 001) towel ring (40 510 001) concealed fastening GROHE StarLight chrome finish</p>			











GROHE BAUCOSMOPOLITAN



GROHE BAUCOSMOPOLITAN

	Ref. No.	Colour	Price netto (€)
 	40 585 001 BauCosmopolitan Holder material: metal for crystal glass (40 372 001), soap dish (40 368 001) or soap dispenser (40 394 001) concealed fastening GROHE StarLight chrome finish	chrome	15.83
 	40 394 001 Essentials Soap dispenser material: glass / metal fits in the following holders: Essentials (40 369) Essentials Cube (40 508) Bau Cosmopolitan (40 585) Essentials Authentic (40 652) GROHE StarLight chrome finish	chrome	16.66
 	40 368 001 Essentials Soap dish material: glass fits in the following holders: Essentials (40 369) Essentials Cube (40 508) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)	chrome	5.58
 	40 372 001 Essentials Crystal glass material: glass fits in the following holders: Essentials (40 369) Essentials Cube (40 508) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)	chrome	6.66
 	40 460 001 BauCosmopolitan Towel ring material: metal concealed fastening GROHE StarLight chrome finish	chrome	15.83
 	40 459 001 BauCosmopolitan Towel rail material: metal 522 mm (functional length 430 mm) concealed fastening GROHE StarLight chrome finish	chrome	22.91

GROHE BAUCOSMOPOLITAN

	Ref. No.	Colour	Price netto (€)
 	40 462 001 BauCosmopolitan Multi-towel rack material: metal 564 mm (functional length 510 mm) concealed fastening GROHE StarLight chrome finish	chrome	83.33
 	40 461 001 BauCosmopolitan Robe hook material: metal concealed fastening GROHE StarLight chrome finish	chrome	9.58
 	40 457 001 BauCosmopolitan Paper holder material: metal without cover concealed fastening GROHE StarLight chrome finish	chrome	19.99
 	40 463 001 BauCosmopolitan Toilet brush set material: glass / metal wall mounted concealed fastening GROHE StarLight chrome finish	chrome	25.83
	40 791 001 40 791 KS1 Spare brush head	white velvet black	4.99 4.99
	40 392 000 Spare brush	chrome	24.00
	40 393 000 Spare glass	daVinci satin white	19.50
 	40 663 001 BauCosmopolitan Large corner basket	chrome	44.99

GROHE BAUCOSMOPOLITAN

Ref. No.

Colour


Price netto (€)

40 664 001

chrome

35.83

BauCosmopolitan
Filling basket, small













GROHE ESSENTIALS AUTHENTIC



GROHE ESSENTIALS AUTHENTIC



	Ref. No.	Colour	Price netto (€)
 	40 652 001 40 652 EN1	chrome brushed nickel	19.99 28.33
Essentials Authentic Holder material: metal for crystal glass (40 372 001), soap dish (40 368 001) or soap dispenser (40 394 001) concealed fastening GROHE StarLight chrome finish			
 	40 394 001	chrome	16.66
Essentials Soap dispenser material: glass / metal fits in the following holders: Essentials (40 369) Essentials Cube (40 508) Bau Cosmopolitan (40 585) Essentials Authentic (40 652) GROHE StarLight chrome finish			
 	40 368 001	chrome	5.58
Essentials Soap dish material: glass fits in the following holders: Essentials (40 369) Essentials Cube (40 508) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)			
 	40 372 001	chrome	6.66
Essentials Crystal glass material: glass fits in the following holders: Essentials (40 369) Essentials Cube (40 508) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)			
 	40 655 001 40 655 EN1	chrome brushed nickel	19.99 28.33
Essentials Authentic Towel ring material: metal concealed fastening GROHE StarLight chrome finish			
 	40 653 001 40 653 EN1	chrome brushed nickel	32.08 40.83
Essentials Authentic Towel rail material: metal 626 mm (functional length 582 mm) concealed fastening GROHE StarLight chrome finish			

GROHE ESSENTIALS AUTHENTIC

	Ref. No.	Colour	Price netto (€)	
		40 654 001	chrome	54.99
		40 654 EN1	brushed nickel	77.08
<p>Essentials Authentic Double towel rail material: metal 626 mm (functional length 582 mm) concealed fastening GROHE StarLight chrome finish</p>				
		40 660 001	chrome	108.33
		40 660 EN1	brushed nickel	149.99
<p>Essentials Authentic Multi-towel rack material: metal 586 mm (functional length 542 mm) concealed fastening GROHE StarLight chrome finish</p>				
		40 656 001	chrome	11.24
		40 656 EN1	brushed nickel	15.41
<p>Essentials Authentic Robe hook material: metal concealed fastening GROHE StarLight chrome finish</p>				
		40 657 001	chrome	23.74
		40 657 EN1	brushed nickel	33.33
<p>Essentials Authentic Toilet paper holder material: metal without cover concealed fastening GROHE StarLight chrome finish</p>				
		40 658 001	chrome	32.91
		40 658 EN1	brushed nickel	46.24
<p>Essentials Authentic Toilet brush set material: glass / metal wall mounted concealed fastening GROHE StarLight chrome finish</p>				
		40 791 001	white	4.99
		40 791 KS1	velvet black	4.99
<p>Spare brush head</p>				
		40 392 000	chrome	24.00
<p>Spare brush</p>				
		40 393 000	daVinci satin white	19.50
<p>Spare glass</p>				

GROHE ESSENTIALS AUTHENTIC

Ref. No. Colour Price netto (€)



40 659 001 chrome 35.83
40 659 EN1 brushed nickel 46.66

Essentials Authentic
Filling basket, small
material: metal
concealed fastening
GROHE StarLight chrome finish

GROHTHERM
THERMOSTATS





CONTENTS

Grohtherm SmartControl	227
Grohtherm F	237
Grohtherm 3000 Cosmopolitan	241
Grohtherm 2000	249
Grohtherm Cube	255
Grohtherm 1000 Cosmopolitan M	259
Grohtherm 1000	261
Grohtherm 800	265

SAFETY NOTE

Avoiding scalding

For a relaxing and comfortable shower and to avoid scalding, GROHE recommends the use of a thermostat. For particular environments, (hospitals, schools, care and nursing homes) it is extremely important that the outlet temperature of the water can be limited to a maximum of 43° C. The Grohtherm thermostats for shower and bath are delivered with an appropriate temperature stop to limit the temperature.

In shower facilities in kindergartens and special areas like nursing homes, it is recommended, that the temperature should not exceed 38° C. In these cases we recommend the Grohtherm Special with a specific ergonomic handle for better grip and additionally it enables easy thermal disinfection.

Applicable standards (e.g. EN 806-2) and technical rules for drinking water are to be taken in account.

GROHE GROHTHERM SMARTCONTROL



GROHE GROHTHERM SMARTCONTROL

Ref. No.


Colour

Price netto (€)

29 123 000

chrome

425.00




Grotherm SmartControl
Thermostat for concealed installation with one valve
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
 metal wall escutcheon with **GROHE QuickFix**
 (covered escutcheon and shaft sealing, covered
 fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for
 volume adjustment from EcoJoy to full flow
 exchangeable symbols
GROHE TurboStat compact cartridge
 with wax thermoelement
 GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
 built-in non return valves and dirt strainers
 without roughing-in-set
 flow performance:
 outlet A (to external shut-off) = 34 l/min
 outlet B/C = 29 l/min

29 124 000

chrome

463.00




Grotherm SmartControl
Thermostat for concealed installation with 2 valves
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
 metal wall escutcheon with **GROHE QuickFix**
 (covered escutcheon and shaft sealing, covered
 fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for
 volume adjustment from EcoJoy to full flow
 exchangeable symbols
GROHE TurboStat compact cartridge
 with wax thermoelement
 GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
 built-in non return valves and dirt strainers
 multiple outlets can be run simultaneously
 without roughing-in-set
 flow performance:
 outlet B = 24 l/min
 outlet C = 26 l/min

29 125 000

chrome

551.00




Grotherm SmartControl
Thermostat for concealed installation
with 2 valves and integrated shower holder
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
 metal wall escutcheon with **GROHE QuickFix**
 (covered escutcheon and shaft sealing, covered
 fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for
 volume adjustment from EcoJoy to full flow, exchangeable symbols
GROHE TurboStat compact cartridge
 with wax thermoelement
 GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
 built-in non return valves and dirt strainers
 multiple outlets can be run simultaneously
 integrated shower union with shower outlet 1/2"
 without roughing-in-set
 flow performance:
 outlet B = 24 l/min
 hand shower = 12 l/min

GROHE GROHTHERM SMARTCONTROL


Ref. No. Colour Price netto (€)

29 126 000 chrome 500.00




Grotherm SmartControl
Thermostat for concealed installation with 3 valves
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
 metal wall escutcheon with **GROHE QuickFix**
 (covered escutcheon and shaft sealing, covered
 fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for
 volume adjustment from EcoJoy to full flow, exchangeable symbols
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
 built-in non return valves and dirt strainers
 multiple outlets can be run simultaneously
 without roughing-in-set
 flow performance:
 outlet A = 23 l/min
 outlet B = 27 l/min
 outlet C = 23 l/min

29 127 000 chrome 305.00



Grotherm SmartControl
Triple volume control trim
 set for final installation for
 GROHE Rapido SmartBox 35 600 000/35 601 000
 metal wall escutcheon with **GROHE QuickFix**
 (covered escutcheon and shaft sealing, covered
 fixing), retroactively 6° adjustable
 10 mm thin profile escutcheon
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for
 volume adjustment from EcoJoy to full flow, exchangeable symbols
 multiple outlets can be run simultaneously
 without roughing-in-set
 flow performance:
 outlet D = 28 l/min
 outlet E = 28 l/min
 outlet A = 28 l/min
 outlet D+E+A = 65 l/min
 optional flow reducer for CALGreen compliance included

29 153 LS0 moon white 548.00



Grotherm SmartControl
Thermostat for concealed installation with one valve
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
 metal wall escutcheon with **GROHE QuickFix**
 (covered escutcheon and shaft sealing, covered
 fixing), retroactively 6° adjustable
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for
 volume adjustment from EcoJoy to full flow, exchangeable symbols
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
 built-in non return valves and dirt strainers
 cover plate in moon white acrylic glass
 without roughing-in-set
 flow performance:
 outlet A (to external shut-off) = 34 l/min
 outlet B/C = 29 l/min

GROHE GROHTHERM SMARTCONTROL

Ref. No.


Colour

Price netto (€)

29 156 LSO

moon white

586.00



Grotherm SmartControl


Thermostat for concealed installation with 2 valves

set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix**
(covered escutcheon and shaft sealing, covered
fixing), retroactively 6° adjustable
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet B = 24 l/min
outlet C = 26 l/min

29 157 LSO

moon white

623.00



Grotherm SmartControl


Thermostat for concealed installation with 3 valves

set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix**
(covered escutcheon and shaft sealing, covered
fixing), retroactively 6° adjustable
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
built-in non return valves and dirt strainers
multiple outlets can be run simultaneously
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet A = 23 l/min
outlet B = 27 l/min
outlet C = 23 l/min

29 158 LSO

moon white

386.00






Grotherm SmartControl

Triple volume control trim

set for final installation for
GROHE Rapido SmartBox 35 600 000/35 601 000
metal wall escutcheon with **GROHE QuickFix**
(covered escutcheon and shaft sealing, covered
fixing), retroactively 6° adjustable
10 mm thin profile escutcheon
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for
volume adjustment from EcoJoy to full flow
exchangeable symbols
multiple outlets can be run simultaneously
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet D = 28 l/min
outlet E = 28 l/min
outlet A = 28 l/min
outlet D+E+A = 65 l/min
optional flow reducer for CALGreen compliance included

GROHE GROHTHERM SMARTCONTROL

	Ref. No.	Colour	Price netto (€)	
new	29 118 000	chrome	425.00	
	29 118 DC0	supersteel	*	
	29 118 AL0	brushed hard graphite	*	
	<p>Grotherm SmartControl Thermostat for concealed installation with one valve set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow, exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop at 38°C GROHE SafeStop Plus optional temperature limiter at 43°C included built-in non return valves and dirt strainers without roughing-in-set flow performance: outlet A (to external shut-off) = 34 l/min outlet B/C = 29 l/min</p>			
	new	29 119 000	chrome	463.00
		29 119 DC0	supersteel	*
29 119 AL0		brushed hard graphite	*	
	<p>Grotherm SmartControl Thermostat for concealed installation with 2 valves set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop at 38°C GROHE SafeStop Plus optional temperature limiter at 43°C included built-in non return valves and dirt strainers multiple outlets can be run simultaneously without roughing-in-set flow performance: outlet B = 24 l/min outlet C = 26 l/min</p>			
	new	29 120 000	chrome	551.00
		29 120 DC0	supersteel	*
29 120 AL0		brushed hard graphite	*	
	<p>Grotherm SmartControl Thermostat for concealed installation with 2 valves and integrated shower holder set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow, exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop at 38°C GROHE SafeStop Plus optional temperature limiter at 43°C included built-in non return valves and dirt strainers multiple outlets can be run simultaneously integrated shower union with shower outlet 1/2" without roughing-in-set flow performance: outlet B = 24 l/min hand shower = 12 l/min</p>			

GROHE GROHTHERM SMARTCONTROL

Ref. No.

Colour


Price netto (€)

new

29 121 000
29 121 DC0
29 121 AL0

chrome
supersteel
brushed hard graphite

500.00
*
*



Grotherm SmartControl

Thermostat for concealed installation with 3 valves

set for final installation for

GROHE Rapido SmartBox 35 600 000

metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable

GROHE StarLight chrome finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow, exchangeable symbols

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

built-in non return valves and dirt strainers

multiple outlets can be run simultaneously

without roughing-in-set

flow performance:

outlet A = 23 l/min

outlet B = 27 l/min


outlet C = 23 l/min

new

29 122 000
29 122 DC0
29 122 AL0

chrome
supersteel
brushed hard graphite

305.00
*
*



Grotherm SmartControl

Triple volume control trim

set for final installation for

GROHE Rapido SmartBox 35 600 000/35 601 000

metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable

10 mm thin profile escutcheon

GROHE StarLight chrome finish

GROHE SmartControl push for ON-OFF, turn for

volume adjustment from EcoJoy to full flow, exchangeable symbols

multiple outlets can be run simultaneously

without roughing-in-set

flow performance:

outlet D = 28 l/min

outlet E = 28 l/min


outlet A = 28 l/min

outlet D+E+A = 65 l/min

29 150 LS0

moon white

548.00



Grotherm SmartControl

Thermostat for concealed installation with one valve

set for final installation for

GROHE Rapido SmartBox 35 600 000

metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable

GROHE StarLight finish

GROHE SmartControl push for ON-OFF, turn for

volume adjustment from EcoJoy to full flow

exchangeable symbols

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

built-in non return valves and dirt strainers

cover plate in moon white acrylic glass

without roughing-in-set

flow performance:


outlet A (to external shut-off) = 34 l/min

outlet B/C = 29 l/min

GROHE GROHTHERM SMARTCONTROL


Ref. No. Colour Price netto (€)

29 151 LSO moon white 586.00




Grotherm SmartControl
Thermostat for concealed installation with 2 valves
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
 metal wall escutcheon with **GROHE QuickFix**
 (covered escutcheon and shaft sealing, covered
 fixing), retroactively 6° adjustable
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for
 volume adjustment from EcoJoy to full flow, exchangeable symbols
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
 built-in non return valves and dirt strainers
 multiple outlets can be run simultaneously
 cover plate in moon white acrylic glass
 without roughing-in-set
 flow performance:
 outlet B = 24 l/min
 outlet C = 26 l/min

29 904 LSO moon white 623.00




Grotherm SmartControl
Thermostat for concealed installation with 3 valves
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
 metal wall escutcheon with **GROHE QuickFix**
 (covered escutcheon and shaft sealing, covered
 fixing), retroactively 6° adjustable
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for
 volume adjustment from EcoJoy to full flow, exchangeable symbols
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
 built-in non return valves and dirt strainers
 multiple outlets can be run simultaneously
 cover plate in moon white acrylic glass
 without roughing-in-set
 flow performance:
 outlet A = 23 l/min
 outlet B = 27 l/min
 outlet C = 23 l/min

29 152 LSO moon white 386.00



Grotherm SmartControl
Triple volume control trim
 set for final installation for
 GROHE Rapido SmartBox 35 600 000/35 601 000
 metal wall escutcheon with **GROHE QuickFix**
 (covered escutcheon and shaft sealing, covered
 fixing), retroactively 6° adjustable
 10 mm thin profile escutcheon
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for
 volume adjustment from EcoJoy to full flow, exchangeable symbols
 multiple outlets can be run simultaneously
 cover plate in moon white acrylic glass
 without roughing-in-set
 flow performance:
 outlet D = 28 l/min
 outlet E = 28 l/min
 outlet A = 28 l/min
 outlet D+E+A = 65 l/min
 optional flow reducer for CALGreen compliance included

new



34 706 000 chrome 1,220.00

Grotherm SmartControl
Perfect shower set with Rainshower 310 SmartActive Cube
 consisting of:
 concealed thermostat with 3 valves
 Grotherm SmartControl set for final installation
 (29 126 000)
 GROHE Rapido SmartBox 35 600 000
 Rainshower 310 SmartActive Cube head shower set (26 479)
 including head shower with 2 sprays, horizontal shower arm 400 mm
 and head shower rough-in (26 483 000)
 hand shower Euphoria Cube Stick (27 698 000)
 Euphoria Cube wall union with integrated shower holder (26 370 000)
 Silverflex shower hose 1.500 mm (28 364)



GROHE GROHTHERM SMARTCONTROL

Ref. No.

Colour

Price netto (€)

new



34 705 000

chrome

1,230.00

Grotherm SmartControl

Perfect shower set with Rainshower 310 SmartActive

consisting of:

concealed thermostat with 3 valves

Grotherm SmartControl set for final installation

(29 121 000)

GROHE Rapido SmartBox 35 600 000

Rainshower 310 head shower set (26 475) including head shower

with 2 sprays, horizontal shower arm 400 mm and head shower


rough-in (26 483 000)

Euphoria Cosmopolitan Stick handheld shower (27 367 000)

Rainshower wall holder (27 074 000)

Rainshower wall union 1/2" (27 057 000)

Silverflex shower hose 1.500 mm (28 364)



35 600 000

chrome

66.00

GROHE Rapido SmartBox

Universal rough-in box, 1/2"

3 outlets 1/2"

2 inlets below, 1/2"

installation depth 75-105 mm

connection unit in DR brass

pre-mounted flushing plug

stable build-in box and protective cover

fixation options for solid walls and dry

cladding

gasket

without set for final installation



14 055 000

chrome

136.00

Backflow protection combination (DIN-EN1717)

fits Grotherm SmartControl and SmartControl mixer

sets for final installation with 2 valves

retrofit set for protection against backflow in combination

with integrated inlet-, pop-up and waste systems

replaces separate pipe interrupter for residential use



14 053 000M

chrome

42.00


Service stops

fits Grotherm SmartControl and SmartControl Mixer

sets for final installation in combination with

GROHE Rapido SmartBox

packaging unit: 2 pieces



14 048 000

chrome

126.00


Universal extension set

25 mm

fits Grotherm SmartControl and SmartControl Mixer

sets for final installation in combination with

GROHE Rapido SmartBox



47 790 000

chrome

56.00

Rapido Connection Set

fits to Rapido T (35 500), Rapido E (35 501)

and Rapido SmartBox (35 600)

VA approved

2 pcs./unit


GROHE GROHTHERM SMARTCONTROL

Ref. No. Colour Price netto (€)



49 003 000 **chrome** 182.00


GROHE TurboStat cartridge 3/4"
fits concealed thermostats Rapido SmartBox
for reversed inlets (hot water right)



34 713 000 **chrome** 722.00

Grotherm SmartControl
Combi thermostatic shower mixer with 3 valves, exposed/concealed
wall mounted
GROHE CoolTouch no risk of scalding
GROHE StarLight chrome finish
GROHE TurboStat compact cartridge with wax thermostatic element
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE EcoJoy technology for less water and perfect flow
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE EasyReach shower tray shower bottom outlet 1/2"
multiple outlets can be run simultaneously
protected against backflow


requires concealed body 26 449 000 – to be ordered separately



34 714 000 **chrome** 674.00

Grotherm SmartControl
Combi thermostatic shower mixer with 2 valves, exposed/concealed
wall mounted
GROHE CoolTouch no risk of scalding
GROHE StarLight chrome finish
GROHE TurboStat compact cartridge with wax thermostatic element
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE EcoJoy technology for less water and perfect flow
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow, exchangeable symbols
GROHE EasyReach shower tray shower bottom outlet 1/2"
multiple outlets can be run simultaneously
protected against backflow

requires concealed body 26 449 000 – to be ordered separately




26 449 000 **chrome** 118.00

Concealed body for exposed/concealed variants
wall mounted
2 outlets 1/2"
installation depth 75-105 mm
flushing plug
wall sealing
installation device

GROHE GROHTHERM F




27 618 000 chrome 717.00



Grotherm F
Thermostatic Trim with integrated 2-way diverter
 for bath or shower with more than one outlet
 for use with Rapido T rough-in box 35 500 000 sold separately
GROHE StarLight chrome finish
 GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
 metal handle for temperature control
 metal handle for Aquadimmer control with multiple function
 - shut off and flow control
 - diverter for 2 outlets
 3rd outlet requires separate volume control
 rectangular metal wall escutcheon with
 hidden fixing and hidden sealings
 flow rate:
 - max. 53 l/min at 3 bar by using all 3 outlets at the same time
 - bottom outlet 50 l/min. at 3 bar
 - top outlet left (bath) 30 l/min. at 3 bar
 - top outlet right (shower) 24 l/min at 3 bar

35 500 000 chrome 239.00
GROHE Rapido T Universal thermostatic mixer for concealed installation


27 619 000 chrome 625.00



Grotherm F
Thermostatic trim
 for high-flow, multiple outlet custom shower applications
 requires separate volume controls
 for use with Rapido T rough-in box 35 500 000 sold separately
GROHE StarLight chrome finish
 GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
 metal handle for temperature control
 rectangular metal wall escutcheon with
 hidden fixing and hidden sealings
 flow rate:
 - max. 53 l/min at 3 bar by using all 3 outlets at the same time
 - bottom outlet 50 l/min. at 3 bar
 - top outlets left/right, each 36 l/min. at 3 bar
 without concealed body

35 500 000 chrome 239.00
GROHE Rapido T Universal thermostatic mixer for concealed installation


27 625 000 chrome 610.00



Grotherm F
Triple volume control trim
 for use with rough-in box 35 031 000 (1/2" connections) /
 35 032 000 (1/2" NPT connections)
 sold separately
GROHE StarLight chrome finish
 metal handles for volume control
 metal wall escutcheon with hidden fixing and hidden sealing
 vertical and horizontal installation

35 031 000 chrome 382.00
GROHE Rapido C rough-in box for triple volume control

27 623 000 chrome 239.00




Grotherm F
Single volume control trim
 for use with rough-in box 35 028 000 (1/2" connections) /
 35 029 000 (1/2" NPT connections)
 sold separately
GROHE StarLight chrome finish
 metal handle for volume control
 metal wall escutcheon with hidden fixing and hidden sealing
 for use with rough-in valve (35 029)

35 028 000 chrome 132.00
GROHE Rapido C rough-in box for single volume control


Ref. No. Colour Price netto (€)

27 621 000 chrome 313.00



Grotherm F
Wall shower union with integrated shower holder
 Vertical or horizontal installation
 for use with rough-in box 35 034 000 (1/2" connection) /
 35 035 (1/2" NPT connection)
 sold separately
 shower outlet 1/2"
 hand shower and shower hose sold separately
 protected against backflow
 vertical and horizontal installation

35 034 000 chrome 210.00



Grotherm F
Rough-in for wall shower union 27 621
 for grid installation of Grotherm Custom Shower system
 built-in box with removable protection cover
 waterproof membrane base for wall sealing
 flushing plug
 for masonry and drywall installation
 fixing points for front and back wall
 body of DR brass
 1/2" connections
 installation depth 70 - 95 mm

GROHE GROHTHERM 3000 COSMOPOLITAN



GROHE GROHTHERM 3000 COSMOPOLITAN

Ref. No.


Colour

Price netto (€)

34 274 000

chrome

447.00




Grotherm 3000 Cosmopolitan
Thermostatic shower mixer 1/2"
wall mounted

100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
Carbodur ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
covered S-unions, CoolTouch escutcheons with wall sealing
GROHE EcoJoy technology for less water and perfect flow

34 276 000

chrome

514.00




Grotherm 3000 Cosmopolitan
Thermostatic bath mixer 1/2"
wall mounted

100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
Aquadimmer with multiple function
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
covered S-unions, CoolTouch escutcheons with wall sealing
GROHE EcoJoy technology for less water and perfect flow

34 277 000

chrome

467.00




Grotherm 3000 Cosmopolitan
Thermostatic bath mixer 1/2"
wall mounted

GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
Aquadimmer with multiple function
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
without connection unions
GROHE EcoJoy technology for less water and perfect flow
min. recommended pressure 1.0 bar


GROHE GROHTHERM 3000 COSMOPOLITAN

Ref. No. Colour Price netto (€)



34 275 000 **chrome** **607.00**

Grohtherm 3000 Cosmopolitan Thermostatic shower mixer 1/2"
with shower set
consisting of:
Grohtherm 3000 Cosmopolitan thermostatic shower mixer (34 274 000)
Rainshower Cosmopolitan shower set (28 757 000)
min. recommended pressure 1.0 bar




19 568 000 **chrome** **462.00**

Grohtherm 3000 Cosmopolitan Thermostatic shower mixer
set for final installation for GROHE Rapido T 35 500 000
rectangular metal wall escutcheon with hidden fixing and hidden sealings
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
Carbodur ceramic headpart 1/2", 180°
without concealed body

35 500 000 **chrome** **239.00**

GROHE Rapido T Universal thermostatic mixer for concealed installation




19 467 000 **chrome** **348.00**
19 467 LS0 **moon white/chrome** **416.00**

Grohtherm 3000 Cosmopolitan Thermostatic shower mixer
set for final installation for GROHE Rapido T 35 500 000
wall escutcheon with **GROHE QuickFix** (covered escutcheon- and shaft sealing, covered fixing)
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
Carbodur ceramic headpart 1/2", 180°
without concealed body

35 500 000 **chrome** **239.00**

GROHE Rapido T Universal thermostatic mixer for concealed installation







19 567 000 **chrome** **522.00**

Grohtherm 3000 Cosmopolitan Thermostat with integrated 2-way diverter for bath or shower with more than one outlet
set for final installation for GROHE Rapido T 35 500 000
rectangular metal wall escutcheon with hidden fixing and hidden sealings
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
Aquadimmer with multiple function shut off and flow control
diverter for 2 outlets
without concealed body

35 500 000 **chrome** **239.00**

GROHE Rapido T Universal thermostatic mixer for concealed installation

GROHE GROHTHERM 3000 COSMOPOLITAN

	Ref. No.	Colour	Price netto (€)
	19 468 000	chrome	411.00
	19 468 DC0	supersteel	559.00
	19 468 LS0	moon white/chrome	543.00
	19 468 BE0	polished nickel	520.00
	19 468 EN0	brushed nickel	520.00
	19 468 GL0	cool sunrise	520.00
	19 468 GN0	brushed cool sunrise	520.00
	19 468 DA0	warm sunset	520.00
	19 468 DL0	brushed warm sunset	520.00
	19 468 A00	hard graphite	520.00
	19 468 AL0	brushed hard graphite	520.00
	Grotherm 3000 Cosmopolitan Thermostat with integrated 2-way diverter for bath or shower with more than one outlet set for final installation for GROHE Rapido T 35 500 000 wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) GROHE StarLight chrome finish GROHE SafeStop at 38°C GROHE SafeStop Plus optional temperature limiter at 43°C included Aquadimmer with multiple function shut off and flow control diverter for 2 outlets without concealed body		
	35 500 000	chrome	239.00
	GROHE Rapido T Universal thermostatic mixer for concealed installation		
	19 469 000	chrome	288.00
	Grotherm 3000 Cosmopolitan Central thermostatic mixer set for final installation for GROHE Rapido T 35 500 000 wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) GROHE StarLight chrome finish GROHE SafeStop at 38°C GROHE SafeStop Plus optional temperature limiter at 43°C included without concealed body		
	35 500 000	chrome	239.00
	GROHE Rapido T Universal thermostatic mixer for concealed installation		
	34 572 000	chrome	1,190.00
	Grotherm 3000 Cosmopolitan Perfect shower set with Rainshower Allure 230 consisting of: Grotherm 3000 Cosmopolitan set for final installation with Aquadimmer (19 567 000) GROHE Rapido T thermostatic mixer for concealed installation (35 500 000) Rainshower Allure 230 head shower 1 spray (27 479 000) Rainshower shower arm 380 mm square escutcheon hand shower, wall holder, wall elbow connection and shower hose to be ordered separately		
	34 627 000	chrome	1,360.00
	Grotherm 3000 Cosmopolitan Perfect shower set with Rainshower Cosmopolitan 310 consisting of: Grotherm 3000 Cosmopolitan set for final installation with Aquadimmer (19 567 000) GROHE Rapido T thermostatic mixer for concealed installation (35 500 000) metal head shower Rainshower Cosmopolitan 310 (27 477 000) Rainshower shower arm 422 mm (26 145 000) hand shower Sena (28 034 000) Rainshower wall holder (27 075 000) Rainshower wall elbow connection (27 076 000) Silverflex shower hose 1 250 mm (28 362) min. recommended pressure 1.0 bar		

GROHE GROHTHERM 3000 COSMOPOLITAN











	Ref. No.	Colour	Price netto (€)
	34 408 000	chrome	1,070.00
<p>Grohtherm 3000 Cosmopolitan Perfect shower set with Rainshower 210 consisting of: Grohtherm 3000 Cosmopolitan set for final installation with Aquadimmer (19 567 000) GROHE Rapido T thermostatic mixer for concealed installation (35 500 000) metal head shower Rainshower Cosmopolitan 210 (28 368 000) Rainshower shower arm modern (28 576 000) Euphoria hand shower (27 265 000) shower outlet elbow (28 628 000) Silverflex shower hose 1 250 mm (28 362) min. recommended pressure 1.0 bar</p>			
	26 260 000	chrome	1,170.00
<p>Grohtherm 3000 Cosmopolitan Perfect shower set with Rainshower Cosmopolitan 400 consisting of: Grohtherm 3000 Cosmopolitan thermostatic shower mixer with Aquadimmer (19 468 000) GROHE Rapido T thermostatic mixer for concealed installation (35 500 000) head shower Rainshower Cosmopolitan 400 (28 778 000) shower arm Rainshower 422 mm (26 146 000) Grohtherm 3000 Cosmopolitan thermostatic shower mixer with Aquadimmer (19 568 000)</p>			
	34 571 000	chrome	1,110.00
<p>Grohtherm 3000 Cosmopolitan Perfect shower set with Rainshower Cosmopolitan 310 consisting of: Grohtherm 3000 Cosmopolitan thermostatic shower mixer with Aquadimmer (19 468 000) GROHE Rapido T thermostatic mixer for concealed installation (35 500 000) Rainshower Cosmopolitan 310 head shower 1 spray (27 477 000) Rainshower shower arm 380 mm round escutcheon (28 361 000) hand shower, wall holder, wall elbow connection and shower hose to be ordered separately</p>			
	26 262 000	chrome	934.00
<p>Grohtherm 3000 Cosmopolitan Perfect shower set with Rainshower Cosmopolitan 210 consisting of: Grohtherm 3000 Cosmopolitan thermostatic shower mixer with Aquadimmer (19 468 000) GROHE Rapido T thermostatic mixer for concealed installation (35 500 000) metal head shower Rainshower Cosmopolitan 210 (28 368 000) shower arm Rainshower 422 mm (26 146 000)</p>			
	34 630 000	chrome	1,290.00
<p>Grohtherm 3000 Cosmopolitan Perfect shower set with Rainshower Cosmopolitan 310 consisting of: Grohtherm 3000 Cosmopolitan set for final installation with Aquadimmer (19 468 000) GROHE Rapido T thermostatic mixer for concealed installation (35 500 000) metal head shower Rainshower Cosmopolitan 310 (27 477 000) shower arm Rainshower 422 mm (26 146 000) hand shower Sena (28 034 000) Rainshower wall holder (27 074 000) Rainshower wall elbow connection (27 057 000) Silverflex shower hose 1 250 mm (28 362) min. recommended pressure 1.0 bar</p>			

GROHE GROHTHERM 3000 COSMOPOLITAN









Ref. No.

Colour

Price netto (€)

		<p>34 399 000 chrome</p> <p>Grohtherm 3000 Cosmopolitan Perfect shower set with Rainshower Cosmopolitan 160 consisting of: set for final installation Grohtherm 3000 Cosmopolitan with Aquadimmer (19 468 000) GROHE Rapido T thermostatic mixer for concealed installation (35 500 000) Rainshower Cosmopolitan head shower 160mm (27 134 000) Rainshower shower arm modern (28 576 000) shower outlet elbow (28 628 000) Euphoria hand shower (27 265 000) Silverflex shower hose 1 250 mm (28 362) min. recommended pressure 1.0 bar</p>	<p style="text-align: right;">840.00</p>
		<p>26 261 000 chrome</p> <p>Grohtherm 3000 Cosmopolitan Perfect shower set with F-Series 10" consisting of: Grohtherm 3000 Cosmopolitan set for final installation with Aquadimmer (19 567 000) GROHE Rapido T thermostatic mixer for concealed installation (35 500 000) head shower Rainshower F-Series 10" (27 271 000) Shower arm Rainshower square 450mm (26 145 000)</p>	<p style="text-align: right;">1,060.00</p>
		<p>34 278 000 chrome</p> <p>Grohtherm 3000 Cosmopolitan Thermostatic shower mixer 1/2" consisting of: set for final installation Grohtherm 3000 Cosmopolitan (19 464 000) concealed body (34 211) Rainshower Cosmopolitan shower set (28 757 000) Rainshower wall union 1/2" (27 057 000) max. pressure differential 5:1 min. recommended pressure 1.0 bar</p>	<p style="text-align: right;">700.00</p>
		<p>19 470 000 chrome</p> <p>Grohtherm 3000 Cosmopolitan Concealed valve exposed part set for final installation for 35 028 000 GROHE StarLight chrome finish for GROHE concealed valves, 1/2", 3/4", 1" installation depth infinitely adjustable 20-80 mm metal escutcheon with wall sealing shut-off handle</p>	<p style="text-align: right;">67.00</p>
		<p>35 028 000 chrome</p> <p>Rapido C/concealed valves Rough-in for single volume control for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4" connection threads 1/2" flow rate: 55 l/min. at 3 bar installation depth 70 - 95 mm min. recommended pressure 1.0 bar</p>	<p style="text-align: right;">132.00</p>

GROHE GROHTHERM 3000 COSMOPOLITAN

	Ref. No.	Colour	Price netto (€)
	29 811 000 Concealed valve 1/2" preassembled ceramic headpart 1/2" 180° threaded union 1/2" installation depth adjustable 25 - 80 mm DR-brass	chrome	27.00
			
	29 813 000 Concealed valve 3/4" pre-assembled ceramic headpart 3/4" 90° threaded union 3/4" installation depth adjustable 25 - 80 mm DR-brass min. recommended pressure 1.0 bar	chrome	35.00
			
	29 800 000 Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle, protection sleeve threaded union 1/2", DR-brass	chrome	25.00
			
	29 802 000 ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"	chrome	45.00
	29 805 000 ditto, 1", pre-assembled headpart 1", thread union 1"	chrome	65.00
	29 801 000 Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle, protection sleeve soldered connection Ø15 mm DR-brass	chrome	24.00
			
	29 803 000 ditto, soldered connection Ø 18 mm	chrome	39.00
	29 804 000 ditto, soldered connection Ø 22 mm	chrome	42.00

GROHE GROHTHERM 2000



GROHE GROHTHERM 2000

Ref. No.

Colour

Price netto (€)

34 469 001

chrome

334.00

Grotherm 2000

Thermostatic shower mixer 1/2"

wall mounted

100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons

GROHE StarLight chrome finish

GROHE Aqua Paddle ergonomically shaped handles

temperature scale handle with

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included integrated mixed water shut off

GROHE TurboStat compact cartridge

with wax thermoelement

volume handle with GROHE EcoButton (economy

button with individually adjustable economy stop)

Carbodur ceramic headpart 1/2", 180°

shower bottom outlet 1/2"

built-in non return valves

dirt strainers

protected against backflow

covered S-unions, CoolTouch escutcheons with wall sealing


GROHE EasyReach shower tray

removable for easy cleaning

chrome

min. recommended pressure 1.0 bar

GROHE EcoJoy technology for less water and perfect flow



34 169 001

chrome

296.00

Grotherm 2000

Thermostatic shower mixer 1/2"

wall mounted

100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons

GROHE StarLight chrome finish

GROHE Aqua Paddle ergonomically shaped handles

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE TurboStat compact cartridge

with wax thermoelement

integrated mixed water shut off

volume handle with GROHE EcoButton (economy

button with individually adjustable economy stop)

Carbodur ceramic headpart 1/2", 180°

shower bottom outlet 1/2"

built-in non return valves


dirt strainers

protected against backflow

covered S-unions, CoolTouch escutcheons with wall sealing

optional upgrade: GROHE EasyReach shower tray (18 608 001)

GROHE EcoJoy technology for less water and perfect flow



34 464 001

chrome

388.00

Grotherm 2000

Thermostatic bath mixer 1/2"

wall mounted

100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons

GROHE StarLight chrome finish

GROHE Aqua Paddle ergonomically shaped handles

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE TurboStat compact cartridge

with wax thermoelement

integrated mixed water shut off

GROHE AquaDimmer Eco with multiple function:

- integrated Economy button

(with economy stop for shower)

- flow control

- diverter: bath/shower

shower bottom outlet 1/2"

GROHE XL Waterfall

flow straightener

built-in non return valves

dirt strainers

protected against backflow


covered S-unions, CoolTouch escutcheons with wall sealing

GROHE EasyReach shower tray

removable for easy cleaning

chrome

GROHE EcoJoy technology for less water and perfect flow



GROHE GROHTHERM 2000

Ref. No.

Colour

Price netto (€)

THERMOSTATS

34 174 001

chrome

351.00

Grotherm 2000
Thermostatic bath mixer 1/2"

wall mounted

100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons

GROHE StarLight chrome finish

GROHE Aqua Paddle ergonomically shaped handles

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE TurboStat compact cartridge

with wax thermoelement

integrated mixed water shut off

GROHE AquaDimmer Eco with multiple function:

- integrated Economy button
(with economy stop for shower)

- flow control

- diverter: bath/shower

shower bottom outlet 1/2"

GROHE XL Waterfall

flow straightener

built-in non return valves


dirt strainers

protected against backflow

covered S-unions, CoolTouch escutcheons with wall sealing

optional upgrade: GROHE EasyReach shower tray (18 608 001)

GROHE EcoJoy technology for less water and perfect flow



34 482 001

chrome

490.00


Grotherm 2000
Thermostatic shower mixer 1/2" with shower set

consisting of:

Grotherm 2000 thermostat shower mixer

(34 169)

Power&Soul Cosmopolitan 130 shower set (27 734 000)



19 354 001

chrome

253.00

Grotherm 2000
Thermostatic shower mixer

set for final installation for

GROHE Rapido T 35 500 000

wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing)

GROHE StarLight chrome finish

GROHE Aqua Paddle ergonomically shaped handles


GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

volume handle with GROHE EcoButton (economy button with individually adjustable economy stop)

Carborund ceramic headpart 1/2", 180°

without concealed body



35 500 000

chrome


239.00

GROHE Rapido T Universal thermostatic mixer for concealed installation

GROHE GROHTHERM 2000

Ref. No. Colour Price netto (€)

19 355 001 chrome 291.00




Grotherm 2000
Thermostat with integrated 2-way diverter for bath or shower with more than one outlet
 set for final installation for GROHE Rapido T 35 500 000 wall escutcheon with **GROHE QuickFix** (covered escutcheon- and shaft sealing, covered fixing)
GROHE StarLight chrome finish
 GROHE Aqua Paddle ergonomically shaped handles
 GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE AquaDimmer Eco with multiple function:
 - integrated Economy button (with economy stop for shower)
 - flow control
 - diverter: bath/shower without concealed body

35 500 000 chrome 239.00

GROHE Rapido T Universal thermostatic mixer for concealed installation

19 352 001 chrome 240.00




Grotherm 2000
Central thermostatic mixer
 set for final installation for GROHE Rapido T 35 500 000 wall escutcheon with **GROHE QuickFix** (covered escutcheon- and shaft sealing, covered fixing)
GROHE StarLight chrome finish
 GROHE Aqua Paddle ergonomically shaped handles
 GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included without concealed body

35 500 000 chrome 239.00


GROHE Rapido T Universal thermostatic mixer for concealed installation

34 631 000 chrome 893.00















Grotherm 2000
Perfect shower set with Rainshower Cosmopolitan 210
 consisting of:
 Grotherm 2000 set for final installation with Aquadimmer Eco (19 355 001)
 GROHE Rapido T thermostatic mixer for concealed installation (35 500 000)
 metal head shower Rainshower Cosmopolitan 210 (28 368 000)
 Rainshower shower arm modern (28 576 000)
 Euphoria Cosmopolitan hand shower (27 367 000)
 Rainshower wall holder (27 074 000)
 Rainshower wall elbow connection (27 057 000)
 Silverflex shower hose 1 250 mm (28 362)
 min. recommended pressure 1.0 bar

34 283 001 chrome 851.00



Grotherm 2000
Perfect shower set with Power&Soul Cosmopolitan 190
 consisting of:
 with integrated 2-way diverter (19 355 001)
 GROHE Rapido T thermostatic mixer for concealed installation (35 500 000)
 Power&Soul Cosmopolitan head shower (27 764 000)
 shower arm (28 576 000)
 hand shower Power&Soul Cosmopolitan 115 (27 660 000)
 wall connection elbow with integrated hand shower holder (28 628 000)
 Silverflex shower hose 1.500 mm (28 364)
 min. recommended pressure 1.0 bar

GROHE GROHTHERM 2000

	Ref. No.	Colour	Price netto (€)
 	19 243 001	chrome	45.00
<p>Grotherm 2000 Concealed valve exposed part set for final installation for 35 028 000 GROHE StarLight chrome finish for GROHE concealed valves, 1/2", 3/4", 1" installation depth infinitely adjustable 20-80 mm metal escutcheon with wall sealing shut-off handle screwed</p>			
 	35 028 000	chrome	132.00
<p>Rapido C/concealed valves Rough-in for single volume control for grid installation of Grotherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4" connection threads 1/2" flow rate: 55 l/min. at 3 bar installation depth 70 - 95 mm min. recommended pressure 1.0 bar</p>			
 	29 800 000	chrome	25.00
<p>Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle, protection sleeve threaded union 1/2", DR-brass</p>			
	29 802 000	chrome	45.00
<p>ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"</p>			
	29 805 000	chrome	65.00
<p>ditto, 1", pre-assembled headpart 1", thread union 1"</p>			
 	29 801 000	chrome	24.00
<p>Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle, protection sleeve soldered connection Ø15 mm DR-brass</p>			
	29 803 000	chrome	39.00
<p>ditto, soldered connection Ø 18 mm</p>			
	29 804 000	chrome	42.00
<p>ditto, soldered connection Ø 22 mm</p>			
 	29 811 000	chrome	27.00
<p>Concealed valve 1/2" pre-assembled ceramic headpart 1/2" 180° threaded union 1/2" installation depth adjustable 25 - 80 mm DR-brass</p>			
 	29 052 000	chrome	*
<p>Concealed valve 1/2"</p>			

GROHE GROHTHERM 2000

Ref. No.


Colour

Price netto (€)

18 608 001

chrome

43.00



Grotherm 2000
GROHE EasyReach shower tray
metal tray

removable for easy cleaning

GROHE StarLight chrome finish
suitable for Grotherm 2000

- exposed thermostatic shower mixer

with centre distance 150 mm

- exposed thermostatic bath mixer

with centre distance 150 mm

GROHE GROHTHERM CUBE

THERMOSTATS



GROHE GROHTHERM CUBE

Ref. No.


Colour

Price netto (€)

34 491 000

chrome

394.00



Grotherm Cube

Thermostatic shower mixer 1/2"

wall mounted

GROHE StarLight chrome finish

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE TurboStat compact cartridge

with wax thermoelement

integrated mixed water shut off

volume handle with **GROHE EcoButton** (economy

button with individually adjustable economy stop)

Carbodur ceramic headpart 1/2", 180°

shower bottom outlet 1/2"

built-in non return valves

dirt strainers

protected against backflow

covered S-unions

GROHE EasyReach shower tray (18 700 000)

removable for easy cleaning

da Vinci satin white finish


min. recommended pressure 1.0 bar

GROHE EcoJoy technology for less water and perfect flow

34 488 000

chrome

356.00



Grotherm Cube

Thermostatic shower mixer 1/2"

wall mounted

GROHE StarLight chrome finish

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE TurboStat compact cartridge

with wax thermoelement

integrated mixed water shut off

volume handle with **GROHE EcoButton** (economy

button with individually adjustable economy stop)

Carbodur ceramic headpart 1/2", 180°

shower bottom outlet 1/2"

built-in non return valves

dirt strainers

protected against backflow

covered S-unions


min. recommended pressure 1.0 bar

GROHE EcoJoy technology for less water and perfect flow

34 502 000

chrome

487.00



Grotherm Cube

Thermostatic bath mixer 1/2"

wall mounted

GROHE StarLight chrome finish

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE TurboStat compact cartridge

with wax thermoelement

integrated mixed water shut off

GROHE AquaDimmer Eco with multiple function:

- integrated GROHE EcoButton

(economy button with economy stop for shower)

- flow control

- diverter: bath/shower

shower bottom outlet 1/2"

flow straightener

built-in non return valves

dirt strainers

protected against backflow

covered S-unions

GROHE EasyReach shower tray (18 700 000)

removable for easy cleaning


da Vinci satin white finish

GROHE EcoJoy technology for less water and perfect flow

GROHE GROHTHERM CUBE


Ref. No. Colour Price netto (€)

19 910 000 chrome 50.00




**Eurocube
Volume Control Trim**
for GROHE concealed valves, 1/2", 3/4", 1"
without concealed body
installation depth infinitely adjustable
16 - 38 mm
metal handle
sliding escutcheon with wall sealing
GROHE StarLight chrome finish
for use with rough-in valve 29 273 & 29 274

35 028 000 chrome 132.00



**Rapido C/concealed valves
Rough-in for single volume control**
for grid installation of Grohtherm Custom Shower system
built-in box with removable protection cover
waterproof membrane base for wall sealing
for masonry and drywall installation
fixing points for front and back wall
body of DR brass
pre-assembled ceramic headpart 3/4"
connection threads 1/2"
flow rate:
55 l/min. at 3 bar
installation depth 70 - 95 mm
min. recommended pressure 1.0 bar

29 800 000 chrome 25.00



Concealed stop-valve, 1/2"
pre-assembled headpart 1/2"
short spindle, protection sleeve
threaded union 1/2", DR-brass


29 802 000 chrome 45.00

ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"

29 805 000 chrome 65.00

ditto, 1", pre-assembled headpart 1", thread union 1"

29 801 000 chrome 24.00



Concealed stop-valve, 1/2"
pre-assembled headpart 1/2"
short spindle, protection sleeve
soldered connection Ø15 mm
DR-brass


29 803 000 chrome 39.00

ditto, soldered connection Ø 18 mm

29 804 000 chrome 42.00


ditto, soldered connection Ø 22 mm

29 811 000 chrome 27.00



Concealed valve 1/2"
preassembled ceramic headpart 1/2"
180°
threaded union 1/2"
installation depth adjustable
25 - 80 mm
DR-brass

18 700 000 daVinci satin white 40.00



GROHE EasyReach tray
for Grohtherm Cube
removable for easy cleaning
da Vinci satin white finish
- exposed thermostatic shower mixer
with centre distance 150 mm
- exposed thermostatic bath mixer
with centre distance 150 mm

GROHE GROHTHERM 1000 COSMOPOLITAN M




GROHE GROHTHERM 1000 COSMOPOLITAN M

Ref. No.

Colour

Price netto (€)

34 065 002	chrome	256.00
34 065 DC2	supersteel	301.00
34 065 EN2	brushed nickel	306.00
34 065 GL2	cool sunrise	306.00
34 065 GN2	brushed cool sunrise	306.00
34 065 DA2	warm sunset	306.00
34 065 DL2	brushed warm sunset	306.00
34 065 A02	hard graphite	306.00
34 065 AL2	brushed hard graphite	306.00



Grohtherm 1000 Cosmopolitan M Thermostatic shower mixer 1/2"

wall mounted

GROHE StarLight chrome finish

GROHE MetalGrip ergonomically shaped metal handles

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE TurboStat compact cartridge

with wax thermoelement

integrated mixed water shut off

volume handle with **GROHE EcoButton** (economy

button with individually adjustable economy stop)

ceramic headpart 1/2", 180°

shower bottom outlet 1/2"

built-in non return valves

dirt strainers

protected against backflow

S-unions

metal escutcheon

min. recommended pressure 1.0 bar

GROHE EcoJoy technology for less water and perfect flow

34 215 002

chrome

300.00

Grohtherm 1000 Cosmopolitan M

Thermostatic bath mixer 1/2"

wall mounted

GROHE StarLight chrome finish

GROHE MetalGrip ergonomically shaped metal handles

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE TurboStat compact cartridge

with wax thermoelement

integrated mixed water shut off

automatic diverter: bath/shower

volume handle with **GROHE EcoButton** (economy

button with individually adjustable economy stop)

ceramic headpart 1/2", 180°

shower bottom outlet 1/2"

mousseur

built-in non return valves

dirt strainers


protected against backflow

S-unions

metal escutcheon

min. recommended pressure 1.0 bar

GROHE EcoJoy technology for less water and perfect flow




GROHE GROHTHERM 1000



GROHE GROHTHERM 1000


Ref. No. Colour Price netto (€)

34 143 003 chrome 225.00




Grotherm 1000
Thermostatic shower mixer 1/2"
 wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
 GROHE MetalGrip ergonomically shaped metal handles
 GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
 with wax thermoelement
 integrated mixed water shut off
 volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
 ceramic headpart 1/2", 180°
 shower bottom outlet 1/2"
 built-in non return valves
 dirt strainers
 protected against backflow
 S-unions
 metal escutcheon
 min. recommended pressure 1.0 bar
GROHE EcoJoy technology for less water and perfect flow

34 155 003 chrome 287.00



Grotherm 1000
Thermostatic bath mixer 1/2"
 wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
 GROHE MetalGrip ergonomically shaped metal handles
 GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
 with wax thermoelement
 integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
 - integrated GROHE EcoButton (economy button with economy stop for shower)
 - flow control
 - diverter: bath/shower
 shower bottom outlet 1/2"
 mousseur
 built-in non return valves
 dirt strainers
 protected against backflow
 S-unions
 metal escutcheon
 min. recommended pressure 1.0 bar
GROHE EcoJoy technology for less water and perfect flow


34 151 004 chrome 237.00



Grotherm 1000
Thermostatic shower mixer 1/2" with shower set
 consisting of:
 Grotherm 1000 NEW thermostatic shower mixer 1/2" (34 143 003)
 New Tempesta shower rail set II, 600 mm (27 598)
 min. recommended pressure 1.0 bar

GROHE GROHTHERM 1000

Ref. No. Colour Price netto (€)




19 984 000 chrome 231.00

Grohtherm 1000
Thermostatic shower mixer
 set for final installation for
 GROHE Rapido T 35 500 000
 wall escutcheon with **GROHE QuickFix** (covered
 escutcheon- and shaft sealing, covered fixing)
GROHE StarLight chrome finish
 GROHE MetalGrip ergonomically shaped metal handles
 GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
 volume handle with **GROHE EcoButton** (economy
 button with individually adjustable economy stop)
 ceramic headpart 1/2", 180°
 without concealed body
 min. recommended pressure 1.0 bar
GROHE EcoJoy technology for less water and perfect flow

35 500 000 chrome 239.00

**GROHE Rapido T Universal thermostatic
 mixer for concealed installation**




19 985 000 chrome 259.00

Grohtherm 1000
Thermostatic shower mixer with integrated 2-way diverter
 set for final installation for
 GROHE Rapido T 35 500 000
 wall escutcheon with **GROHE QuickFix** (covered
 escutcheon- and shaft sealing, covered fixing)
GROHE StarLight chrome finish
 GROHE MetalGrip ergonomically shaped metal handles
 GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE AquaDimmer Eco with multiple function:
 - integrated GROHE EcoButton
 (economy button with economy stop for shower)
 - flow control
 - diverter: head and hand shower
 without concealed body
 min. recommended pressure 1.0 bar
GROHE EcoJoy technology for less water and perfect flow

35 500 000 chrome 239.00

**GROHE Rapido T Universal thermostatic
 mixer for concealed installation**




19 986 000 chrome 259.00

Grohtherm 1000
Thermostatic bath mixer with integrated 2-way diverter
 set for final installation for
 GROHE Rapido T 35 500 000
 wall escutcheon with **GROHE QuickFix** (covered
 escutcheon- and shaft sealing, covered fixing)
GROHE StarLight chrome finish
 GROHE MetalGrip ergonomically shaped metal handles
 GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE AquaDimmer Eco with multiple function:
 - integrated GROHE EcoButton
 (economy button with economy stop for shower)
 - flow control
 - diverter: bath/hand shower
 without concealed body
 min. recommended pressure 1.0 bar
GROHE EcoJoy technology for less water and perfect flow

35 500 000 chrome 239.00

**GROHE Rapido T Universal thermostatic
 mixer for concealed installation**

new



34 582 001 chrome 537.00

Grohtherm 1000
Perfect shower set with Tempesta 210
 consisting of:
 Grohtherm 1000 set for final installation with Aquadimmer Eco (19 985 000)
 GROHE Rapido T thermostatic mixer
 for concealed installation (35 500 000)
 head shower Tempesta 210 (26 408)
 Shower arm Rainshower 286 mm (28 576 000)
 hand shower, wall holder, wall elbow connection
 and shower hose to be ordered separately
 min. recommended pressure 1.0 bar

GROHE GROHTHERM 1000

Ref. No. Colour Price netto (€)

new		Ref. No.	Colour	Price netto (€)
		34 614 001	chrome	625.00
<p>Grotherm 1000 Perfect shower set with Tempesta 210 consisting of: Grotherm 1000 set for final installation with Aquadimmer Eco (19 985 000) GROHE Rapido T thermostatic mixer for concealed installation (35 500 000) head shower Tempesta 210 (26 408) Shower arm Rainshower 286 mm (28 576 000) New Tempesta 100 hand shower (27 597 000) shower outlet elbow (28 628 000) Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409) min. recommended pressure 1.0 bar</p>				
		19 981 000	chrome	42.00
<p>Grotherm 1000 Trim set concealed valve set for final installation for GROHE concealed valves, 1/2", 3/4", 1" 35 028 000 without concealed body GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles metal escutcheon with wall sealing installation depth infinitely adjustable 20-80 mm min. recommended pressure 1.0 bar</p>				
		35 028 000	chrome	132.00
<p>Rapido C/concealed valves Rough-in for single volume control for grid installation of Grotherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4" connection threads 1/2" flow rate: 55 l/min. at 3 bar installation depth 70 - 95 mm min. recommended pressure 1.0 bar</p>				
		29 800 000	chrome	25.00
<p>Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle, protection sleeve threaded union 1/2", DR-brass</p>				
		29 802 000	chrome	45.00
<p>ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"</p>				
		29 805 000	chrome	65.00
<p>ditto, 1", pre-assembled headpart 1", thread union 1"</p>				
		29 801 000	chrome	24.00
<p>Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle, protection sleeve soldered connection Ø15 mm DR-brass</p>				
		29 803 000	chrome	39.00
<p>ditto, soldered connection Ø 18 mm</p>				
		29 804 000	chrome	42.00
<p>ditto, soldered connection Ø 22 mm</p>				

GROHE GROHTHERM 800



GROHE GROHTHERM 800

Ref. No.


Colour

Price netto (€)

34 558 000

chrome

183.00




Grotherm 800
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
dirt strainers
built-in non return valves
protected against backflow
S-unions
metal escutcheon
min. recommended pressure 1.0 bar
GROHE EcoJoy technology for less water and perfect flow

34 567 000

chrome

238.00




Grotherm 800
Thermostatic bath mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
min. recommended pressure 1.0 bar
GROHE EcoJoy technology for less water and perfect flow

34 564 000

chrome

242.00



Grotherm 800
Thermostatic bath mixer 1/2"
Attention: reversed thermoelement for changed water ways
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
min. recommended pressure 1.0 bar
GROHE EcoJoy technology for less water and perfect flow

GROHE GROHTHERM 800

Ref. No.


Colour

Price netto (€)

34 576 000

chrome

231.00




Grohtherm 800
Thermostatic bath mixer 1/2"
 wall mounted
GROHE StarLight chrome finish
GROHE TurboStat compact cartridge
 with wax thermostatic element
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
 integrated mixed water shut off
 automatic diverter: bath/shower
 volume handle with **GROHE EcoButton** (economy
 button with individually adjustable economy stop)
 ceramic headpart 1/2", 180°
 shower bottom outlet 1/2"
 adjustable mousseur
 built-in non return valves
 dirt strainers
 protected against backflow
 S-unions
 metal escutcheon
 min. recommended pressure 1.0 bar
GROHE EcoJoy technology for less water and perfect flow

34 566 001

chrome

202.00



Grohtherm 800
Thermostatic shower mixer 1/2" with shower set
 consisting of:
 Grohtherm 800 thermostatic shower mixer 1/2"
 (34 558 000)
 New Tempesta shower set II, 900 mm (27 646)
 min. recommended pressure 1.0 bar

GROHE
CONCEALED SOLUTIONS





CONTENTS


GROHE Rapido T	271
GROHE Rapido E	275
GROHE Rapido C / Concealed Valves	277

GROHE RAPIDO T




GROHE RAPIDO T

Ref. No. Colour Price netto (€)



35 500 000 **chrome** 239.00

GROHE Rapido T
Universal thermostatic mixer
for concealed installation
 for use with bath-, shower- and central-mixer
 without finishing trim set
 flat installation depth 70 mm - 95 mm
 easy to install, premounted and tested unit
GROHE TurboStat compact cartridge
 with wax thermoelement
 two top outlets 1/2", lockable
 high flow rate up to 50 l/min. by use of
 three outlets
 bottom outlet 1/2" can only be used
 with separate stopvalve
 safe to install, stable built-in-box
 and protective cap
 fixation options for solid walls and dry
 cladding
 wall sealing
 Aquadimmer-diverter for bath mixer or
 stopvalve for shower mixer in finishing
 trim set
 body in DR-brass
 built-in non return valves and dirt strainers
GROHE EcoJoy technology for less water and perfect flow
 acoustic group I in accordance with DIN 4109
 min. recommended pressure 1.0 bar




47 790 000 **chrome** 56.00

Rapido Connection Set
 fits to Rapido T (35 500), Rapido E (35 501)
 and Rapido SmartBox (35 600)
 VA approved
 2 pcs./unit




29 007 000 **chrome** 168.00

Safety Combination (EN 1717)
 for Rapido T 35 500 000
 re-fitting-set for backflow protection,
 for use with inlet- pop-up and waste-sets
 e.g.: Talentofill 28 990 000 or 28 991 000
 replaces use of pipe interrupter,
 therefore no additional escutcheon necessary



47 780 000 **chrome** 147.00

Extension-set 27.5 mm
 for use with central-thermostats and
 shower-thermostats with shut-off valve



47 781 000 **chrome** 161.00

Extension-set 27.5 mm
 for use with bath-thermostats with aquadimmer

GROHE RAPIDO T


Ref. No. Colour Price netto (€)



47 186 000 chrome 93.00

Thermostatic compact cartridge 3/4" for changed waterways
GROHE TurboStat compact cartridge
 with wax thermostatic element
 Note: CoolTouch-function is omitted after
 being installed in exposed fittings

CONCEALED
SOLUTIONS



38 652 000 chrome 123.00

Rapid SL mounting plate
 for fixing concealed fittings and room ventilation
 for **studded walls**
 for empty frames
 for GROHE Rapido
 500 x 240 x 77 mm
 variable depth adjustment 75-115 mm
 with waterproof plywood board for fixation
 fixing material


GROHE RAPIDO E



GROHE RAPIDO E


Ref. No. Colour Price netto (€)

35 501 000 **chrome** 100.00





GROHE Rapido E
Universal single-lever mixer
for concealed installation
for use with bath- and shower-mixer
without finishing trim set
flat installation depth 70 mm - 100 mm
easy to install, premounted and tested unit
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
safe to install, stable built-in-box
and protective cap
fixation options for solid walls and dry
cladding
wall sealing
all connectors 1/2", with identification marking
diverter for bath-mixer in finishing trim set
body in DR-brass
acoustic group I in accordance with DIN 4109
min. recommended pressure 1.0 bar

47 790 000 **chrome** 56.00





Rapido Connection Set
fits to Rapido T (35 500), Rapido E (35 501)
and Rapido SmartBox (35 600)
VA approved
2 pcs./unit

46 191 000 **chrome** 94.00




Extension set
25 mm
for universal single-lever mixer for concealed installation 1/2"
for use with bath and shower mixer
for use with all trim set designs and surfaces

46 343 000 **chrome** 264.00




Extension set
50 mm
for universal single-lever mixer for concealed installation 1/2"
for use with bath and shower mixer
for use with all trim set designs and surfaces

38 652 000 **chrome** 123.00

















Rapid SL mounting plate
for fixing concealed fittings and room ventilation
for **studded walls**
for empty frames
for GROHE Rapido
500 x 240 x 77 mm
variable depth adjustment 75-115 mm
with waterproof plywood board for fixation
fixing material







GROHE RAPIDO C/ CONCEALED VALVES



GROHE RAPIDO C/CONCEALED VALVES

	Ref. No.	Colour	Price netto (€)
	35 028 000	chrome	132.00
	<p>Rapido C/concealed valves Rough-in for single volume control for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4" connection threads 1/2" flow rate: 55 l/min. at 3 bar installation depth 70 - 95 mm min. recommended pressure 1.0 bar</p>		
	35 031 000	chrome	382.00
	<p>Rapido C/concealed valves Rough-in for triple volume control 27 625 for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4" 3 inlets and 3 outlets connection threads 1/2" flow rate at 3 bar - one valve open 55 l/min. - two valves open 110 l/min. - three valves open 140 l/min. installation depth 70 - 95 mm min. recommended pressure 1.0 bar</p>		
	38 652 000	chrome	123.00
	<p>Rapid SL mounting plate for fixing concealed fittings and room ventilation for studded walls for empty frames for GROHE Rapido 500 x 240 x 77 mm variable depth adjustment 75-115 mm with waterproof plywood board for fixation fixing material</p>		
	29 800 000	chrome	25.00
	<p>Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle, protection sleeve threaded union 1/2", DR-brass</p>		
	29 802 000	chrome	45.00
	29 805 000	chrome	65.00
	29 801 000	chrome	24.00
	<p>Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle, protection sleeve soldered connection Ø15 mm DR-brass</p>		
	29 803 000	chrome	39.00
	29 804 000	chrome	42.00

GROHE RAPIDO C/CONCEALED VALVES

	Ref. No.	Colour	Price netto (€)
 		29 811 000 Concealed valve 1/2" preassembled ceramic headpart 1/2" 180° threaded union 1/2" installation depth adjustable 25 - 80 mm DR-brass	chrome 27.00
	29 813 000	chrome	35.00
	45 202 000	chrome	6.90
 		45 202 000 Extension-set, 80 mm for GROHE concealed valves, 1/2", 3/4", 1" 45 203 000 ditto, 200 mm	chrome 13.50

CONCEALED SOLUTIONS

GROHE
SHOWERS





CONTENTS

GROHE Digital	F-digital Deluxe	283
	F-digital Controllers	293
	Aquatunes	297
Shower Systems	Rainshower System SmartControl	299
	Rainshower System	305
	Euphoria System	311
	New Tempesta System	321
	Retro-fit shower system	325
	Shower system accessories	327
Headshowers	Head and side showers	331
Showers	Sena	355
	Rainshower	357
	Power&Soul	367
	Movario	375
	Euphoria	377
	New Tempesta	389
	Sena trigger sprays	403
	Tempesta trigger sprays	405
	Shower hoses	409
	Shower accessories	413

GROHE F-DIGITAL DELUXE




GROHE F-DIGITAL DELUXE

Ref. No. Colour Price netto (€)

26 373 001 chrome 19,100.00

Rainshower F-Series 40" AquaSymphony
Ceiling shower 6+ sprays with light
 1016 mm x 762 mm x 145 mm
 metal
 minimum flow rate 25 l/min
 min. recommended pressure 3.0 bar
 1 x AquaCurtain
 1 x Pure XL spray
 1 x 2 cold mist spray
 2 x GROHE PureRain spray 400 x 190 mm
 2 x XL Waterfall (separately controlled)
 1 x 4 Bokoma Spray with adjustment angle 20° and combinations
 full spectrum LED: soft light with changing rainbow colours
 individually adjustable: permanent lighting with colour selection
 power supply for light 12 V DC
 CE approved
SpeedClean anti-lime system
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish




requires rough-in set (26 376 001), F-digital Deluxe base unit box (26 376 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to individualised installation

The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.

recommendation: configuration with Grohtherm F or Grohtherm SmartControl

26 376 001 chrome 1,810.00

Rainshower F-Series 40"
Roughing-in set
 for use with Rainshower F-Series 40" AquaSymphony ceiling shower
 1000 mm x 745 mm x 152 mm
 min. installation depth: 167 mm
 waterways: brass
 1/2" connections




The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.

34 634 001 chrome 2,290.00

Grohtherm F
Thermostat complete kit for F40" preconfigured

water control trims for Rainshower F-Series 40" AquaSymphony ceiling shower
 for controlling nine water outlets
 with special printing
 safety lock 43° C preinstalled
 consisting of:
 - 2 x thermostatic trim set with 2-way diverter (27 618 000)
 - 1 x triple volume control trim (27 625 000)
 - 2 x single volume control (27 623 000)
 - 1 x wall shower union with holder (27 621 000)
 - 1 x Sena stick hand shower (28 034 000)
 - 1 x Relexaflex metal 1500 mm (28 143 000)




thermostatic mixers and rough-ins have to be ordered separately:
 • 2 x Rapido T universal thermostatic mixer (35 500 000)
 - 2 x rough-in volume control (35 028 000)
 - 1 x rough-in box for triple volume control (35 031 000)
 - 1 x Grohtherm F rough-in box for wall shower union (35 034 000)

GROHE F-DIGITAL DELUXE


Ref. No. Colour Price netto (€)

29 126 000 chrome 500.00




Grotherm SmartControl
Thermostat for concealed installation with 3 valves
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
 metal wall escutcheon with **GROHE QuickFix**
 (covered escutcheon and shaft sealing, covered
 fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for
 volume adjustment from EcoJoy to full flow, exchangeable symbols
GROHE TurboStat compact cartridge
 with wax thermosteement
GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
 built-in non return valves and dirt strainers
 multiple outlets can be run simultaneously
 without roughing-in-set
 flow performance:
 outlet A = 23 l/min
 outlet B = 27 l/min
 outlet C = 23 l/min

35 600 000 chrome 66.00




GROHE Rapido SmartBox
Universal rough-in box, 1/2"
 3 outlets 1/2"
 2 inlets below, 1/2"
 installation depth 75-105 mm
 connection unit in DR brass
 pre-mounted flushing plug
 stable build-in box and protective cover
 fixation options for solid walls and dry
 cladding
 gasket
 without set for final installation

27 865 000 chrome 4,510.00



Rainshower F-Series 20"
Ceiling shower with light, 1 spray
 Rain
 508 x 508 x 59 mm
 full spectrum LED: soft light with changing rainbow colours
 individually adjustable: permanent lighting with colour selection
 power supply for light 12 V DC
 CE approved
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
 suitable for instantaneous heater
requires rough-in set (29 069 000), F-digital Deluxe base
 unit box (36 397 000), Bluetooth unit (36 371 000) and
 various cable connections – all to be ordered separately
 due to installation situation.
 this product contains built-in LED lamps, which
 cannot be changed: energy efficiency class: A+
 For detailed planning and product information please
 contact your local GROHE Customer Service.

29 069 000 chrome 136.00




Rainshower F-Series
Cable connection
 for ceiling shower with light (27 865 000)
 consisting of:
 2 cable extensions (5 m each)

GROHE F-DIGITAL DELUXE

Ref. No. Colour Price netto (€)

36 359 000 chrome 1,260.00



Rainshower F-Series

Light set

127 x 127 mm per module

full spectrum LED: soft light with changing rainbow colours
individually adjustable: permanent lighting with colour selection
consisting of:

- 1 light module with two plug connections
- 1 light module with one plug connection

waterproof & corrosion protected

supply voltage: 12 V DC

CE approved

GROHE StarLight chrome finish

requires rough-in set (29 072 000), F-digital Deluxe base unit

box (26 374 000 or 36 397 000), Bluetooth unit (36 371 000)

and various cable connections – all to be ordered separately

due to installation situation


this product contains built-in LED lamps, which

cannot be changed: energy efficiency class: A+

For detailed planning and product information please

contact your local GROHE Customer Service.

29 072 000 chrome 241.00



Rainshower F-Series


Rough-in set light set

for use with double light modules (36 359 000)

consisting of:

- 2 rough-in sets (115 x 115 x 62-87 mm)
- 2 cable extensions (5 m each)

36 360 000 chrome 1,080.00



Rainshower F-Series

Sound set

127 x 127 mm per module

full range stereo speaker

consisting of:

- 2 speakers with plug connections
- waterproof & corrosion protected

GROHE StarLight chrome finish

requires rough-in set (29 073 000), F-digital Deluxe base unit

box (26 374 000 or 36 397 000), Bluetooth unit (36 371 000)


and various cable connections – all to be ordered separately

due to installation situation

For detailed planning and product information please

contact your local GROHE Customer Service.

29 073 000 chrome 241.00



Rainshower F-Series

Rough-in set sound set

for use with double sound modules (36 360 000)

consisting of:

- 2 rough-in sets (115 x 115 x 62-87 mm)
- 2 cable extensions (5 m each)
- 1 Y-piece

GROHE F-DIGITAL DELUXE

Ref. No.


Colour

Price netto (€)

27 934 000

chrome

3,140.00




GROHE F-digital Deluxe Steam generator 6.6 kW with steam outlet and temperature sensor

consisting of:
 steam generator
 415 x 445 x 130 mm
 suitable for steam rooms up to 17 m³
 supply voltage 400 V 3L+N+PE AC, 50 Hz
 power 6.6 kW
 water inlet 3/4"
 operating pressure 1 – 5 bar (above pressure reducer)
 automatic emptying
 water outlet 1/2"
 steam temperature: max. 55° C
 steam outlet 1/2"
 type of protection IP 23
 CE approved
 with connecting plug
steam outlet module with indentation for fragranced oil
 127 x 127 mm
 connection thread 1/2"
temperature sensor module
 60 x 60 x 12 mm
SpeedClean anti-lime system
GROHE StarLight chrome finish
requires rough-in set (29 074 000), F-digital Deluxe base unit
 box (26 374 000 or 36 397 000), Bluetooth unit (36 371 000)
 and various cable connections – all to be ordered separately
 due to installation situation
 For detailed planning and product information please
 contact your local GROHE Customer Service.

36 362 000

chrome

3,140.00



GROHE F-digital Deluxe Steam generator 2.2 kW with steam outlet and temperature sensor

consisting of:
 steam generator
 415 x 445 x 130 mm
 suitable for steam rooms up to 2.5 m³
 supply voltage 230 V AC, 50 Hz
 power 2.2 kW
 water inlet 3/4"
 operating pressure 1 – 5 bar (above pressure reducer)
 automatic emptying
 water outlet 1/2"
 steam temperature: max. 55° C
 steam outlet 1/2"
 type of protection IP 23
 CE approved
steam outlet module with indentation for fragranced oil
 127 x 127 mm
 connection thread 1/2"
temperature sensor module
 60 x 60 x 12 mm
SpeedClean anti-lime system
GROHE StarLight chrome finish
requires rough-in set (29 074 000), F-digital Deluxe base unit
 box (26 374 000 or 36 397 000), Bluetooth unit (36 371 000)
 and various cable connections – all to be ordered separately
 due to installation situation
 For detailed planning and product information please
 contact your local GROHE Customer Service.

GROHE F-DIGITAL DELUXE

Ref. No.


Colour

Price netto (€)

36 395 000

chrome

*



**GROHE F-digital Deluxe
Steam generator 2.2 kW
with steam outlet and temperature sensor**

consisting of:
steam generator
415 x 445 x 130 mm
suitable for steam rooms up to 2.5 m³
supply voltage 230 V AC, 50 Hz
power 2.2 kW
water inlet 3/4"
operating pressure 1 – 5 bar (above pressure reducer)
automatic emptying
water outlet 1/2"
steam temperature: max. 55° C
steam outlet 1/2"
type of protection IP 23
CE approved
with plug according to GB 1002-2008
with euro shockproof plug
steam outlet module with indentation for fragranced oil
127 x 127 mm
connection thread 1/2"
temperature sensor module
60 x 60 x 12 mm

SpeedClean anti-lime system

GROHE StarLight chrome finish


requires rough-in set (29 074 000), F-digital Deluxe base unit box (26 374 000 or 36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation

For detailed planning and product information please contact your local GROHE Customer Service.

29 074 000

chrome

372.00



**GROHE F-digital Deluxe
Rough-in set steam generator**

for use with steam module (36 362 000 or 27 934 000)

consisting of:

- 1 rough-in box for steam outlet (115 x 115 x 49-77 mm)
- 1 rough-in box for temperature sensor (58 x 83 x 80-105 mm)
- 1 cable extension temperature sensor, 5 m
- 1 cable extension steam generator, 5 m

14 015 000

chrome

*



**GROHE F-digital Deluxe
Descaler 6 x 80 g**

to remove limescale from the water tank of the steam generator
absolutely odorless and harmless to human beings and the natural environment



2 bags sufficient for one time descaling

This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

26 374 000

chrome

1,010.00



GROHE F-digital Deluxe

Base unit box 4.0 Bluetooth F-Series 40" (BCU V4.0)

to control LightCurtain of Rainshower F-Series 40" AquaSymphony ceiling shower
additional light, sound and steam modules can be connected and controlled

consisting of:

- 2 plug connections, each for one pair of sound modules (36 360 000)
- 1 plug connection for one pair of light modules (36 359 000)
- 1 plug connection LightCurtain for Rainshower F-Series 40" AquaSymphony (26 373 000)
- 2 plug connections for steam module (36 362 000 or 36 368 000), including 1 connection for steam generator and 1 connection for temperature sensor
- 2 plug connections for power supply (per power supply max. 4 devices light/sound)
- 2 plug connections for Bluetooth unit (supply voltage and data line)

CE approved

must be accessible for service
optional: the base unit box can be placed into extra equipment 36 367 000
component has to be ordered separately

GROHE F-DIGITAL DELUXE

Ref. No.


Colour

Price netto (€)

36 397 000

chrome

1,470.00



GROHE F-digital Deluxe

Base Unit Box 2.0 Bluetooth (BCU V2.0)

for connecting light, sound and steam modules

consisting of:

- 2 plug connections, each for one pair of sound modules (36 360 000)
- 2 plug connections, each for one pair of light modules (36 359 000) or
- 1 ceiling shower (27 865 000) with integrated light
- 2 plug connections for steam module (36 362 000 or 36 368 000), including 1 connection for steam generator and 1 connection for temperature sensor
- 2 plug connections for power supply (per power supply max. 4 devices light/sound)
- 2 plug connections for Bluetooth unit (supply voltage and data line)

CE approved

must be accessible for service


optional: the base unit box can be placed into

extra equipment 36 367 000

42 429 000

chrome

109.00



GROHE F-digital Deluxe

Power supply base unit box

power supply for base unit box (26 374 000 or 36 397 000)

each power supply for 2 light/sound modules (36 359 000)

or 1 ceiling shower with integrated light (27 865 000)

total 2 power supplies max (8 devices max.) can be

connected to the base unit box

with one power supply 4 devices (light/sound modules) can be driven

- ceiling shower with integrated light (27 865 000): 4 devices

- per light module: 1 device

- per sound module: 1 device

input voltage: 90-240 V AC, 50-60 Hz

output voltage: 12 V DC

CE approved

47 949 000

chrome

*



GROHE F-digital Deluxe

Power supply base unit box

power supply for base unit box (26 374 000 or 36 397 000)

each power supply for 2 light/sound modules (36 359 000)

or 1 ceiling shower with integrated light (27 865 000)

with one power supply 4 devices (light/sound modules) can be driven

total 2 power supplies max (8 devices max.) can be

connected to the base unit box

- ceiling shower with integrated light (27 865 000): 4 devices

- per light module: 1 device

- per sound module: 1 device

input voltage: 100-240 V AC, 50-60 Hz

output voltage: 12 V DC

CCC approved

GROHE F-DIGITAL DELUXE

Ref. No. Colour Price netto (€)

36 371 000 chrome 623.00

GROHE F-digital Deluxe

Bluetooth unit BT-01A for Apple and Android devices

with integrated electronic for wireless data communication
combinable with existing 36 365 000 docking station
wall mounted
86 x 73 x 42 mm

Features:

- reset switch
- status indicator (LED)
- stand alone/maximum configuration
- one-to-one connection
- with safety cut-off mechanism (1 user)
- safety shutdown in case of connection loss
- connection cable set for data communication and power supply (5 m each)
- CE approved

bluetooth transmitter power supply: 12 V

bluetooth transmitter frequency: 2.4 GHz

Bluetooth range (max. 10 m) varies depending on used

materials and walls between transmitter and receiver

requires Base Unit Box 2.0 Bluetooth (36 397 000) – to be ordered separately

bluetooth-enabled device (bluetooth V2.1 or higher) necessary

System requirements

Android

operating system: as of release 2.3.3

pixel density: 160 dpi minimum

display resolution: 320 x 470 pixels per inch

System requirements

Apple

iPod touch 4/5, iPhone 4/5, iPad/ iPad mini**


Apple operating system: as of release iOS 6.0 and above

Mobile devices and GROHE SPA F-digital deluxe App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.



36 367 000 chrome 287.00

GROHE F-digital Deluxe

Rough-in set base unit box

for use with base unit box (26 374 000 or 36 397 000)

550 x 700 x 110 mm

with removable front panel for installation


with adjustable front frame for installation in wall niches

galvanized and powder coated (RAL 9010, pure white) steel plate

1 mm thick steel plate

with two mounting rails and elbow for power outlets

and mounting materials



47 837 000 chrome 76.00


GROHE F-digital Deluxe

Cable extension steam generator AquaSymphony, 5 m

extension between base unit box (26 374 000 or 36 397 000) and

steam generator (36 362 000 or 27 934 000)

cable extension up to 10 m



GROHE F-DIGITAL DELUXE

	Ref. No.	Colour	Price netto (€)
 	47 838 000	chrome	76.00
GROHE F-digital Deluxe Cable extension sound set, 5 m connection between base unit box (26 374 000 or 36 397 000) and sound modules (36 360 000) each music module needs a separate extension cable cable extension up to 10 m			
 	47 867 000	chrome	76.00
GROHE F-digital Deluxe Cable extension light set, 5 m connection between base unit box (26 374 000 or 36 397 000) and light modules (27 865 000) each light module needs a separate extension cable cable extension up to 10 m			
	47 910 000	chrome	63.00
Cable extension light set, 1.65 m			
 	47 868 000	chrome	76.00
GROHE F-digital Deluxe Cable extension for power supply, 5 m connection between power supply (42 429 000) and base unit box (26 374 000 or 36 397 000) each power supply needs a separate extension cable cable extension up to 5 m			
 	47 877 000	chrome	76.00
GROHE F-digital Deluxe Cable extension temperature sensor, 5 m extension between base unit box (26 374 000 or 36 397 000) and temperature sensor cable extension up to 5 m			
	40 666 000	chrome	*
Spare part LED set spare part for 27 865 000 consisting of: 2 lamps connected in series this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+			
	48 348 000	chrome	*
Spray face for SmartControl and head showers with multiple Bokoma sprays including spray face with / without GROHE Logo including disassembly-key			


GROHE F-DIGITAL CONTROLLERS



GROHE F-DIGITAL CONTROLLERS

Ref. No. Colour Price netto (€)

36 289 000 chrome 1,410.00



F-digital Digital Controller and digital diverter for bath

including digital thermostat unit
Digital Controller - intuitive multifunctional operating unit

- Wireless technology
- Temperature and flow control (temperature adjustable up to max. 46° C)
- Pause function
- Memory function
- LED ring incl. warming-up function: visual feedback when preferred temperature is reached

digital diverter for bath

- Diverter: head-, hand shower and bath spout
- LED-ring

Digital thermostat unit (concealed body)

- warm/cold supplies 1/2"
- 3 outlets 1/2" bath diverter

Default setting configurable during installation:

- automatic safety shut-off after 20 min
- GROHE SafeStop at 38°C

Transceiver unit for Digital Controller and Digital thermostat unit incl. cable 3 m

GROHE TurboStat digital controlled compact cartridge with wax thermoelement


GROHE StarLight chrome finish

GROHE EcoJoy technology for less water and perfect flow

requires:

- built-in power supply 36 078 000 or plug power supply 65 790 000
- min. recommended pressure 1.0 bar
- energy efficiency class illumination of control unit: not applicable

36 295 000 chrome 1,410.00



F-digital Digital Controller and digital diverter for shower

including digital thermostat unit
Digital Controller - intuitive multifunctional operating unit

- Wireless technology
- Temperature and flow control
- Pause function
- Memory function
- LED ring incl. warming-up function: visual feedback when preferred temperature is reached

Digital diverter for shower

- Diverter: head-, hand shower and bath spout
- LED-ring

Digital thermostat unit (concealed body)

- warm/cold supplies 1/2"
- 3 outlets 1/2" shower diverter

Default setting configurable during installation:

- automatic safety shut-off after 20 min
- GROHE SafeStop at 38°C

Transceiver unit for Digital Controller and Digital thermostat unit incl. cable 3 m

GROHE TurboStat digital controlled compact cartridge with wax thermoelement

GROHE StarLight chrome finish

GROHE EcoJoy technology for less water and perfect flow


requires:

- built-in power supply 36 078 000 or plug power supply 65 790 000
- min. recommended pressure 1.0 bar
- energy efficiency class illumination of control unit: not applicable

GROHE F-DIGITAL CONTROLLERS

Ref. No. Colour Price netto (€)


36 292 000 chrome 1,140.00



F-digital Digital controller for bath or shower
including digital thermostat unit
Digital Controller - intuitive multifunctional operating unit
- Wireless technology
- Temperature and flow control
- Pause function
- Memory function
- LED ring incl. warming-up function: visual feedback when preferred temperature is reached
Digital thermostat unit (concealed body)
- 1 outlet 1/2"
- warm/cold supplies 1/2'
Default setting configurable during installation:
- automatic safety shut-off after 20 min
- GROHE SafeStop at 38°C
Transceiver unit for Digital Controller and Digital thermostat unit incl. cable 3 m
GROHE TurboStat digital controlled compact cartridge with wax thermoelement
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
requires:
built-in power supply 36 078 000 or
plug power supply 65 790 000
min. recommended pressure 1.0 bar
energy efficiency class illumination of control unit: not applicable


SHOWERS

36 309 000 chrome 268.00



F-digital Digital controller Remote controller for bath or shower
additional (optional) multifunctional operating unit
- Wireless technology
- Temperature and flow control
- Pause function
- Memory function
- LED-ring
GROHE StarLight chrome finish
energy efficiency class illumination of control unit: not applicable

36 078 000 chrome 116.00




Plug power supply 110-240 V
operating voltage 6 V
cable length 400 mm

65 790 000 chrome 60.00



Plug power supply 230 V
operating voltage 6 V
cable length 400 mm

47 727 000 chrome 26.00




Connection wire
2-pole
cable length 3 m

GROHE F-DIGITAL CONTROLLERS

Ref. No. Colour Price netto (€)

36 356 000 chrome 156.00




**GROHE F-digital
Transceiver**
optional accessory for digital mixing unit

GROHE AQUATUNES




26 268 L00 white/clear grey 74.99




Aquatunes
Wireless shower speaker
consisting of:
Speaker module for wireless audio streaming via Bluetooth
Anti-slip rail adapter for fixation on rails with \varnothing 20mm-25 mm
induction charging base station with integrated power cord plug type EN50075
Quality Audio Experience by PHILIPS
Output power 2 W RMS
signal to noise ratio > 70dB
works with devices with Bluetooth 4.0 or below
6 keys on speaker module for direct control of:
power on/off, pairing, volume up, volume down, previous track, next track
2 LED indicators for pairing, bluetooth status, power/charging/fully charged
built-in rechargeable battery provides > 8 hours of run time
Speaker modules water resistant rated IPx6 with protected PCB
charging base water resistant rated IPx7
GROHE StarLight finish

26 323 L00 white 12.49



Aquatunes
Rail adapter
anti-slip fixation
fits on rails with \varnothing 20 mm-25 mm

26 324 L00 white 33.33



Aquatunes
Charging base station
With integrated power cord
Induction charging
plug type EN50075
water resistant rated IPx7

GROHE RAINSHOWER SYSTEM SMARTCONTROL




GROHE RAINSHOWER SYSTEM SMARTCONTROL

Ref. No.

Colour

Price netto (€)



26 250 000

chrome

1,280.00

Rainshower System SmartControl 360 DUO Shower system with thermostat for wall mounting

consisting of:

horizontal 500 mm shower arm
exposed SmartControl thermostat
allows change between:
head shower Rainshower 360 DUO, spray plate chrome
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
hand shower Power&Soul 115, spray plate white (27 671 LS0)
hand shower wall holder (27 055 000)
Silverflex shower hose 1750 mm (28 388 000)
minimum flow rate 10 l/min.

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE CoolTouch no risk of scalding

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE EcoJoy technology for less water and perfect flow

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for

volume adjustment from EcoJoy to full flow

GROHE EasyReach shower tray

SpeedClean anti-lime system

Inner WaterGuide for a longer life

suitable for instantaneous heaters


from 18 kW/h

Twistfree to prevent hose from twisting

* to be decided at first installation; factory default

setting: GROHE PureRain

In case of a 160 cc thermostat you need to purchase one of the following wall fixation sets for installation: 125356, 125357



26 250 LS0

moon white

1,280.00

Rainshower System SmartControl 360 DUO Shower system with thermostat for wall mounting

consisting of:

horizontal 500 mm shower arm
exposed SmartControl thermostat
allows change between:
head shower Rainshower 360 DUO, spray plate white
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
hand shower Power&Soul 115, spray plate white (27 671 LS0)
hand shower wall holder (27 055 000)
Silverflex shower hose 1750 mm (28 388 000)
minimum flow rate 10 l/min.

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE CoolTouch no risk of scalding

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE EcoJoy technology for less water and perfect flow

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for

volume adjustment from EcoJoy to full flow

GROHE EasyReach shower tray

SpeedClean anti-lime system

Inner WaterGuide for a longer life

suitable for instantaneous heaters

from 18 kW/h

Twistfree to prevent hose from twisting

* to be decided at first installation; factory default

setting: GROHE PureRain


In case of a 160 cc thermostat you need to purchase one of the following wall fixation sets for installation: 125356, 125357

GROHE RAINSHOWER SYSTEM SMARTCONTROL

Ref. No.

Colour

Price netto (€)



26 361 000

chrome

1,160.00

Rainshower System SmartControl 360 MONO Shower system with thermostat for wall mounting

consisting of:

horizontal 500 mm shower arm
exposed SmartControl thermostat
allows change between:
head shower Rainshower 360 MONO, spray plate chrome
GROHE PureRain/GROHE Rain O² spray*
Power&Soul 130 hand shower, spray plate white (27 673 LS0)
hand shower wall holder (27 055 000)
Silverflex shower hose 1750 mm (28 388 000)
minimum flow rate 10 l/min.

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE CoolTouch no risk of scalding

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE EcoJoy technology for less water and perfect flow

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for

volume adjustment from EcoJoy to full flow

GROHE EasyReach shower tray

SpeedClean anti-lime system

Inner WaterGuide for a longer life

suitable for instantaneous heaters


from 18 kW/h

Twistfree to prevent hose from twisting

* to be decided at first installation; factory default

setting: GROHE PureRain

In case of a 160 cc thermostat you need to purchase one of the following wall fixation sets for installation: 125356, 125357



26 361 LS0

moon white

1,160.00

Rainshower System SmartControl 360 MONO Shower system with thermostat for wall mounting

consisting of:

horizontal 500 mm shower arm
exposed SmartControl thermostat
allows change between:
head shower Rainshower 360 MONO, spray plate white
GROHE PureRain/GROHE Rain O² spray*
Power&Soul 130 hand shower, spray plate white (27 673 LS0)
hand shower wall holder (27 055 000)
Silverflex shower hose 1750 mm (28 388 000)
minimum flow rate 10 l/min.

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE CoolTouch no risk of scalding

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE EcoJoy technology for less water and perfect flow

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for

volume adjustment from EcoJoy to full flow

GROHE EasyReach shower tray

SpeedClean anti-lime system

Inner WaterGuide for a longer life

suitable for instantaneous heaters

from 18 kW/h

Twistfree to prevent hose from twisting

* to be decided at first installation; factory default

setting: GROHE PureRain

SHOWERS

GROHE RAINSHOWER SYSTEM SMARTCONTROL

Ref. No.

Colour

Price netto (€)



26 443 000

chrome

1,280.00

Rainshower System SmartControl 360 DUO
Combi shower system with thermostat, exposed/concealed

consisting of:

exposed/concealed SmartControl thermostat
allows change between:

head shower Rainshower 360 DUO with horizontal
450 mm shower arm, spray plate chrome
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
hand shower Power&Soul 115, spray plate white (27 671 LS0)
hand shower wall holder (27 055 000)
Silverflex shower hose 1.500 mm (28 364)
minimum flow rate 10 l/min.

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE CoolTouch no risk of scalding

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE EcoJoy technology for less water and perfect flow

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for

volume adjustment from EcoJoy to full flow

GROHE EasyReach shower tray

SpeedClean anti-lime system


Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

requires rough-in set 26 264 001 and concealed unit

26 449 000 – all to be ordered separately

* to be decided at first installation; factory default
setting: GROHE PureRain



26 443 LS0

moon white

1,280.00

Rainshower System SmartControl 360 DUO
Combi shower system with thermostat, exposed/concealed

consisting of:

exposed/concealed SmartControl thermostat
allows change between:

head shower Rainshower 360 DUO with horizontal
450 mm shower arm, spray plate white
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
hand shower Power&Soul 115, spray plate white (27 671 LS0)
hand shower wall holder (27 055 000)
Silverflex shower hose 1.500 mm (28 364)
minimum flow rate 10 l/min.

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE CoolTouch no risk of scalding

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE EcoJoy technology for less water and perfect flow

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for

volume adjustment from EcoJoy to full flow

GROHE EasyReach shower tray

SpeedClean anti-lime system


Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

requires rough-in set 26 264 001 and concealed unit

26 449 000 – all to be ordered separately

* to be decided at first installation; factory default
setting: GROHE PureRain



GROHE RAINSHOWER SYSTEM SMARTCONTROL

Ref. No.

Colour


Price netto (€)

SHOWERS

26 446 000

chrome

1,160.00



Rainshower System SmartControl 360 MONO
Combi shower system with thermostat, exposed/concealed

consisting of:

exposed/concealed SmartControl thermostat

allows change between:

head shower Rainshower 360 MONO with horizontal

450 mm shower arm, spray plate chrome

GROHE PureRain/GROHE Rain O² spray*

Power&Soul 130 hand shower, spray plate white (27 673 LS0)

hand shower wall holder (27 055 000)

Silverflex shower hose 1.500 mm (28 364)

minimum flow rate 10 l/min.

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE CoolTouch no risk of scalding

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE EcoJoy technology for less water and perfect flow

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for

volume adjustment from EcoJoy to full flow

GROHE EasyReach shower tray

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

requires rough-in set 26 264 001 and concealed unit


26 449 000 – all to be ordered separately

* to be decided at first installation; factory default
setting: GROHE PureRain

26 446 LS0

moon white

1,160.00



Rainshower System SmartControl 360 MONO

Combi shower system with thermostat, exposed/concealed

consisting of:

exposed/concealed SmartControl thermostat

allows change between:

head shower Rainshower 360 MONO with horizontal

450 mm shower arm, spray plate white

GROHE PureRain/GROHE Rain O² spray*

Power&Soul 130 hand shower, spray plate white (27 673 LS0)

hand shower wall holder (27 055 000)

Silverflex shower hose 1.500 mm (28 364)

minimum flow rate 10 l/min.

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE CoolTouch no risk of scalding

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE EcoJoy technology for less water and perfect flow

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for

volume adjustment from EcoJoy to full flow

GROHE EasyReach shower tray

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

requires rough-in set 26 264 001 and concealed unit


26 449 000 – all to be ordered separately

* to be decided at first installation; factory default
setting: GROHE PureRain

26 264 001

chrome

95.00



Rainshower 360

Rough-in box for head shower set 26 254 / 26 450

inlets and outlets 1/2"

fixing points for back wall

leakproof housing


removable protection cover with installation information

GROHE RAINSHOWER SYSTEM SMARTCONTROL

Ref. No.

Colour

Price netto (€)



26 449 000

chrome

118.00

Concealed body for exposed/concealed variants

wall mounted
2 outlets 1/2"
installation depth 75-105 mm
flushing plug
wall sealing
installation device




48 349 000

chrome

87.00

**Rainshower SmartControl
Shower system pipe for retrofitting**

metal
shower pipe for retrofitting - 15 cm shorter than
original shower system pipe
suitable for all Rainshower SmartControl shower systems
GROHE StarLight chrome finish



48 350 000

chrome

106.00

**Rainshower SmartControl
Shower system pipe for retrofitting**

metal
shower pipe for retrofitting
15 cm longer than
original shower system pipe
suitable for all Rainshower SmartControl shower systems
GROHE StarLight chrome finish

Note: longer pipe cannot be installed afterwards or rather
a mounted system cannot be modified to a longer pipe
useable with systems as of production date 04/2017, see TPI




48 348 000

chrome

*

Spray face

for SmartControl and head showers with multiple Bokoma sprays
including spray face with / without GROHE Logo
including disassembly-key



26 385 000

chrome

14.00

**Rainshower SmartControl
Compensation disc**

for Rainshower SmartControl systems
26 250, 26 361, 26 379
stackable

GROHE RAINSHOWER SYSTEM




GROHE RAINSHOWER SYSTEM

Ref. No.

Colour

Price netto (€)



27 174 001

chrome

1,260.00

Rainshower System 400

Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm
exposed thermostat with
Aquadimmer function

allows change between:

Rainshower Cosmopolitan 400 head shower (28 778 000)

with ball joint, rotation angle $\pm 20^\circ$

hand shower Sena (28 034 000)

adjustable in height with gliding element (12 140 000)

shower hose, 1.750 mm

1/2" x 1/2" (28 025 000)

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE CoolTouch

GROHE StarLight chrome finish

SpeedClean anti-lime system


Inner WaterGuide for a longer life

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar



27 472 000

chrome

1,120.00

Rainshower System Veris 300

Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

head shower Rainshower 310 (27 471 000)

with ball joint

rotation angle $\pm 15^\circ$

hand shower Ondus (27 185 000)

adjustable in height with gliding element (12 140 000)

GROHE EcoJoy 9,5 l/min flow limiter

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE CoolTouch

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish


Inner WaterGuide for a longer life

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar



27 966 000

chrome

1,120.00

Rainshower System 310

Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

Rainshower Cosmopolitan 310 head shower (27 477 000)

with ball joint

rotation angle $\pm 15^\circ$

hand shower Sena (28 034 000)

adjustable in height with gliding element (12 140 000)

Silverflex shower hose 1750 mm (28 388 000)

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE CoolTouch no risk of scalding

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

suitable for instantaneous heaters

from 18 kW/h


minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

GROHE RAINSHOWER SYSTEM


Ref. No. Colour Price netto (€)

27 968 000 chrome 1,120.00




Rainshower System 310
Shower system with thermostat for wall mounting
 consisting of:
 horizontal swivable 450 mm shower arm
 exposed thermostat with
 Aquadimmer function
 allows change between:
 Rainshower Cosmopolitan 310 head shower (27 477 000)
 with ball joint
 rotation angle $\pm 15^\circ$
 Hand shower Power&Soul Cosmopolitan 130 (27 664 000)
 adjustable in height with gliding element (12 140 000)
 Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
 with wax thermostatic element
 GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch no risk of scalding
GROHE DreamSpray perfect spray pattern
GROHE One-Click Showering spray selection
 with one click
GROHE StarLight chrome finish
SpeedClean anti-lime system
suitable for instantaneous heaters
from 18 kW/h
 minimum flow rate 7 l/min.
 min. recommended pressure 1.0 bar

27 469 000 chrome 1,120.00



Rainshower F-Series System 254
Shower system with thermostat for wall mounting
 consisting of:
 horizontal swivable 450 mm shower arm
 exposed thermostat with
 Aquadimmer function
 allows change between:
 head shower Rainshower F-Series 254 (27 285 000)
 with ball joint, rotation angle $\pm 20^\circ$
 hand shower Sena (28 341 000)
 adjustable in height with gliding element (12 140 000)
 metal shower hose 1750 mm
GROHE EcoJoy 9,5 l/min flow limiter
 GROHE TurboStat
 GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch
GROHE DreamSpray perfect flow
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heaters
from 18 kW/h
 minimum flow rate 7 l/min.

27 374 000 chrome 1,300.00



Rainshower System 210
Shower system with thermostat and side showers
 consisting of:
 horizontal swivable 450 mm shower arm
 exposed thermostat with
 Aquadimmer function
 allows change between:
 metal head shower Rainshower Cosmopolitan 210 (28 368 000)
 rotation angle $\pm 15^\circ$
 hand shower Sena (28 034 000)
 4 adjustable side showers
 metal shower hose 1750 mm (28 025 000)
 GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heaters
from 18 kW/h
 minimum flow rate 10 l/min
 (at separate use of head, hand or side showers)
 min. recommended pressure 1.0 bar


SHOWERS

GROHE RAINSHOWER SYSTEM

Ref. No.

Colour

Price netto (€)



27 032 001

chrome

974.00

Rainshower System 210

Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm
exposed thermostat with
Aquadimmer function
allows change between:
metal head shower Rainshower Cosmopolitan 210 (28 368 000)
with ball joint, rotation angle $\pm 15^\circ$
hand shower Sena (28 034 000)
adjustable in height with gliding element (12 140 000)
metal shower hose 1750 mm (27 178 000)

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE CoolTouch no risk of scalding

GROHE StarLight chrome finish


SpeedClean anti-lime system

Inner WaterGuide for a longer life

**suitable for instantaneous heaters
from 18 kW/h**

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar



27 967 000

chrome

974.00

Rainshower System 210

Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm
exposed thermostat with
Aquadimmer function
allows change between:
Rainshower Cosmopolitan 210 head shower (28 368 000)
with ball joint
rotation angle $\pm 15^\circ$
Hand shower Power&Soul Cosmopolitan 130 (27 664 000)
adjustable in height with gliding element (12 140 000)
Silverflex shower hose 1750 mm (28 388 000)

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE CoolTouch

GROHE DreamSpray perfect spray pattern

GROHE One-Click Showering spray selection

with one click

GROHE StarLight chrome finish



SpeedClean anti-lime system

Inner WaterGuide for a longer life

**suitable for instantaneous heaters
from 18 kW/h**

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar



27 641 000

chrome

1,120.00

Rainshower System 210

Shower system with bath thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm
exposed thermostat with
Aquadimmer function
allows change between:
Head shower Rainshower Cosmopolitan 210 (28 373 000)
with ball joint, rotation angle $\pm 15^\circ$
bath inlet
separate diverter for hand shower Sena (28 341 000)
adjustable in height with gliding element (12 140 000)
metal shower hose 1750 mm (27 178 000)

GROHE EcoJoy 9,5 l/min flow limiter

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE CoolTouch

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

**suitable for instantaneous heaters
from 18 kW/h**

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

GROHE RAINSHOWER SYSTEM

Ref. No.


Colour

Price netto (€)

27 058 000

chrome

850.00



Rainshower System 210 Shower system with diverter for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

change between hand and head shower

by diverter

metal head shower Rainshower Cosmopolitan 210 (28 368 000)

with ball joint

rotation angle $\pm 15^\circ$

hand shower Sena (28 034 000)

adjustable in height with gliding element (12 140 000)

metal shower hose 1750 mm

connection to water supply with 1/2"-thread of

the 800 mm shower hose to faucet / wall union

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.


min. recommended pressure 1.0 bar

GROHE EUPHORIA SYSTEM



GROHE EUPHORIA SYSTEM

Ref. No. Colour Price netto (€)



26 075 000	chrome	827.00
26 075 DC0	supersteel	1,210.00
26 075 BE0	polished nickel	1,020.00
26 075 EN0	brushed nickel	1,020.00
26 075 GL0	cool sunrise	1,020.00
26 075 GN0	brushed cool sunrise	1,020.00
26 075 DA0	warm sunset	1,020.00
26 075 DL0	brushed warm sunset	1,020.00
26 075 A00	hard graphite	1,020.00
26 075 AL0	brushed hard graphite	1,020.00

Euphoria System 310

Shower system with thermostatic mixer for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

metal head shower Rainshower Cosmopolitan 310 (27 477 000)

spray pattern: Rain

with ball joint

rotation angle $\pm 15^\circ$

hand shower Euphoria 110 Massage (27 221 000)

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE TurboStat compact cartridge

with wax thermostatic element

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

Inner WaterGuide for a longer life

SpeedClean anti-lime system

Twistfree to prevent hose from twisting

GROHE MetalGrip ergonomically shaped metal handles

suitable for instantaneous heaters


from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

optional upgrade: **GROHE EasyReach** tray (26 362)

new



27 296 002	chrome	484.00
------------	--------	--------

Euphoria System 260

Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

head shower Euphoria 260 (26 455)

3 spray patterns:

Rain, SmartRain, Jet

with ball joint

rotation angle $\pm 15^\circ$

hand shower Euphoria 110 Massage (27 221 000)

3 spray patterns:

Rain, SmartRain, Massage

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE TurboStat compact cartridge

with wax thermostatic element

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE SprayDimmer (Stepless flow rate reduction)

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

optional upgrade: **GROHE EasyReach** tray (26 362)

GROHE EUPHORIA SYSTEM

Ref. No.

Colour


Price netto (€)

new

27 615 001

chrome

484.00



Euphoria System 260

Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

head shower Euphoria 260 (26 457)

3 spray patterns:

Rain, SmartRain, Jet

with ball joint

rotation angle $\pm 15^\circ$

hand shower Euphoria 110 Massage (27 239 000)

3 spray patterns:

Rain, SmartRain, Massage

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE EcoJoy 9,5 l/min flow limiter

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE SprayDimmer (Stepless flow rate reduction)

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.


min. recommended pressure 1.0 bar

optional upgrade: **GROHE EasyReach** tray (26 362)

26 087 000

chrome

1,260.00



Euphoria Cube System 230

Shower system with thermostatic mixer for wall mounting

consisting of:

shower arm

projection 400 mm

exposed thermostat with

Aquadimmer function

allows change between:

Rainshower Allure head shower (27 479 000)

spray pattern: Rain

with ball joint

rotation angle $\pm 15^\circ$

hand shower Euphoria Cube (27 699 000)

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE EcoJoy technology for less water and perfect flow

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.


min. recommended pressure 1.0 bar

GROHE EUPHORIA SYSTEM

Ref. No.

Colour

Price netto (€)



26 187 000

chrome

760.00

Euphoria 230

Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

head shower Allure 230 (27 479 000)

spray pattern: Rain

with ball joint

rotation angle $\pm 15^\circ$

hand shower Euphoria Cube Stick (27 698 000)

adjustable in height with gliding element (12 140 000)

Silverflex shower hose 1750 mm (28 388 000)

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting


GROHE MetalGrip ergonomically shaped metal handles

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

optional upgrade: **GROHE EasyReach** tray (26 362)



26 363 000

chrome

681.00

Euphoria System 210

Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

metal head shower Rainshower Cosmopolitan 210 (28 368 000)

spray pattern: Rain

with ball joint

rotation angle $\pm 15^\circ$

hand shower Euphoria 110 Massage (27 221 000)

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE EasyReach tray (26 362 LN0)

minimum flow rate 7 l/min.

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

min. recommended pressure 1.0 bar

GROHE EUPHORIA SYSTEM

Ref. No.


Colour

Price netto (€)

27 964 000

chrome

688.00



Euphoria System 210

Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm
exposed thermostat with
Aquadimmer function

allows change between:

metal head shower Rainshower Cosmopolitan 210 (28 368 000)

spray pattern: Rain

with ball joint

rotation angle $\pm 15^\circ$

hand shower Euphoria 110 Massage (27 221 000)

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

GROHE MetalGrip ergonomically shaped metal handles

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.


min. recommended pressure 1.0 bar

optional upgrade: **GROHE EasyReach** tray (26 362)

26 186 000

chrome

649.00



Euphoria Power&Soul System 190

Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm
Grotherm 1000 Cosmopolitan exposed
thermostat with Aquadimmer function

allows change between:

head shower Power&Soul 190

4+ spray patterns:

GROHE Rain O², Rain, Bokoma Spray, Jet

with ball joint

rotation angle $\pm 15^\circ$

Hand shower Power&Soul 115 (27 671 000)

adjustable in height with gliding element (12 140 000)

Silverflex shower hose 1750 mm (28 388 000)

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE One-click showering

spray selection via push of a button

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar


optional upgrade: **GROHE EasyReach** tray (26 362)

GROHE EUPHORIA SYSTEM

Ref. No.

Colour

Price netto (€)



26 249 000

chrome

570.00

Euphoria System 190

Shower system with thermostat for wall mounting

horizontal swivable 390 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

head shower 190 1 spray (27 370)

Rain

with ball joint

rotation angle $\pm 15^\circ$

hand shower 100 3 sprays: GROHE Rain O², Rain, Massage (27 574)

adjustable in height with gliding element

GROHE EasyReach shower tray

Silverflex shower hose 1750 mm (28 388 000)

9.5 l/min. flow limiter

GROHE EcoJoy technology for less water and perfect flow

GROHE TurboStat compact cartridge

with wax thermosteement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system


Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

min. recommended pressure 1.0 bar



27 932 000

chrome

633.00

Euphoria System 150

Shower system with thermostatic mixer for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

head shower Euphoria Cube 150 (27 705 000)

spray pattern: Rain

with ball joint

rotation angle $\pm 12^\circ$

hand shower Euphoria Cube Stick (27 698 000)

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE EcoJoy 9.5 l/min flow limiter

GROHE TurboStat compact cartridge

with wax thermosteement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

optional upgrade: GROHE EasyReach tray (26 362)



GROHE EUPHORIA SYSTEM

Ref. No.

Colour

Price netto (€)

new



27 475 001

chrome

605.00

Euphoria System 260 Shower system with bath thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm
exposed thermostat with
Aquadimmer function

allows change between:

head shower Euphoria 260 (26 457)

3 spray patterns:

Rain, SmartRain, Jet

with ball joint

rotation angle $\pm 15^\circ$

bath inlet

separate diverter for hand shower

hand shower Euphoria 110 Massage (27 239 000)

3 spray patterns:

Rain, SmartRain, Massage

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE EcoJoy 9,5 l/min flow limiter

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE SprayDimmer (Stepless flow

rate reduction)

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting


suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

new



26 114 001

chrome

594.00

Euphoria System 260 Shower system with bath thermostat for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

head shower Euphoria 260 (26 455)

3 spray patterns:

Rain, SmartRain, Jet

with ball joint

rotation angle $\pm 15^\circ$

bath inlet

separate diverter for hand shower

hand shower Euphoria 110 Massage (27 221 000)

3 spray patterns:

Rain, SmartRain, Massage

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

distance between thermostat and upper bracket: 1016 mm

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE SprayDimmer (Stepless flow

rate reduction)

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar


GROHE EUPHORIA SYSTEM

Ref. No.

Colour

Price netto (€)

new



27 473 001

chrome

436.00

Euphoria System 260

Shower system with single lever mixer for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed single-lever shower mixer with diverter

allows change between:

head shower Euphoria 260 (26 457)

3 spray patterns:

Rain, SmartRain, Jet

with ball joint

rotation angle $\pm 15^\circ$

hand shower Euphoria 110 Massage (27 239 000)

3 spray patterns:

Rain, SmartRain, Massage

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE EcoJoy 9,5 l/min flow limiter

GROHE SilkMove 46 mm ceramic cartridge

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE SprayDimmer (Stepless flow

rate reduction)

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting


suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

new



23 061 002

chrome

460.00

Euphoria Concetto System 260

Shower system with single lever mixer for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed single-lever shower mixer with diverter

allows change between:

head shower Euphoria 260 (26 457)

3 spray patterns:

Rain, SmartRain, Jet

with ball joint

rotation angle $\pm 15^\circ$

hand shower Euphoria Cosmopolitan Stick (27 400 000)

spray pattern: Rain

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE EcoJoy 9,5 l/min flow limiter

GROHE SilkMove 46 mm ceramic cartridge

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting


suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

new



23 058 003

chrome

688.00

Euphoria Eurodisc Cosmopolitan System 210

Shower system with single lever mixer for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

exposed single-lever shower mixer with diverter

allows change between:

metal head shower Rainshower Cosmopolitan 210 (28 368 000)

spray pattern: Rain

with ball joint

rotation angle $\pm 15^\circ$

hand shower Euphoria Cosmopolitan Stick (27 400 000)

spray pattern: Rain

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE SilkMove 46 mm ceramic cartridge

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.


min. recommended pressure 1.0 bar

GROHE EUPHORIA SYSTEM

Ref. No.

Colour

Price netto (€)



23 147 001

chrome


1,090.00

Euphoria Cube System 230

Shower system with single lever mixer for wall mounting

consisting of:

shower arm
projection 400 mm
exposed single-lever shower mixer with diverter
allows change between:
spray pattern: Rain
metal head shower Rainshower Allure 230 (27 479 000)
with ball joint
rotation angle $\pm 15^\circ$
spray pattern: Rain
hand shower Euphoria Cube Stick (27 698 000)
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE SilkMove 35 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters
from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar



26 322 000

chrome

504.00


Euphoria System

Shower system with single lever bath mixer for wall mounting

consisting of:

horizontal swivable 450 mm shower arm
exposed single-lever bath mixer with diverter handle
separate diverter for hand shower
gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE SilkMove 35 mm ceramic cartridge
GROHE StarLight chrome finish
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters
from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar
head and hand shower must be ordered separately

new



27 421 002

chrome

*

Euphoria System 260

Shower system with diverter for wall mounting


consisting of:

horizontal swivable 450 mm shower arm
change between hand and head shower
by diverter
head shower Euphoria 260 (26 457)
3 spray patterns: Rain, SmartRain, Jet
with ball joint, rotation angle $\pm 15^\circ$
hand shower Euphoria 110 Massage (27 239 000)
3 spray patterns: Rain, SmartRain, Massage
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
Silverflex shower hose 800 mm
connection to water supply with 1/2"-thread of
the 800 mm shower hose to faucet / wall union
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless flow
rate reduction)
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heaters
from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar

GROHE EUPHORIA SYSTEM

Ref. No. Colour Price netto (€)


27 911 000 chrome 541.00



Euphoria Power&Soul System 190 Shower system with diverter for wall mounting

consisting of:
horizontal swivable 450 mm shower arm
change between hand and head shower
by diverter
Power&Soul head shower (27 766 000)
with ball joint
rotation angle $\pm 15^\circ$
Hand shower Power&Soul 115 (27 671 000)
adjustable in height with gliding element (12 140 000)
Silverflex shower hose 1750 mm (28 388 000)
Silverflex shower hose 800 mm
connection to water supply with 1/2"-thread of
the 800 mm shower hose to faucet / wall union
GROHE DreamSpray perfect spray pattern
GROHE One-click showering
spray selection via push of a button
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
**suitable for instantaneous heaters
from 18 kW/h**
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar

27 696 000 chrome 670.00



Euphoria Cube System 150 Shower system with diverter for wall mounting

consisting of:
shower arm
projection 400 mm
change between hand and head shower
by diverter
head shower Euphoria Cube 152 mm x 152 mm
spray pattern: Rain
with ball joint
rotation angle $\pm 20^\circ$
hand shower Euphoria Cube Stick (27 698 000)
adjustable in height with gliding element
Silverflex shower hose 1750 mm (28 388 000)
Silverflex shower hose 800 mm
connection to water supply with 1/2"-thread of
the 800 mm shower hose to faucet / wall union
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Twistfree to prevent hose from twisting
**suitable for instantaneous heaters
from 18 kW/h**
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar

GROHE NEW TEMPESTA SYSTEM




GROHE NEW TEMPESTA SYSTEM

Ref. No.

Colour

Price netto (€)

new



27 922 001

chrome

436.00

Tempesta Cosmopolitan System 210

Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 390 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

head shower Tempesta 210 (26 408)

spray pattern: Rain

with ball joint

rotation angle $\pm 15^\circ$

hand shower New Tempesta Cosmopolitan 100 (27 571 001)

2 spray patterns:

Rain, Jet

adjustable in height with gliding element

Rotaflex shower hose 1.750 mm 1/2" x 1/2" (28 410)

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

optional upgrade: **GROHE EasyReach** tray (26 362)

27 922 000

chrome

526.00

New Tempesta Cosmopolitan 160

Shower system with thermostat for wall mounting

consisting of:

horizontal swivable 390 mm shower arm

exposed thermostat with

Aquadimmer function

allows change between:

head shower 1 spray (28 232 000)

Rain

with ball joint

rotation angle $\pm 15^\circ$

hand shower New Tempesta Cosmopolitan 100 (27 571 001)

2 spray patterns:

Rain, Jet

adjustable in height with gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life


Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

optional upgrade: **GROHE EasyReach** tray (26 362)




GROHE NEW TEMPESTA SYSTEM

Ref. No.

Colour

Price netto (€)

new



26 223 001

chrome

557.00

Tempesta Cosmopolitan System 210 Shower system with bath thermostat for wall mounting

consisting of:

horizontal swivable 390 mm shower arm
exposed thermostat Grohtherm 1000 Cosmopolitan
with Aquadimmer function

allows change between:

head shower Tempesta 210 (26 408)

spray pattern: Rain

with ball joint

rotation angle $\pm 15^\circ$

bath inlet

separate diverter for hand shower

hand shower New Tempesta Cosmopolitan 100 (27 571 001)

2 spray patterns:

Rain, Jet

adjustable in height with gliding element

Rotaflex shower hose 1.750 mm 1/2" x 1/2" (28 410)

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life


Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

new



26 224 001

chrome

387.00

Tempesta Cosmopolitan System 210 Shower system with single lever mixer for wall mounting

consisting of:

horizontal swivable 390 mm shower arm
exposed single-lever shower mixer with diverter

allows change between:

head shower Tempesta 210 (26 408)

spray pattern: Rain

with ball joint

rotation angle $\pm 15^\circ$

hand shower New Tempesta Cosmopolitan 100 (27 571 001)

2 spray patterns:

Rain, Jet

adjustable in height with gliding element

Rotaflex shower hose 1.750 mm 1/2" x 1/2" (28 410)

GROHE SilkMove 46 mm ceramic cartridge

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1.0 bar

GROHE NEW TEMPESTA SYSTEM

Ref. No.


Colour

Price netto (€)

26 381 001

chrome

*



New Tempesta System 210

Flex shower system with diverter for wall mounting

consisting of:

horizontal 390 mm shower arm, adjustable before installation
change by diverter between hand shower, head shower
or head shower Eco setting

head shower Tempesta 210 (26 408)

2 spray patterns (via diverter):

Rain, SmartRain

chrome plated spray face

with ball joint

rotation angle $\pm 15^\circ$

hand shower New Tempesta 100 (27 852)

spray pattern: Rain

adjustable in height with gliding element

distance between diverter and upper bracket: 620 mm

shower hose Relexaflex 1500 mm (28 151)

shower hose Relexaflex 1250 mm (28 150)

flexible installation: connection to faucet / wall union for water

supply with 1/2" thread of the 1250 mm shower hose

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

ShockProof silicone ring prevents damages

caused by shower falling

suitable for instantaneous heaters

from 18 kW/h

minimum flow rate 7 l/min.

GROHE RETRO-FIT SHOWER SYSTEM



GROHE RETRO-FIT SHOWER SYSTEM

Ref. No.

Colour


Price netto (€)

new

26 190 001

chrome

511.00



Retrofit System 210 Shower system with diverter for wall mounting

consisting of:

horizontal swivable 450 mm shower arm

built-in diverter allows change between:

head shower Tempesta 210 (26 410)

spray pattern: Rain

GROHE EcoJoy 9,5 l/min flow limiter

with ball joint

rotation angle $\pm 15^\circ$

hand shower New Tempesta Cosmopolitan 100 (27 571 001)

2 spray patterns:

Rain, Jet

GROHE EcoJoy 5.7 l/min. flow limiter

adjustable in height with gliding element

Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)

angle adapter

GROHE DreamSpray perfect spray pattern

GROHE SprayDimmer (Stepless flow

rate reduction)

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heaters


from 18 kW/h

min. recommended pressure 1.0 bar

26 191 000

chrome

31.00



Retro-fit

Compensation disc











for GROHE retrofit shower system 26 190 000

GROHE StarLight chrome finish

GROHE SHOWER SYSTEM ACCESSORIES



GROHE SHOWER SYSTEM ACCESSORIES

	Ref. No.	Colour	Price netto (€)
 	48 349 000	chrome	87.00
<p>Rainshower SmartControl Shower system pipe for retrofitting metal shower pipe for retrofitting - 15 cm shorter than original shower system pipe suitable for all Rainshower SmartControl shower systems GROHE StarLight chrome finish</p>			
 	48 350 000	chrome	106.00
<p>Rainshower SmartControl Shower system pipe for retrofitting metal shower pipe for retrofitting 15 cm longer than original shower system pipe suitable for all Rainshower SmartControl shower systems GROHE StarLight chrome finish</p> <p>Note: longer pipe cannot be installed afterwards or rather a mounted system cannot be modified to a longer pipe useable with systems as of production date 04/2017, see TPI</p>			
 	48 053 000	chrome	93.00
<p>Shower system pipe for retrofitting metal shower pipe for retrofitting 15 cm longer than original shower system pipe for bath/shower systems: 30 cm shorter than original pipe suitable for all Rainshower and Euphoria shower systems GROHE StarLight chrome finish not suitable for shower systems with side sprays</p>			
 	48 054 000	chrome	71.00
<p>Shower system pipe for retrofitting metal shower pipe for retrofitting - 15 cm shorter than original shower system pipe for bath/shower systems: 60 cm shorter than original pipe suitable for all Rainshower and Euphoria shower systems GROHE StarLight chrome finish not suitable for shower systems with side sprays</p>			
 	14 014 000	chrome	50.00
<p>Rainshower Shower arm for shower systems metal projection 340 mm distance from wall 390 mm connection thread 1/2" GROHE StarLight chrome finish suitable for all GROHE shower systems</p>			


GROHE SHOWER SYSTEM ACCESSORIES

	Ref. No.	Colour	Price netto (€)
 	14 047 000	chrome	45.00
	Rainshower Shower arm for shower systems metal projection 340 mm distance from wall 390 mm connection thread 1/2" GROHE StarLight chrome finish suitable for GROHE shower systems with short nipple, see TPI		
 	27 180 000	chrome	40.00
	Rainshower Compensation disc for Rainshower systems 27 174, 27 175, 27 032, 27 058, 27 030, 27 038, 27 089, 27 031 GROHE StarLight chrome finish		
 	26 385 000	chrome	14.00
	Rainshower SmartControl Compensation disc for Rainshower SmartControl systems 26 250, 26 361, 26 379 stackable		
 	27 617 000	chrome	*
	Compensation disc for Rainshower F-Series shower systems 27 469 000 und 27 569 000 (cube brackets) GROHE StarLight chrome finish		
 	27 933 000	chrome	88.00
	Euphoria Cube Compensation disc for Euphoria Cube shower systems (Cube brackets) GROHE StarLight chrome finish		
 	26 191 000	chrome	31.00
	Retro-fit Compensation disc for GROHE retrofit shower system 26 190 000 GROHE StarLight chrome finish		

GROHE SHOWER SYSTEM ACCESSORIES

Ref. No.	Colour	Price netto (€)
26 362 LN0	white	27.00






GROHE EasyReach tray
for Euphoria and New Tempesta shower systems with thermostat
centre distance 150 mm



GROHE HEAD AND SIDE SHOWERS



GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
	26 254 000 Rainshower 360 Duo Head shower set 450 mm, 2 sprays consisting of: head shower Rainshower 360 DUO, spray plate chrome 2 spray patterns: GROHE PureRain/GROHE Rain O ² spray* and TrioMassage horizontal 450 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life requires rough-in set 26 264 001 – to be ordered separately * to be decided at first installation; factory default setting: GROHE PureRain	chrome	580.00
	26 254 LS0 Rainshower 360 Duo Head shower set 450 mm, 2 sprays consisting of: head shower Rainshower 360 DUO, spray plate white 2 spray patterns: GROHE PureRain/GROHE Rain O ² spray* and TrioMassage horizontal 450 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life requires rough-in set 26 264 001 – to be ordered separately * to be decided at first installation; factory default setting: GROHE PureRain	moon white	530.00
	26 450 000 Rainshower 360 Mono Head shower set 450 mm, 1 spray consisting of: head shower Rainshower 360 MONO, spray plate chrome 1 spray: GROHE PureRain/GROHE Rain O ² spray* horizontal 450 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life requires rough-in set 26 264 001 – to be ordered separately * to be decided at first installation; factory default setting: GROHE PureRain	chrome	457.00
	26 450 LS0 Rainshower 360 Mono Head shower set 450 mm, 1 spray consisting of: head shower Rainshower 360 MONO, spray plate white 1 spray: GROHE PureRain/GROHE Rain O ² spray* horizontal 450 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life requires rough-in set 26 264 001 – to be ordered separately * to be decided at first installation; factory default setting: GROHE PureRain	moon white	457.00
	26 264 001 Rainshower 360 Rough-in box for head shower set 26 254 / 26 450 inlets and outlets 1/2" fixing points for back wall leakproof housing removable protection cover with installation information	chrome	95.00


GROHE HEAD AND SIDE SHOWERS

Ref. No. Colour Price netto (€)

		<p>26 475 000 chrome 440.00</p> <p>Rainshower 310 SmartActive Head shower set 430 mm, 2 sprays consisting of: head shower Rainshower 310 SmartActive, spray plate chrome 2 spray patterns: GROHE PureRain, ActiveRain horizontal 430 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately</p>
		<p>26 475 L50 moon white 578.00</p> <p>Rainshower 310 SmartActive Head shower set 430 mm, 2 sprays consisting of: head shower Rainshower 310 SmartActive, spray plate moon white 2 spray patterns: GROHE PureRain, ActiveRain horizontal 430 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight finish SpeedClean anti-lime system Inner WaterGuide for a longer life requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately</p>
		<p>26 477 000 chrome 440.00</p> <p>Rainshower 310 SmartActive Head shower set ceiling 142 mm, 2 sprays consisting of: head shower Rainshower 310 SmartActive, spray plate chrome 2 spray patterns: GROHE PureRain, ActiveRain 142 mm ceiling shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately</p>
		<p>26 477 L50 moon white 578.00</p> <p>Rainshower 310 SmartActive Head shower set ceiling 142 mm, 2 sprays consisting of: head shower Rainshower 310 SmartActive, spray plate moon white 2 spray patterns: GROHE PureRain, ActiveRain 142 mm ceiling shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight finish SpeedClean anti-lime system Inner WaterGuide for a longer life requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately</p>
		<p>26 479 000 chrome 463.00</p> <p>Rainshower 310 SmartActive Cube Head shower set 430 mm, 2 sprays consisting of: head shower Rainshower 310 SmartActive Cube, spray plate chrome 2 spray patterns: GROHE PureRain, ActiveRain horizontal 430 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately head shower Rainshower 310 SmartActive Cube, spray plate chrome</p>

GROHE HEAD AND SIDE SHOWERS


Ref. No. Colour Price netto (€)



26 479 LSO moon white 603.00

Rainshower 310 SmartActive Cube
Head shower set 430 mm, 2 sprays


consisting of:
head shower Rainshower 310 SmartActive Cube, spray plate moon white
2 spray patterns:
GROHE PureRain, ActiveRain
horizontal 430 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately



26 481 000 chrome 463.00

Rainshower 310 SmartActive Cube
Head shower set ceiling 142 mm, 2 sprays


consisting of:
head shower Rainshower 310 SmartActive Cube, spray plate chrome
2 spray patterns:
GROHE PureRain, ActiveRain
142 mm ceiling shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately



26 481 LSO moon white 601.00

Rainshower 310 SmartActive Cube
Head shower set ceiling 142 mm, 2 sprays



consisting of:
head shower Rainshower 310 SmartActive Cube, spray plate moon white
2 spray patterns:
GROHE PureRain, ActiveRain
142 mm ceiling shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately



26 483 000 chrome 91.00

Rainshower
Universal rough-in box, 1/2"

for head shower set
26 475 / 26 477 / 26 479 / 26 481
2 inlets, 1/2"
installation depth 75-105 mm
connection unit in DR brass
stable build-in box and protective cover
leakproof housing
gasket
integrated flushing plug
without set for final installation











26 484 000 chrome 91.00









Rainshower
Universal rough-in box, 1/2"

for head shower set
26 475 / 26 477 / 26 479 / 26 481
2 inlets, 1/2"
installation depth 75-105 mm
connection unit in DR brass
stable build-in box and protective cover
leakproof housing
gasket
integrated flushing plug
GROHE EcoJoy 9.5 l/min flow limiter per each water way
without set for final installation









GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
 	26 255 000	chrome	1,300.00
	Rainshower Cosmopolitan 400 Head shower set 422 mm, 1 spray consisting of: metal head shower Rainshower Cosmopolitan 400 (28 778 000) 1 spray: Rain shower arm Rainshower 422 mm (26 146 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	26 256 000	chrome	1,300.00
	Rainshower Cosmopolitan 400 Head shower set ceiling 142 mm, 1 spray consisting of: head shower Rainshower Cosmopolitan 400 (28 778 000) 1 spray: Rain shower arm Rainshower ceiling 142 mm (28 724 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	26 257 000	chrome	475.00
	Rainshower 310 Head shower set 422 mm, 1 spray consisting of: Rainshower Cosmopolitan 310 head shower (27 477 000) 1 spray: Rain shower arm Rainshower 422 mm (26 146 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system DropStop no afterdripping from the horizontal shower head after closing the valve suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	26 066 000 26 066 DC0 26 066 BE0 26 066 EN0 26 066 GL0 26 066 GN0 26 066 DA0 26 066 DL0 26 066 A00 26 066 AL0	chrome supersteel polished nickel brushed nickel cool sunrise brushed cool sunrise warm sunset brushed warm sunset hard graphite brushed hard graphite	499.00 725.00 631.00 631.00 631.00 631.00 631.00 631.00 631.00 631.00
	Rainshower Cosmopolitan 310 Head shower set 380 mm, 1 spray consisting of: Head shower Rainshower Cosmopolitan 310 (27 478 000) 1 spray: Rain Shower arm Rainshower 380 mm (28 361 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system DropStop no afterdripping from the horizontal shower head after closing the valve suitable for instantaneous heater min. recommended pressure 1.0 bar		
	26 056 000	chrome	499.00
	ditto, with non-restricted flow		

GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
	26 067 000	chrome	499.00
	26 067 DC0	supersteel	725.00
	26 067 BE0	polished nickel	631.00
	26 067 EN0	brushed nickel	631.00
	26 067 GL0	cool sunrise	631.00
	26 067 GN0	brushed cool sunrise	631.00
	26 067 DA0	warm sunset	631.00
	26 067 DL0	brushed warm sunset	631.00
	26 067 A00	hard graphite	631.00
	26 067 AL0	brushed hard graphite	631.00
		Rainshower Cosmopolitan 310 Head shower set ceiling 142 mm, 1 spray consisting of: Head shower Rainshower Cosmopolitan 310 (27 478 000) 1 spray: Rain shower arm Rainshower ceiling 142 mm (28 724 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system DropStop no afterdripping from the horizontal shower head after closing the valve suitable for instantaneous heater min. recommended pressure 1.0 bar	
	26 057 000	chrome	499.00
	ditto, with non-restricted flow		
		Rainshower Veris 300 x 150 Head shower set 422 mm, 1 spray consisting of: metal head shower Rainshower Veris, spray plate chrome (27 470 000) 1 spray: Rain Rainshower shower arm 422 mm, escutcheon chrome (26 146 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater starting at 0.5 bar flow pressure	501.00
		Rainshower Veris 300 x 150 Head shower set 422 mm, 1 spray consisting of: metal head shower Rainshower Veris, spray plate white (27 470 LS0) 1 spray: Rain Rainshower shower arm 422 mm, escutcheon white (26 146 LS0) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater starting at 0.5 bar flow pressure	611.00
		Rainshower Veris 300 Head shower set 286 mm, 1 spray consisting of: Head shower Rainshower Veris (27 471 000) 1 spray: Rain Shower arm Rainshower 286 mm (28 576 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar	450.00
	26 058 000	chrome	450.00
	ditto, with non-restricted flow		

GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
	26 069 000 Rainshower Veris 300 Head shower set ceiling 142 mm, 1 spray consisting of: Head shower Rainshower Veris (27 471 000) 1 spray: Rain shower arm Rainshower ceiling 142 mm (28 724 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar	chrome	450.00
	26 059 000 ditto, with non-restricted flow	chrome	450.00
	26 059 LS0 Rainshower Veris 300 Head shower set ceiling 142 mm, 1 spray consisting of: metal head shower Rainshower Veris, spray plate white (27 470 LS0) 1 spray: Rain shower arm Rainshower ceiling 142 mm, escutcheon white (28 724 LS0) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater	moon white/chrome	607.00
	26 259 000 Rainshower F-Series 10" 254 x 254 Head shower set 422 mm, 1 spray consisting of: head shower Rainshower F-Series 10" (27 271 000) 1 spray: Rain shower arm Rainshower square 422 mm (26 145 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system DropStop no afterdripping from the horizontal shower head after closing the valve suitable for instantaneous heater	chrome	445.00
	26 070 000 Rainshower F-Series 10" 254 x 254 Head shower set 286 mm, 1 spray consisting of: head shower Rainshower F-Series 254 (27 285 000) 1 spray: Rain Shower arm Rainshower 286 mm (27 488 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar	chrome	450.00
	26 060 000 ditto, with non-restricted flow	chrome	450.00
			
			

GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
 	26 071 000 Rainshower F-Series 10" Head shower set ceiling 142 mm, 1 spray consisting of: head shower Rainshower F-Series 254 (27 285 000) 1 spray: Rain shower arm Rainshower ceiling 142 mm (27 485 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar	chrome	450.00
	26 061 000 ditto, with non-restricted flow	chrome	450.00
 	26 064 000 Rainshower Allure 230 Head shower set 286 mm, 1 spray consisting of: Head shower Rainshower Allure 230 (27 480 000) 1 spray: Rain Shower arm Rainshower 286 mm (27 709 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar	chrome	512.00
	26 054 000 ditto, with non-restricted flow	chrome	512.00
 	26 065 000 Rainshower Allure 230 Head shower set ceiling 154 mm, 1 spray consisting of: Head shower Rainshower Allure 230 (27 480 000) 1 spray: Rain shower arm Rainshower ceiling 154 mm (27 711 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar	chrome	468.00
	26 055 000 ditto, with non-restricted flow	chrome	506.00
 	26 171 000 Rainshower Cosmopolitan 210 Head shower set 422 mm, 1 spray consisting of: Rainshower Cosmopolitan 210 metal head shower, spray plate chrome (28 368 000) 1 spray: Rain Rainshower shower arm 422 mm, escutcheon chrome (26 146 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system DropStop no afterdripping from the horizontal shower head after closing the valve suitable for instantaneous heater starting at 0.5 bar flow pressure	chrome	389.00

GROHE HEAD AND SIDE SHOWERS

Ref. No.


Colour

Price netto (€)

26 171 LS0

moon white/chrome

525.00



Rainshower Cosmopolitan 210
Head shower set 422 mm, 1 spray

consisting of:

Rainshower Cosmopolitan 210 metal head shower,
spray plate white (28 368 LS0)

1 spray:

Rain

Rainshower shower arm 422 mm, escutcheon
white (26 146 LS0)

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish


SpeedClean anti-lime system

DropStop no afterdripping from the horizontal
shower head after closing the valve
suitable for instantaneous heater
starting at 0.5 bar flow pressure

26 052 000

chrome

361.00



Rainshower Cosmopolitan 210
Head shower set 286 mm, 1 spray

consisting of:

metal head shower Rainshower Cosmopolitan 210 (28 368 000)

1 spray:

Rain

Shower arm Rainshower 286 mm (28 576 000)

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish


SpeedClean anti-lime system

suitable for instantaneous heater
starting at 0.5 bar flow pressure

26 053 000

chrome

361.00



Rainshower Cosmopolitan 210
Head shower set ceiling 142 mm, 1 spray

consisting of:

Rainshower Cosmopolitan 210 metal head shower,
spray plate chrome (28 368 000)

1 spray:

Rain

shower arm Rainshower ceiling 142 mm, escutcheon chrome (28 724 000)

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish


SpeedClean anti-lime system

suitable for instantaneous heater
starting at 0.5 bar flow pressure

26 053 LS0

moon white/chrome

470.00



Rainshower Cosmopolitan 210
Head shower set ceiling 142 mm, 1 spray

consisting of:

Rainshower Cosmopolitan 210 metal head shower,
spray plate white (28 368 LS0)

1 spray:

Rain

shower arm Rainshower ceiling 142 mm,
escutcheon white (28 724 LS0)

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish


SpeedClean anti-lime system

suitable for instantaneous heater
starting at 0.5 bar flow pressure

26 172 000

chrome

250.00



Power&Soul Cosmopolitan 190
Head shower set 422 mm, 4+ sprays

consisting of:

head shower Power&Soul Cosmopolitan 190,
spray plate night time grey (27 765 000)

4 spray patterns:

GROHE Rain O², Rain, Bokoma Spray, Jet
Rainshower shower arm 422 mm, escutcheon
chrome (26 146 000)

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish











SpeedClean anti-lime system

suitable for instantaneous heater
starting at 0.5 bar flow pressure

GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
 	26 172 LS0	moon white/chrome	306.00
	Power&Soul Cosmopolitan 190 Head shower set 422 mm, 4+ sprays consisting of: head shower Power&Soul Cosmopolitan 190 in moon white (27 764 LS0) 4 spray patterns: GROHE Rain O ² , Rain, Bokoma Spray, Jet Rainshower shower arm 422 mm, escutcheon white (26 146 LS0) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater starting at 0.5 bar flow pressure		
new	26 459 000	chrome	186.00
 	26 459 000	chrome	186.00
	Euphoria 260 Head shower set 380 mm, 3 sprays consisting of: head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet Shower arm Rainshower 380 mm (28 361 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
	26 458 000	chrome	186.00
	ditto, with non-restricted flow		
new	26 461 000	chrome	148.00
 	26 461 000	chrome	148.00
	Euphoria 260 Head shower set ceiling 142 mm, 3 sprays consisting of: head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet shower arm Rainshower ceiling 142 mm (28 724 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
	26 460 000	chrome	148.00
	ditto, with non-restricted flow		
	26 073 000	chrome	232.00
 	26 073 000	chrome	232.00
	Euphoria Cube 150 Head shower set 286 mm, 1 spray consisting of: head shower Euphoria Cube 150 (27 705 000) 1 spray: Rain Shower arm Rainshower 286 mm (27 709 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		

GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
new	26 412 000	chrome	136.00
		<p>Tempesta 210 Head shower set 286 mm, 1 spray consisting of: head shower Tempesta 210 (26 410) 1 spray: Rain Shower arm Rainshower 286 mm (28 576 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	
	26 411 000	chrome	136.00
	ditto, with non-restricted flow		
new	26 414 000	chrome	114.00
		<p>Tempesta 210 Head shower set ceiling 142 mm, 1 spray consisting of: head shower Tempesta 210 (26 410) 1 spray: Rain shower arm Rainshower ceiling 142 mm (28 724 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	
	26 413 000	chrome	114.00
	ditto, with non-restricted flow		
new	27 870 001	chrome	*
		<p>New Tempesta 100 Head shower set 4 sprays GROHE Rain O², Rain, Massage, Jet ball joint ± 15° rotatable Shower arm with connection thread 1/2" escutcheon GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	
new	26 088 001	chrome	*
		<p>New Tempesta 100 Head shower set 3 sprays GROHE Rain O², Rain, Massage ball joint ± 15° rotatable Shower arm with connection thread 1/2" escutcheon GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	
new	27 869 001	chrome	*
		<p>New Tempesta Cosmopolitan 100 Head shower 4 sprays GROHE Rain O², Rain, Massage, Jet ball joint ± 15° rotatable Shower arm with connection thread 1/2" escutcheon GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	

GROHE HEAD AND SIDE SHOWERS

Ref. No.

Colour

Price netto (€)

new



26 090 001

chrome

*

New Tempesta Cosmopolitan 100
Head shower set 3 sprays

GROHE Rain O², Rain, Massage

ball joint ± 15° rotatable

Shower arm with connection thread 1/2"
escutcheon

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

suitable for instantaneous heater


min. recommended pressure 1.0 bar

GROHE HEAD AND SIDE SHOWERS

Ref. No. Colour Price netto (€)

26 373 001 chrome 19,100.00

Rainshower F-Series 40" AquaSymphony
Ceiling shower 6+ sprays with light
 1016 mm x 762 mm x 145 mm
 metal
 minimum flow rate 25 l/min
 min. recommended pressure 3.0 bar
 1 x AquaCurtain
 1 x Pure XL spray
 1 x 2 cold mist spray
 2 x GROHE PureRain spray 400 x 190 mm
 2 x XL Waterfall (separately controlled)
 1 x 4 Bokoma Spray with adjustment angle 20° and combinations
 full spectrum LED: soft light with changing rainbow colours
 individually adjustable: permanent lighting with colour selection
 power supply for light 12 V DC
 CE approved
SpeedClean anti-lime system
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish




requires rough-in set (26 376 001), F-digital Deluxe base unit box (26 376 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to individualised installation

The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.

recommendation: configuration with Grohtherm F or Grohtherm SmartControl

26 376 001 chrome 1,810.00


Rainshower F-Series 40"
Roughing-in set
 for use with Rainshower F-Series 40" AquaSymphony ceiling shower
 1000 mm x 745 mm x 152 mm
 min. installation depth: 167 mm
 waterways: brass
 1/2" connections



The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.











27 865 000 chrome 4,510.00

Rainshower F-Series 20"
Ceiling shower with light, 1 spray
 Rain
 508 x 508 x 59 mm
 full spectrum LED: soft light with changing rainbow colours
 individually adjustable: permanent lighting with colour selection
 power supply for light 12 V DC
 CE approved
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
 suitable for instantaneous heater
requires rough-in set (29 069 000), F-digital Deluxe base unit box (36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation.
 this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+
 For detailed planning and product information please contact your local GROHE Customer Service.













GROHE HEAD AND SIDE SHOWERS









Ref. No. Colour Price netto (€)

		<p>27 286 000 chrome 1,880.00</p> <p>Rainshower F-Series 20" Ceiling shower 1 spray Rain 508 x 508 mm connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar</p>
		<p>27 939 001 chrome 3,060.00</p> <p>Rainshower F-Series 15" Ceiling shower 3 sprays Rain, Bokoma Spray, Waterfall and combinations 381 mm (width) x 17 mm (height) x 456 mm (depth) metal GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE XL Waterfall extra wide waterfall spray SpeedClean anti-lime system flow of single spray at 3 bar: 1 x Rain spray 300 mm: approx. 20 l/min 2 x XL Waterfall: 1 x Waterfall 20 l, 2 x Waterfall 32 l/min 4 x Bokoma Spray with adjustment angle 20°: 20 l/min</p> <p>head shower has to be controlled by 4 outlets recommendation: Grohtherm F thermostatic trim with integrated 2-way diverter 27 618 000, 35 500 000 and triple volume control trim 27 625 000, 35 031 000</p>
		<p>27 938 001 chrome 3,060.00</p> <p>Rainshower F-Series 15" Head shower 3 sprays Rain, Bokoma Spray, Waterfall and combinations 381 mm (width) x 60 mm (height) x 677 mm (depth) metal GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE XL Waterfall extra wide waterfall spray SpeedClean anti-lime system flow of single spray at 3 bar: 1 x Rain spray 300 mm: approx. 20 l/min 2 x XL Waterfall: 1 x Waterfall 20 l, 2 x Waterfall 32 l/min 4 x Bokoma Spray with adjustment angle 20°: 20 l/min requires rough-in (26 042 000) – to be ordered separately</p> <p>head shower has to be controlled by 4 outlets recommendation: Grohtherm F thermostatic trim with integrated 2-way diverter 27 618 000, 35 500 000 and triple volume control trim 27 625 000, 35 031 000</p>
		<p>26 042 000 chrome 214.00</p> <p>Rainshower F-Series 15" Roughing-in set for use with Rainshower F-Series 15" Multi Spray head shower 295 mm (width) x 121 mm (height) x 181 mm (depth) max. installation depth: 91 mm min. wall thickness: not less than 200 mm minimum screw-in depth of stud bolts: 14 mm full metal construction waterways: brass 1/2" connections</p>
		<p>27 467 000 chrome 588.00</p> <p>Rainshower F-Series 10" 254 x 254 Ceiling shower 1 spray Rain 254 x 254 mm metal connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar</p>









GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
 	27 285 000 Rainshower F-Series 10" Head shower 1 spray Rain 254 x 254 mm metal ball joint $\pm 20^\circ$ rotatable connection thread 1/2" GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar	chrome	445.00
	27 271 000 ditto, with non-restricted flow	chrome	445.00
 	27 251 000 Rainshower F-Series 5" Side shower 1 spray Normal spray including concealed body 127 x 127 mm Flow straightener with ball joint ($\pm 12.5^\circ$ rotatable) connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE FlowBalance flow regulating screw SpeedClean anti-lime system suitable for instantaneous heater	chrome	111.00
 	27 253 000 Rainshower F-Series 5" Head shower 1 spray Normal spray wall mounted 127 x 127 mm Flow straightener with ball joint ($\pm 12.5^\circ$ rotatable) connection thread 1/2" with pre-assembled Teflon sealing GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE FlowBalance flow regulating screw SpeedClean anti-lime system	chrome	172.00
 	27 471 000 Rainshower Veris 300 Head shower 1 spray Rain 300 x 150 mm metal ball joint with turning angle $\pm 15^\circ$ connection thread 1/2" GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system	chrome	445.00
	27 470 000 ditto, with non-restricted flow	chrome	445.00
 	27 470 LS0 Rainshower Veris 300 Head shower 1 spray Rain spray plate white 300 x 150 mm metal ball joint with turning angle $\pm 15^\circ$ connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar	moon white/chrome	593.00







GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
 	27 863 000 Rainshower Allure 230 Ceiling shower 1 spray Rain 230 x 230 mm metal connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar	chrome	672.00
 	27 480 000 Rainshower Allure 230 Head shower 1 spray Rain 230 x 230 mm metal ball joint with turning angle $\pm 15^\circ$ connection thread 1/2" GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar	chrome	481.00
	27 479 000 ditto, with non-restricted flow	chrome	481.00
 	28 778 000 Rainshower Cosmopolitan 400 Head shower 1 spray normal (wide) spray starting at 0.5 bar flow pressure Ø 400 mm metal ball joint with turning angle $20^\circ \pm 20^\circ$ connection thread 1/2" GROHE DreamSpray perfect flow GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar this head shower should only be used in conjunction with shower arm 26 146, 28 982 or 28 497	chrome	605.00
 	27 478 000 Rainshower Cosmopolitan 310 Head shower 1 spray Rain Ø 310 mm metal ball joint with turning angle $20^\circ \pm 20^\circ$ connection thread 1/2" GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar	chrome	497.00
	27 477 000 ditto, with non-restricted flow	chrome	497.00

GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
 	28 368 00E	chrome	368.00
	<p>Rainshower Cosmopolitan 210 Head shower 1 spray Rain starting at 0.5 bar flow pressure Ø 210 mm metal with ball joint rotation angle $\pm 15^\circ$ connection thread 1/2" GROHE EcoJoy 5.7 l/min. flow limiter GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar This head shower should only be used in conjunction with shower arm 28 384, 28 497 or 28 576!</p>		
	28 368 000	chrome	368.00
	ditto, with non-restricted flow		
 	28 368 LS0	moon white/chrome	403.00
	<p>Rainshower Cosmopolitan 210 Head shower 1 spray Rain starting at 0.5 bar flow pressure spray plate white Ø 210 mm metal with ball joint rotation angle $\pm 15^\circ$ connection thread 1/2" GROHE DreamSpray perfect flow GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater This head shower should only be used in conjunction with shower arm 28 384, 28 497, 28 576 or 28 724!</p>		
 	28 369 000	chrome	359.00
	<p>Rainshower Rustic 210 Head shower 1 spray normal (wide) spray starting at 0.5 bar flow pressure Ø 212 mm metal ball joint with turning angle $20^\circ \pm 20^\circ$ connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater This head shower should only be used in conjunction with shower arm 28 384, 28 497 or 28 576!</p>		
 	27 974 000	chrome	417.00
	27 974 IGO	chrome/gold	542.00
	<p>Grandera 210 Head shower 1 spray Rain 221 x 221 mm metal with ball joint rotation angle $\pm 15^\circ$ connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar</p>		

GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
 	27 765 000	chrome	147.00
	<p>Power&Soul Cosmopolitan 190 Head shower 4+ sprays GROHE Rain O², Rain, Bokoma Spray, Jet Ø 190 mm GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering spray selection via push of a button GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>		
 	27 764 LS0	moon white/chrome	164.00
	<p>Power&Soul Cosmopolitan 190 Head shower 4+ sprays GROHE Rain O², Rain, Bokoma Spray, Jet Ø 190 mm ball joint with turning angle ± 15° connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE One-click showering spray selection via push of a button GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>		
 	27 767 000	chrome	134.00
	<p>Power&Soul 190 Head shower 4+ sprays GROHE Rain O², Rain, Bokoma Spray, Jet Ø 190 mm ball joint with turning angle ± 15° connection thread 1/2" GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering spray selection via push of a button GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar</p>		

GROHE HEAD AND SIDE SHOWERS

Ref. No.


Colour

Price netto (€)

28 308 000

chrome

198.00



Sena 75

Head shower 1 spray

Normal spray

metal





GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

min. recommended pressure 1.0 bar

GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
	26 456 000	chrome	113.00
	26 456 ENO	brushed nickel	157.00
	Euphoria 260 Head shower 3 sprays Rain, SmartRain, Jet Ø 260 mm ball joint ± 15° rotatable connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		
	26 457 000	chrome	113.00
	26 457 ENO	brushed nickel	157.00
	ditto, with 9.5 l/min flow limiter		
	26 455 000	chrome	113.00
	ditto, with non-restricted flow		
	27 492 000	chrome	131.00
	Euphoria Cosmopolitan 180 Head shower 1 spray Rain Ø 180 mm ball joint ± 15° rotatable connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar		
	28 233 000	chrome	81.00
	Euphoria Cosmopolitan 160 Head shower 1 spray Rain ball joint ± 15° rotatable connection thread 1/2" GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system suitable for instantaneous heater min. recommended pressure 1.0 bar		
	27 705 000	chrome	147.00
	Euphoria Cube 150 Head shower 1 spray Rain 152 x 152 mm ball-joint rotation angle ± 12° connection thread 1/2" GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar		













GROHE HEAD AND SIDE SHOWERS

Ref. No. Colour Price netto (€)













new		Ref. No.	Colour	Price netto (€)
		26 409 000	chrome	77.00
		26 409 ENO	brushed nickel	108.00
	<p data-bbox="803 392 1161 616"> Tempesta 210 Head shower 1 spray Rain Ø 210 mm ball joint ± 15° rotatable connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar </p>		26 410 000	chrome
	26 410 ENO	brushed nickel	108.00	
<p data-bbox="121 763 228 808">new</p> 		<p data-bbox="803 763 1161 1099"> 26 044 001 New Tempesta 100 Head shower 4 sprays GROHE Rain O², Rain, Massage, Jet ball joint ± 15° rotatable connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater max. flow rate 1.75 gpm (6.6 l/min) min. recommended pressure 1.0 bar </p>	chrome	*
<p data-bbox="121 1171 228 1216">new</p> 		<p data-bbox="803 1171 1161 1458"> 26 050 001 New Tempesta 100 Head shower 1 spray Rain ball joint ± 15° rotatable GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar </p>	chrome	39.00
<p data-bbox="121 1473 228 1518">new</p> 		<p data-bbox="803 1473 1161 1783"> 27 591 001 New Tempesta Cosmopolitan 100 Head shower 4 sprays GROHE Rain O², Rain, Massage, Jet ball joint ± 15° rotatable connection thread 1/2" GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar </p>	chrome	*
<p data-bbox="121 1794 228 1839">new</p> 		<p data-bbox="803 1794 1161 2092"> 26 051 001 New Tempesta Cosmopolitan 100 Head shower 1 spray Rain ball joint ± 15° rotatable connection thread 1/2" GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar </p>	chrome	*

SHOWERS

GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
 	26 146 000	chrome	83.00
	Rainshower Shower arm 422 mm metal connection thread 1/2" with round escutcheon, chrome suitable for all Rainshower head showers GROHE StarLight chrome finish		
 	26 146 LS0	moon white/chrome	107.00
	Rainshower Shower arm 422 mm metal connection thread 1/2" with round escutcheon, white suitable for all Rainshower head showers GROHE StarLight chrome finish		
 	28 982 000	chrome	135.00
	Rainshower Shower arm 378 mm metal connection thread 1/2" GROHE StarLight chrome finish suitable for all Rainshower head showers		
 	28 361 000	chrome	98.00
	Rainshower Shower arm, 380 mm metal connection thread 1/2" can be used for all Rainshower head showers except Rainshower Jumbo GROHE StarLight chrome finish with circle escutcheon		
	28 576 000	chrome	78.00
	ditto, projection 286 mm		
 	28 384 000	chrome	172.00
	Rainshower Rustic Shower arm 272 mm metal connection thread 1/2" GROHE StarLight chrome finish		
 	26 145 000	chrome	83.00
	Rainshower Shower arm 422 mm metal connection thread 1/2" with square escutcheon suitable for all Rainshower head showers GROHE StarLight chrome finish		

GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
 	27 488 000	chrome	78.00
	Rainshower Shower arm 275 mm metal connection thread 1/2" with square escutcheon can be used for all Rainshower head showers except Rainshower Jumbo GROHE StarLight chrome finish		
 	27 709 000	chrome	107.00
	Rainshower Shower arm 286 mm metal connection thread 1/2" with square escutcheon and rectangular arm suitable for square Rainshower Allure and Euphoria Cube head shower GROHE StarLight chrome finish		
 	28 497 000	chrome	64.00
	Rainshower Shower arm ceiling 292 mm metal connection thread 1/2" suitable for all Rainshower head showers GROHE StarLight chrome finish		
	28 724 000	chrome	64.00
	28 724 LS0	moon white/chrome	73.00
	ditto, length 142 mm		
 	27 484 000	chrome	63.00
	Rainshower Shower arm ceiling 292 mm metal connection thread 1/2" with square escutcheon suitable for all Rainshower head showers GROHE StarLight chrome finish		
	27 485 000	chrome	54.00
	ditto, length 142 mm		
 	27 711 000	chrome	91.00
	Rainshower Shower arm ceiling 154 mm metal connection thread 1/2" GROHE StarLight chrome finish		
 	27 986 000 27 986 IGO	chrome chrome/gold	95.00 123.00
	Rainshower Grandera Shower arm 285 mm projection 286 mm metal connection thread 1/2" Grandera escutcheon GROHE StarLight chrome finish suitable for all Grandera head showers min. recommended pressure 1.0 bar		

GROHE HEAD AND SIDE SHOWERS

	Ref. No.	Colour	Price netto (€)
 	27 982 000	chrome	84.00
	27 982 IGO	chrome/gold	115.00
<p>Rainshower Grandera Shower arm ceiling 292 mm metal connection thread 1/2" Grandera escutcheon GROHE StarLight chrome finish suitable for all Grandera head showers min. recommended pressure 1.0 bar</p>			
 	27 978 000	chrome	75.00
	27 978 IGO	chrome/gold	91.00
<p>ditto, length 142 mm</p>			
 	27 406 000	chrome	49.00
	<p>Relaxa Shower arm 218 mm connection thread 1/2" projection 218 mm sliding escutcheon GROHE StarLight chrome finish</p>		
 	28 541 000	chrome	82.00
	<p>Relaxa Shower arm 147 mm connection thread 1/2" escutcheon GROHE StarLight chrome finish</p>		
 	28 429 000	chrome	53.00
	<p>Relaxa Shower arm 55 mm connection thread 1/2" GROHE StarLight chrome finish</p>		
	48 348 000	chrome	*
	<p>Spray face for SmartControl and head showers with multiple Bokoma sprays including spray face with / without GROHE Logo including disassembly-key</p>		

GROHE SENA



	Ref. No.	Colour	Price netto (€)
 	28 034 000 Sena Stick Hand shower 1 spray Normal spray metal GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life	chrome	136.00
 	26 465 000 26 465 DC0 Sena Stick Hand shower 1 spray Normal spray metal GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar	chrome supersteel	* *
 	28 348 000 Sena Wall holder set 1 spray metal consisting of: hand shower Sena (28 034 000) wall shower holder (28 690 000) shower hose (28 151 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life min. recommended pressure 1.0 bar	chrome	229.00
 	28 308 000 Sena 75 Head shower 1 spray Normal spray metal GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system min. recommended pressure 1.0 bar	chrome	198.00
 	28 690 000 Sena Wall hand shower holder not adjustable metal GROHE StarLight chrome finish	chrome	106.00

GROHE RAINSHOWER













GROHE RAINSHOWER COSMOPOLITAN

	Ref. No.	Colour	Price netto (€)
 	28 756 000	chrome	119.00
	Rainshower Cosmopolitan 160 Hand shower 4 sprays Rain, Jet, Pure, Champagne spray GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater minimum flow rate 7,5 l/min.		
 	28 755 000	chrome	121.00
	Rainshower Cosmopolitan 130 Hand shower 3 sprays Rain, Jet, Pure GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater minimum flow rate 5 l/min.		
 	28 758 001	chrome	229.00
	Rainshower Cosmopolitan 160 Shower rail set 4 sprays consisting of: hand shower Cosmopolitan (28 756 000) shower rail, 600 mm (28 797 001) with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE StarLight chrome finish GROHE QuickFix (adjustable distance between wall shower holders for adaption to existing drillings) Twistfree to prevent hose from twisting		
	28 763 001	chrome	244.00
	ditto, 900 mm		
 	28 757 001	chrome	215.00
	Rainshower Cosmopolitan 130 Shower rail set 3 sprays consisting of: hand shower Cosmopolitan (28 755 000) shower rail, 600 mm (28 797 001) with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets for adaption to existing drilling holes Twistfree to prevent hose from twisting min. recommended pressure 1.0 bar		
	28 762 001	chrome	244.00
	ditto, 900 mm		

GROHE RAINSHOWER CLASSIC

	Ref. No.	Colour	Price netto (€)
 	28 765 000	chrome	111.00
	Rainshower Classic 160 Hand shower 4 sprays Rain, Jet, Pure, Champagne spray GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater minimum flow rate 7,5 l/min.		
 	28 764 000	chrome	97.00
	Rainshower Classic 130 Hand shower 3 sprays Rain, Jet, Pure GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater minimum flow rate 5 l/min. min. recommended pressure 1.0 bar		
 	28 768 001	chrome	204.00
	Rainshower Classic 160 Shower rail set 4 sprays consisting of: hand shower Classic (28 765 000) shower rail, 600 mm (28 797 001) with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets for adaption to existing drilling holes Twistfree to prevent hose from twisting min. recommended pressure 1.0 bar		
	28 770 001	chrome	221.00
	ditto, 900 mm		
 	28 767 001	chrome	201.00
	Rainshower Classic 130 Shower rail set 3 sprays consisting of: hand shower Classic (28 764 000) shower rail, 600 mm (28 797 001) with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE StarLight chrome finish Twistfree to prevent hose from twisting GROHE QuickFix Plus adjustable distance between brackets for adaption to existing drilling holes min. recommended pressure 1.0 bar		
	28 769 001	chrome	219.00
	ditto, 900 mm		

GROHE RAINSHOWER ICON

	Ref. No.	Colour	Price netto (€)
	27 276 000	chrome	82.00
	27 276 LSO	moon white	82.00
	Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain eco function (reduction of flow rate) GROHE EcoJoy technology for less water and perfect flow metal elbow adapter for the combination of hand showers with shower hoses GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater		
	27 443 000	red	90.00
		Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses GROHE EcoJoy technology for less water and perfect flow GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater	
	27 444 000	orange	90.00
		Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses GROHE EcoJoy technology for less water and perfect flow GROHE CoolTouch GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater	
	27 446 000	yellow	90.00
		Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses GROHE EcoJoy technology for less water and perfect flow GROHE CoolTouch GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater	
	27 447 000	pink	90.00
		Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses GROHE EcoJoy technology for less water and perfect flow GROHE CoolTouch GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater	


GROHE RAINSHOWER ICON

Ref. No. Colour Price netto (€)

		<p>27 448 000 purple 90.00</p> <p>Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses GROHE EcoJoy technology for less water and perfect flow GROHE CoolTouch GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater</p>
		<p>27 449 000 blue 90.00</p> <p>Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses GROHE EcoJoy technology for less water and perfect flow GROHE CoolTouch GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater</p>
		<p>27 628 000 chrome/natural sandstone 90.00</p> <p>Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses GROHE EcoJoy technology for less water and perfect flow GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater</p>
		<p>27 630 000 chrome/limestone 90.00</p> <p>Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses GROHE EcoJoy technology for less water and perfect flow GROHE CoolTouch GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater</p>
		<p>27 633 000 chrome/fired clay 90.00</p> <p>Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses GROHE EcoJoy technology for less water and perfect flow GROHE CoolTouch GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater</p>


GROHE RAINSHOWER ICON

Ref. No. Colour Price netto (€)




27 635 000 chrome/sheer marble 90.00

Rainshower Icon 150
Hand shower 2 sprays
Rain, SmartRain
eco function (reduction of flow rate)
metal elbow adapter for the combination of hand showers with shower hoses
GROHE EcoJoy technology for less water and perfect flow
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
universal mounting system, fitting all standard shower hoses
suitable for instantaneous heater




27 637 000 chrome/misty slate 90.00

Rainshower Icon 150
Hand shower 2 sprays
Rain, SmartRain
eco function (reduction of flow rate)
metal elbow adapter for the combination of hand showers with shower hoses
GROHE EcoJoy technology for less water and perfect flow
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
universal mounting system, fitting all standard shower hoses
suitable for instantaneous heater




27 639 000 chrome/frosted granite 90.00

Rainshower Icon 150
Hand shower 2 sprays
Rain, SmartRain
eco function (reduction of flow rate)
metal elbow adapter for the combination of hand showers with shower hoses
GROHE EcoJoy technology for less water and perfect flow
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
universal mounting system, fitting all standard shower hoses
suitable for instantaneous heater



27 375 000 chrome 63.00

Rainshower Icon 100
Hand shower 1 spray
Rain
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater



26 115 DU0 purple 78.00
26 115 DP0 pink 78.00
26 115 YF0 yellow 78.00
26 115 TY0 blue 78.00

Rainshower Icon 100
Hand shower 1 spray
Rain
Ø 100 mm
with white rubber flower
elbow adapter for the combination of hand showers with shower sets
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar


26 115 YR0 orange 78.00
26 115 DG0 red 78.00
ditto, with yellow rubber flower

GROHE RAINSHOWER ICON

Ref. No.

Colour

Price netto (€)



27 277 001

chrome

201.00


**Rainshower Icon 150
Shower rail set 2 sprays**

consisting of:

hand shower Icon 150 (27 276 000)
shower rail, 900 mm (28 819)
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
elbow adapter for the combination of
hand showers with shower sets

GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets
for adaption to existing drilling holes

SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater



27 378 000

chrome

168.00

**Rainshower Icon 100
Shower rail set 1 spray**

consisting of:

hand shower Icon 100 (27 377 000)
shower rail, 600 mm (28 797 001)
Silverflex shower hose 1750 mm (28 388 000)
elbow adapter for the combination of
hand showers with shower sets

GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets
for adaption to existing drilling holes


SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater

27 379 000

chrome

181.00

ditto, 900 mm



27 529 000

chrome

168.00


**Rainshower Icon 100
Shower rail set 1 spray**

consisting of:

Hand shower Icon 100 (27 375 000)
shower rail, 600 mm (28 797 001)
Silverflex shower hose 1750 mm (28 388 000)
elbow adapter for the combination of
hand showers with shower sets

GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets
for adaption to existing drilling holes

SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater



27 383 000

chrome

98.00

**Rainshower Icon 100
Wall holder set 1 spray**


consisting of:

hand shower Icon 100 (27 377 000)
wall shower holder (27 056 000)
Silverflex shower hose 1 250 mm (28 362)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater


GROHE RAINSHOWER SOLO

Ref. No. Colour Price netto (€)




27 272 000 chrome 112.00

Rainshower Solo 150
Hand shower 2 sprays
 eco function (reduction of flow rate)
 elbow adapter for the combination of hand showers with shower sets
GROHE EcoJoy technology for less water and perfect flow
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
 suitable for instantaneous heater



27 376 000 chrome 63.00

Rainshower Solo 100
Hand shower 1 spray
 Rain
 elbow adapter for the combination of hand showers with shower sets
GROHE EcoJoy 9,5 l/min flow limiter
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar



27 273 001 chrome 241.00


Rainshower Solo 150
Shower rail set 2 sprays
 consisting of:
 hand shower Solo (27 272)
 shower rail, 900 mm (28 819)
 with wall holders made of metal
 Silverflex shower hose 1750 mm (28 388 000)
 elbow adapter for the combination of hand showers with shower sets
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets for adaption to existing drilling holes
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
 suitable for instantaneous heater

GROHE RAINSHOWER ECO

Ref. No.

Colour

Price netto (€)



27 274 000

chrome

112.00

Rainshower Eco 120
Hand shower 2 sprays

Rain, SmartRain

eco function (reduction of flow rate)
elbow adapter for the combination of
hand showers with shower sets

GROHE StarLight chrome finish

GROHE DreamSpray perfect spray pattern

SpeedClean anti-lime system











Inner WaterGuide for a longer life

suitable for instantaneous heater

min. recommended pressure 1.0 bar


GROHE POWER&SOUL



	Ref. No.	Colour	Price netto (€)
 	27 668 000	chrome	126.00
<p>Power&Soul Cosmopolitan 160 Hand shower 4+ sprays GROHE Rain O², Rain, Bokoma Spray, Jet GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering spray selection via push of a button GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater</p>			
 	27 664 000	chrome	117.00
<p>Power&Soul Cosmopolitan 130 Hand shower 4+ sprays GROHE Rain O², Rain, Bokoma Spray, Jet GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering spray selection via push of a button GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater</p>			
 	27 663 LSO	moon white/chrome	126.00
<p>Power&Soul Cosmopolitan 130 Hand shower 4+ sprays GROHE Rain O², Rain, Bokoma Spray, Jet GROHE DreamSpray perfect spray pattern GROHE One-click showering spray selection via push of a button GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses min. recommended pressure 1.0 bar</p>			
 	27 661 000	chrome	103.00
<p>Power&Soul Cosmopolitan 115 Hand shower 2 sprays GROHE Rain O², Rain GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering spray selection via push of a button GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater</p>			
 	27 744 000	chrome	224.00
<p>Power&Soul Cosmopolitan 160 Shower rail set 4+ sprays consisting of: Hand shower Power&Soul Cosmopolitan 160 (27 668 000) shower rail, 600 mm (27 784 000) with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets for adaption to existing drilling holes SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			
	27 746 000	chrome	229.00
<p>ditto, 900 mm</p>			

GROHE POWER&SOUL

Ref. No. Colour Price netto (€)




27 732 000 chrome 202.00

**Power&Soul Cosmopolitan 130
Shower rail set 4+ sprays**

consisting of:
Hand shower Power&Soul Cosmopolitan 130 (27 664 000)
shower rail, 600 mm (27 784 000)
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets
for adaption to existing drilling holes
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar

27 734 000 chrome 208.00
ditto, 900 mm




27 753 000 chrome 191.00

**Power&Soul Cosmopolitan 115
Shower rail set 2 sprays**

consisting of:
Hand shower Power&Soul Cosmopolitan 115 (27 661 000)
shower rail, 600 mm (27 784 000)
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets
for adaption to existing drilling holes
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar


27 755 000 chrome 190.00
ditto, 900 mm



27 741 000 chrome 155.00

**Power&Soul Cosmopolitan 130
Wall holder set 4+ sprays**

consisting of:
Hand shower Power&Soul Cosmopolitan 130 (27 664 000)
wall shower holder, adjustable (27 055 000)
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar



26 174 000 chrome 174.00
26 174 LSO moon white/chrome 193.00

**Power&Soul Cosmopolitan
Wall holder set 4+ sprays**

consisting of:
Hand shower Power&Soul Cosmopolitan 130 (27 664 000)
wall shower holder (27 074)
shower hose metal 1500 mm (28 143)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar


SHOWERS

GROHE POWER&SOUL

Ref. No.

Colour

Price netto (€)



27 838 000

chrome

126.00

Power&Soul Cosmopolitan 115
Wall holder set 2 sprays

consisting of:

Hand shower Power&Soul Cosmopolitan 115 (27 661 000)

wall shower holder (27 056 000)

Silverflex shower hose 1 250 mm (28 362)

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system


Inner WaterGuide for a longer life

Twistfree to prevent hose from twisting

suitable for instantaneous heater


GROHE POWER&SOUL

	Ref. No.	Colour	Price netto (€)
 	27 675 000	chrome	106.00
<p>Power&Soul 160 Hand shower 4+ sprays GROHE Rain O², Rain, Bokoma Spray, Jet GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering spray selection via push of a button GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater</p>			
 	27 673 000	chrome	91.00
<p>Power&Soul 130 Hand shower 4+ sprays, spray plate night time grey GROHE Rain O², Rain, Bokoma Spray, Jet GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering spray selection via push of a button GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			
 	27 673 LSO	moon white	80.00
<p>Power&Soul 130 Hand shower 4+ sprays, spray plate white GROHE Rain O², Rain, Bokoma Spray, Jet GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering spray selection via push of a button GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			
 	27 672 PV0 27 672 DR0 27 672 HF0 27 672 TN0 27 672 XH0 27 672 MW0	chrome/natural sandstone chrome/limestone chrome/fired clay chrome/misty slate chrome/frosted granite chrome/sheer marble	100.00 100.00 100.00 100.00 100.00 100.00
<p>Power&Soul 130 Hand shower 4+ sprays GROHE Rain O², Rain, Bokoma Spray, Jet GROHE DreamSpray perfect spray pattern GROHE One-click showering spray selection via push of a button GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			
 	27 962 000	chrome	108.00
<p>Power&Soul 130 Hand shower 4+ sprays GROHE Rain O², Rain, Bokoma Spray, Jet consisting of: Hand shower Power&Soul 130 (27 673 000) travellers kit GROHE DreamSpray perfect spray pattern GROHE One-Click Showering spray selection with one click GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater</p>			




27 671 000 **chrome** **81.00**

Power&Soul 115
Hand shower 2 sprays, spray plate night time grey
 GROHE Rain O², Rain
 GROHE EcoJoy 9,5 l/min flow limiter
 GROHE DreamSpray perfect spray pattern
 GROHE One-click showering
 spray selection via push of a button
 GROHE StarLight chrome finish
 SpeedClean anti-lime system
 Inner WaterGuide for a longer life
 universal mounting system, fitting all standard shower hoses
 suitable for instantaneous heater



27 671 L50 **moon white** **71.00**


Power&Soul 115
Hand shower 2 sprays, spray plate white
 GROHE Rain O², Rain
 GROHE EcoJoy 9,5 l/min flow limiter
 GROHE DreamSpray perfect spray pattern
 GROHE One-click showering
 spray selection via push of a button
 GROHE StarLight chrome finish
 SpeedClean anti-lime system
 Inner WaterGuide for a longer life
 universal mounting system, fitting all standard shower hoses
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar



27 748 000 **chrome** **204.00**

Power&Soul 160
Shower rail set 4+ sprays
 consisting of:
 Hand shower Power&Soul 160 (27 675 000)
 shower rail, 600 mm (27 784 000)
 with wall holders made of metal
 Silverflex shower hose 1750 mm (28 388 000)
 GROHE EcoJoy 9,5 l/min flow limiter
 GROHE CoolTouch
 GROHE DreamSpray perfect spray pattern
 GROHE StarLight chrome finish
 GROHE QuickFix Plus adjustable distance between brackets
 for adaption to existing drilling holes
 SpeedClean anti-lime system
 Inner WaterGuide for a longer life
 Twistfree to prevent hose from twisting
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar

27 750 000 **chrome** **209.00**
 ditto, 900 mm




27 736 000 **chrome** **194.00**

Power&Soul 130
Shower rail set 4+ sprays
 consisting of:
 Hand shower Power&Soul 130 (27 673 000)
 shower rail, 600 mm (27 784 000)
 with wall holders made of metal
 Silverflex shower hose 1750 mm (28 388 000)
 GROHE EcoJoy 9,5 l/min flow limiter
 GROHE DreamSpray perfect spray pattern
 GROHE StarLight chrome finish
 GROHE QuickFix Plus adjustable distance between brackets
 for adaption to existing drilling holes
 SpeedClean anti-lime system
 Inner WaterGuide for a longer life
 Twistfree to prevent hose from twisting
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar

27 738 000 **chrome** **194.00**
 ditto, 900 mm

GROHE POWER&SOUL


Ref. No. Colour Price netto (€)



27 757 000 chrome 174.00


Power&Soul 115
Shower rail set 2 sprays
consisting of:
Hand shower Power&Soul 115 (27 671 000)
shower rail, 600 mm (27 784 000)
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets
for adaption to existing drilling holes
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar

27 759 000 chrome 182.00
ditto, 900 mm




27 742 000 chrome 132.00

Power&Soul 130
Wall holder set 4+ sprays
consisting of:
Hand shower Power&Soul 130 (27 673 000)
wall shower holder, adjustable (27 055 000)
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar



27 839 000 chrome 106.00

Power&Soul 115
Wall holder set 2 sprays
consisting of:
Hand shower Power&Soul 115 (27 671 000)
wall shower holder (27 056 000)
Silverflex shower hose 1 250 mm (28 362)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
suitable for instantaneous heater
min. recommended pressure 1.0 bar



27 785 000 chrome 106.00

Power&Soul
Shower rail, 900 mm
with wall holders made of metal
glide element and swivel holder
GROHE QuickFix (adjustable distance between
wall shower holders for adaption to existing drillings)
GROHE StarLight chrome finish

27 784 000 chrome 100.00
ditto, 600 mm

SHOWERS

GROHE MOVARIO




GROHE MOVARIO

Ref. No.

Colour

Price netto (€)



28 393 000

chrome

164.00

Movario 100 Five

Hand shower 5 sprays

Normal, Jet, Rain, Massage,
Champagne spray

Rotahead adjustable shower head system

GROHE EcoJoy 9,5 l/min flow limiter

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

suitable for instantaneous heater


minimum flow rate 7,5 l/min.

GROHE EUPHORIA



GROHE EUPHORIA


	Ref. No.	Colour	Price netto (€)
 	27 222 000	chrome	58.00
Euphoria 110 Champagne Hand shower 3 sprays Rain, Champagne spray, SmartRain GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar			
 	27 239 000 27 239 LSO	chrome moon white	62.00 62.00
Euphoria 110 Massage Hand shower 3 sprays Rain, Massage, SmartRain GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar			
	27 221 000	chrome	58.00
ditto, with non-restricted flow			
 	27 238 000	chrome	45.00
Euphoria 110 Duo Hand shower 2 sprays Rain, SmartRain GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar			
	27 220 000	chrome	41.00
ditto, with non-restricted flow			
 	27 265 00E	chrome	30.00
Euphoria 110 Mono Hand shower 1 spray Rain GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar			
	27 265 000	chrome	30.00
ditto, with hand shower Mono			



27 232 001 **chrome** 109.00

**Euphoria 110 Champagne
Shower rail set 3 sprays**


consisting of:
 hand shower Champagne (27 222 000)
 shower rail, 600 mm (27 499 000)
 Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596)
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix (upper bracket adjustable for adaption to existing drilling holes)
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar



27 243 001 **chrome** 107.00
 27 243 LS1 **moon white** 107.00

**Euphoria 110 Massage
Shower rail set 3 sprays**


consisting of:
 hand shower Massage (27 239 000)
 shower rail, 600 mm (27 499 000)
 Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE StarLight chrome finish
GROHE QuickFix (upper bracket adjustable for adaption to existing drilling holes)
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar



27 231 001 **chrome** 107.00

**Euphoria 110 Massage
Shower rail set 3 sprays**


consisting of:
 hand shower Massage (27 221 000)
 shower rail, 600 mm (27 499 000)
 Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596)
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE StarLight chrome finish
GROHE QuickFix (upper bracket adjustable for adaption to existing drilling holes)
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar



27 242 001 **chrome** 89.00

**Euphoria 110 Duo
Shower rail set 2 sprays**
consisting of:
hand shower Euphoria 110 Duo (27 238)
shower rail, 600 mm (27 499 000)
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE StarLight chrome finish
GROHE QuickFix (upper bracket adjustable for adaption to existing drilling holes)
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting suitable for instantaneous heater
min. recommended pressure 1.0 bar


27 230 001 **chrome** 89.00
ditto, with non-restricted flow



27 266 00E **chrome** 86.00

**Euphoria 110 Mono
Shower rail set 1 spray**
consisting of:
hand shower Euphoria 110 (27 265 00E), 1 spray, 5.7 l/min
shower rail, 600 mm (27 499 000)
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix (upper bracket adjustable for adaption to existing drilling holes)
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting suitable for instantaneous heater
min. recommended pressure 1.0 bar

27 266 001 **chrome** 85.00
ditto, with hand shower Mono




27 227 001 **chrome** 111.00

**Euphoria 110 Champagne
Shower rail set 3 sprays**
consisting of:
hand shower Champagne (27 222 000)
shower rail 900 mm (27 500 000)
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596)
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE StarLight chrome finish
GROHE QuickFix (upper bracket adjustable for adaption to existing drilling holes)
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting suitable for instantaneous heater
min. recommended pressure 1.0 bar

GROHE EUPHORIA


Ref. No. Colour Price netto (€)



27 226 001	chrome	111.00
27 226 DC1	supersteel	169.00
27 226 BE1	polished nickel	129.00
27 226 EN1	brushed nickel	129.00
27 226 GL1	cool sunrise	129.00
27 226 GN1	brushed cool sunrise	129.00
27 226 DA1	warm sunset	129.00
27 226 DL1	brushed warm sunset	129.00
27 226 A01	hard graphite	129.00
27 226 AL1	brushed hard graphite	129.00

Euphoria 110 Massage Shower rail set 3 sprays


consisting of:
 hand shower Massage (27 221 000)
 shower rail 900 mm (27 500 000)
 Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE QuickFix (upper bracket adjustable for adaption to existing drilling holes)
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar



27 225 001	chrome	102.00
------------	--------	--------

Euphoria 110 Duo Shower rail set 2 sprays

consisting of:
 hand shower Duo (27 220 000)
 Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596)
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE StarLight chrome finish
GROHE QuickFix (upper bracket adjustable for adaption to existing drilling holes)
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar











27 267 001	chrome	90.00
------------	--------	-------

Euphoria 110 Mono Shower rail set 1 spray

consisting of:
 hand shower Mono (27 265 000)
 Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix (upper bracket adjustable for adaption to existing drilling holes)
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar

GROHE EUPHORIA

	Ref. No.	Colour	Price netto (€)
 	27 355 000	chrome	97.00
<p>Euphoria 110 Champagne Wall holder set 3 sprays consisting of: hand shower Champagne (27 222 000) Wall shower holder 28 401 Silverflex shower hose 1750 mm (28 388 000) GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			
 	27 354 000	chrome	53.00
<p>Euphoria 110 Mono Wall holder set 1 spray consisting of: hand shower Mono (27 265 000) wall shower holder (27 056 000) Silverflex shower hose 1 250 mm (28 362) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			
<div style="background-color: #0070C0; color: white; padding: 2px 5px; display: inline-block;">new</div>  	26 459 000	chrome	186.00
<p>Euphoria 260 Head shower set 380 mm, 3 sprays consisting of: head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet Shower arm Rainshower 380 mm (28 361 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			
<p>26 458 000 ditto, with non-restricted flow chrome 186.00</p>			
<div style="background-color: #0070C0; color: white; padding: 2px 5px; display: inline-block;">new</div>  	26 461 000	chrome	148.00
<p>Euphoria 260 Head shower set ceiling 142 mm, 3 sprays consisting of: head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet shower arm Rainshower ceiling 142 mm (28 724 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>			
<p>26 460 000 ditto, with non-restricted flow chrome 148.00</p>			

GROHE EUPHORIA

Ref. No. Colour Price netto (€)

new




26 456 000 chrome 113.00
26 456 EN0 brushed nickel 157.00

Euphoria 260
Head shower 3 sprays
Rain, SmartRain, Jet
Ø 260 mm
ball joint ± 15° rotatable
connection thread 1/2"
GROHE EcoJoy 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar


26 457 000 chrome 113.00
26 457 EN0 brushed nickel 157.00
ditto, with 9.5 l/min flow limiter

26 455 000 chrome 113.00
ditto, with non-restricted flow




27 499 000 chrome 47.00

Euphoria
Shower rail, 600 mm
with wall holders, glide element and swivel holder
GROHE QuickFix (upper bracket adjustable
for adaption to existing drilling holes)
GROHE StarLight chrome finish



48 051 000 chrome 6.30

Compensation disc
for New Tempesta shower rails 27 519 / 27 520 /
27 521 / 27 522 / 27 523 / 27 524
for Euphoria shower rails 27 499 / 27 500




27 596 000 chrome 6.30

GROHE EasyReach tray
Acrylic
for New Tempesta and Euphoria
shower rails Ø 22 mm

SHOWERS


GROHE EUPHORIA

Ref. No.	Colour	Price netto (€)
27 400 000	chrome	48.00
27 400 DC0	supersteel	64.00
27 400 BE0	polished nickel	58.00
27 400 GL0	cool sunrise	58.00
27 400 GN0	brushed cool sunrise	58.00
27 400 DA0	warm sunset	58.00
27 400 DL0	brushed warm sunset	58.00
27 400 A00	hard graphite	58.00
27 400 AL0	brushed hard graphite	58.00




Euphoria Cosmopolitan Stick
Hand shower 1 spray
 Normal spray
GROHE EcoJoy 9,5 l/min flow limiter
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
 universal mounting system, fitting all standard shower hoses
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar

27 367 000	chrome	48.00
ditto, with non-restricted flow		




27 368 000	chrome	168.00
------------	--------	--------

Euphoria Cosmopolitan Stick
Shower rail set 1 spray
 consisting of:
 hand shower 27 400 000
 shower rail, 900 mm
 with wall holders made of metal
 Silverflex shower hose 1750 mm (28 388 000)
 soap dish (27 206 000)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets
 for adaption to existing drilling holes
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar



26 404 000	chrome	64.00
------------	--------	-------

Euphoria Cosmopolitan Stick
Wall holder set 1 spray
 with integrated wall union 1/2"
 consisting of:
 hand shower 27 400 000
 shower outlet elbow 1/2" with
 wall shower holder (28 679)
 male thread
 protected against backflow
 Silverflex shower hose 1.500 mm (28 364)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
 suitable for instantaneous heater
 min. recommended pressure 1.0 bar



27 369 000	chrome	77.00
------------	--------	-------

Euphoria Cosmopolitan Stick
Wall holder set 1 spray
 consisting of:
 hand shower 27 400 000
 wall shower holder (27 056 000)
 Silverflex shower hose 1.500 mm (28 364)
GROHE EcoJoy 9,5 l/min flow limiter
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
Twistfree to prevent hose from twisting
 suitable for instantaneous heater
 min. recommended pressure 0.5 bar

GROHE EUPHORIA

Ref. No.


Colour

Price netto (€)

28 233 000

chrome

81.00



Euphoria Cosmopolitan 160
Head shower 1 spray

Rain

ball joint $\pm 15^\circ$ rotatable

connection thread 1/2"

GROHE EcoJoy 9,5 l/min flow limiter









GROHE DreamSpray perfect spray pattern









GROHE StarLight chrome finish

SpeedClean anti-lime system

suitable for instantaneous heater

min. recommended pressure 1.0 bar

	Ref. No.	Colour	Price netto (€)
 	27 888 000	chrome	90.00
	Euphoria Cube+ Stick Hand shower 1 spray Normal spray metal GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar		
	27 884 001	chrome	90.00
	ditto, with non-restricted flow		
 	27 891 000	chrome	238.00
	Euphoria Cube+ Stick Shower rail set 1 spray consisting of: hand shower, metal (27 888 000) shower rail 600 mm (27 892 000) metal shower hose 1750 mm (28 025 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	27 890 000	chrome	246.00
	Euphoria Cube+ Stick Shower rail set 1 spray consisting of: hand shower, metal (27 888 000) shower rail 900 mm (27 841 000) metal shower hose 1750 mm (28 025 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar		
 	27 889 000	chrome	124.00
	Euphoria Cube+ Stick Wall holder set 1 spray consisting of: hand shower, metal (27 888 000) wall shower holder (27 706 000) metal shower hose 1500 mm (28 417) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar		

		<p>27 699 000</p> <p>Euphoria Cube Stick Hand shower 1 spray Normal spray GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	<p>chrome 46.00</p>
		<p>27 698 000 ditto, with non-restricted flow</p>	<p>chrome 46.00</p>
		<p>27 936 000</p> <p>Euphoria Cube Shower set consisting of: hand shower (27 698 000) shower rail 600 mm (27 892 000) Silverflex shower hose 1750 mm (28 388 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	<p>chrome 203.00</p>
		<p>27 700 000</p> <p>Euphoria Cube Stick Shower rail set 1 spray consisting of: hand shower (27 698 000) shower rail 900 mm (27 841 000) Silverflex shower hose 1750 mm (28 388 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	<p>chrome 213.00</p>
		<p>26 405 000</p> <p>Euphoria Cube Stick Wall holder set 1 spray with integrated wall union 1/2" consisting of: hand shower (27 699 000) shower outlet elbow 1/2" with wall shower holder (26 370 000) male thread protected against backflow Silverflex shower hose 1 250 mm (28 362) GROHE EcoJoy 9,5 l/min flow limiter GROHE StarLight chrome finish GROHE DreamSpray perfect spray pattern SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	<p>chrome 83.00</p>

Ref. No. Colour Price netto (€)

		<p>27 703 000 chrome 82.00</p> <p>Euphoria Cube Stick Wall holder set 1 spray consisting of: hand shower (27 699 000) wall shower holder (27 693 000) Silverflex shower hose 1 250 mm (28 362) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar</p>
		<p>27 702 000 chrome 82.00 ditto, with non-restricted flow</p>
		<p>27 892 000 chrome 187.00</p> <p>Euphoria Cube Shower rail, 600 mm with wall holders, glide element and swivel holder GROHE StarLight chrome finish</p>
		<p>27 841 000 chrome 197.00 ditto, 900mm</p>
		<p>27 845 000 chrome 1.10</p> <p>Euphoria Cube Compensation disc for Euphoria Cube shower bars 27 892 000 / 27 841 000</p>


GROHE NEW TEMPESTA



GROHE NEW TEMPESTA

Ref. No. Colour Price netto (€)

new



27 575 002

chrome

*

**New Tempesta Cosmopolitan 100
Hand shower 4 sprays**

GROHE Rain O², Rain, Massage, Jet

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

universal mounting system, fitting all standard shower hoses

suitable for instantaneous heater

min. recommended pressure 1.0 bar


27 573 002

chrome

*

ditto, with non-restricted flow

new



27 574 002

chrome

*

**New Tempesta Cosmopolitan 100
Hand shower 3 sprays**

GROHE Rain O², Rain, Massage

GROHE EcoJoy 9,5 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

universal mounting system, fitting all standard shower hoses

suitable for instantaneous heater

min. recommended pressure 1.0 bar


27 572 002

chrome

*

ditto, with non-restricted flow

new



27 571 20E

chrome

23.00

**New Tempesta Cosmopolitan 100
Hand shower 2 sprays**

Rain, Jet

GROHE EcoJoy 5.7 l/min. flow limiter

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

universal mounting system, fitting all standard shower hoses

suitable for instantaneous heater

min. recommended pressure 1.0 bar

26 046 002

chrome

*

ditto, with 6.6 l/min flow limiter


27 571 002

chrome

*

ditto, with non-restricted flow

new



26 082 002

chrome

18.00

**New Tempesta Cosmopolitan 100
Hand shower 1 spray**

Rain

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

suitable for instantaneous heater

universal mounting system, fitting all standard shower hoses

min. recommended pressure 1.0 bar









GROHE NEW TEMPESTA

Ref. No.

Colour

Price netto (€)

SHOWERS

<p>new</p> 		<p>27 577 002</p> <p>chrome</p> <p>New Tempesta Cosmopolitan 100 Shower rail set 4 sprays consisting of: hand shower (27 575) shower rail, 600 mm (27 521) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EasyReach tray (27 596) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	<p>*</p>
<p>new</p> 		<p>27 576 002</p> <p>chrome</p> <p>New Tempesta Cosmopolitan 100 Shower set 3 sprays consisting of: hand shower (27 574) shower rail, 600 mm Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EasyReach tray (27 596) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p> <p>27 929 002 ditto, with non-restricted flow</p>	<p>*</p>
<p>new</p> 		<p>27 928 002</p> <p>chrome</p> <p>New Tempesta Cosmopolitan 100 Shower rail set 2 sprays consisting of: hand shower (27 571) shower rail, 600 mm (27 521) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EasyReach tray (27 596) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	<p>*</p>
<p>new</p> 		<p>26 083 002</p> <p>chrome</p> <p>New Tempesta Cosmopolitan 100 Shower rail set 1 spray consisting of: hand shower (26 082) shower rail, 600 mm (27 521) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EasyReach tray (27 596) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	<p>*</p>





GROHE NEW TEMPESTA

Ref. No. Colour Price netto (€)

new			<p>27 580 002 chrome *</p> <p>New Tempesta Cosmopolitan 100 Shower rail set 4 sprays consisting of: hand shower New Tempesta Cosmopolitan 100 (27 575) shower rail, 600 mm (27 521) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>
			<p>27 787 002 chrome *</p> <p>ditto, with non-restricted flow</p>
new			<p>27 579 002 chrome *</p> <p>New Tempesta Cosmopolitan 100 Shower rail set 3 sprays consisting of: hand shower (27 574) shower rail, 600 mm (27 521) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>
			<p>27 786 002 chrome *</p> <p>ditto, with non-restricted flow</p>
new			<p>27 578 20E chrome *</p> <p>New Tempesta Cosmopolitan 100 Shower rail set 2 sprays consisting of: hand shower Tempesta Cosmopolitan 100 (27 571 20E) shower rail, 600 mm (27 521) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>
			<p>26 076 002 chrome *</p> <p>ditto, with 6.6 l/min flow limiter</p>
			<p>27 578 002 chrome *</p> <p>ditto, with non-restricted flow</p>
new			<p>27 790 002 chrome *</p> <p>New Tempesta Cosmopolitan 100 Shower rail set 4 sprays consisting of: hand shower (27 573) shower rail, 900 mm (27 522) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>

GROHE NEW TEMPESTA

Ref. No. Colour Price netto (€)

new		<p>27 789 002 chrome 63.00</p> <p>New Tempesta Cosmopolitan 100 Shower rail set 3 sprays consisting of: hand shower (27 572) shower rail, 900 mm (27 522) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>
new		<p>27 788 002 chrome *</p> <p>New Tempesta Cosmopolitan 100 Shower rail set 2 sprays consisting of: hand shower (27 571) shower rail, 900 mm (27 522) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>
new		<p>27 584 002 chrome *</p> <p>New Tempesta Cosmopolitan 100 Shower set 3 sprays consisting of: hand shower (27 574) wall shower holder adjustable (27 595) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>
new		<p>27 588 002 chrome *</p> <p>New Tempesta Cosmopolitan 100 Wall holder set 3 sprays consisting of: hand shower (27 574) wall shower holder non-adjustable (27 594) Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151) GROHE EcoJoy 9,5 l/min flow limiter GROHE StarLight chrome finish GROHE DreamSpray perfect spray pattern SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>


GROHE NEW TEMPESTA

Ref. No.

Colour

Price netto (€)

new



26 084 002


chrome

*

**New Tempesta Cosmopolitan 100
Wall holder set 1 spray**

consisting of:
hand shower (26 082)
wall shower holder non-adjustable (27 594)
Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151)
GROHE StarLight chrome finish
GROHE DreamSpray perfect spray pattern
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar

new



27 869 001

chrome

*

**New Tempesta Cosmopolitan 100
Head shower 4 sprays**

GROHE Rain O², Rain, Massage, Jet
ball joint ± 15° rotatable
Shower arm with connection thread 1/2"
escutcheon
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar

new



26 090 001


chrome

*

**New Tempesta Cosmopolitan 100
Head shower set 3 sprays**

GROHE Rain O², Rain, Massage
ball joint ± 15° rotatable
Shower arm with connection thread 1/2"
escutcheon
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar

new



27 591 001

chrome

*

**New Tempesta Cosmopolitan 100
Head shower 4 sprays**

GROHE Rain O², Rain, Massage, Jet
ball joint ± 15° rotatable
connection thread 1/2"
GROHE EcoJoy 9,5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar

new



26 051 001

chrome

*

**New Tempesta Cosmopolitan 100
Head shower 1 spray**

Rain
ball joint ± 15° rotatable
connection thread 1/2"
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-lime system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.0 bar

GROHE NEW TEMPESTA

Ref. No.


Colour

Price netto (€)

27 851 000

chrome

41.00




**New Tempesta
Shower arm 400 mm**
metal
projection 400 mm
connection thread 1/2"

27 559 000

chrome









36.00



**New Tempesta
Shower arm ceiling 186 mm**
metal
length 186 mm
connection thread 1/2"





SHOWERS

GROHE NEW TEMPESTA

	Ref. No.	Colour	Price netto (€)
new	28 421 002	chrome	*
		New Tempesta 100 Hand shower 4 sprays GROHE Rain O ² , Rain, Massage, Jet GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling universal mounting system, fitting all standard shower hoses suitable for instantaneous heater	
	28 578 002	chrome	34.00
	ditto, with non-restricted flow		
new	28 419 002	chrome	*
		New Tempesta 100 Hand shower 3 sprays GROHE Rain O ² , Rain, Massage GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling universal mounting system, fitting all standard shower hoses suitable for instantaneous heater	
	28 261 002	chrome	*
	ditto, with non-restricted flow		
new	27 597 10E	chrome	*
		New Tempesta 100 Hand shower 2 sprays Rain, Jet GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar	
	26 161 001	chrome	21.00
	ditto, with 9.5 l/min flow limiter		
	27 597 001	chrome	21.00
	ditto, with non-restricted flow		
new	27 923 001	chrome	16.50
		New Tempesta 100 Hand shower 1 spray Rain GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling universal mounting system, fitting all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar	
	27 852 001	chrome	18.50
	ditto, with non-restricted flow		

GROHE NEW TEMPESTA

Ref. No. Colour Price netto (€)

new		<p>28 436 002 chrome *</p> <p>New Tempesta 100 Shower rail set 4 sprays consisting of: hand shower (28 421) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EasyReach tray (27 596) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	<p>28 593 002 chrome *</p> <p>ditto, with non-restricted flow</p>
new		<p>27 600 001 chrome *</p> <p>New Tempesta 100 Shower rail set 3 sprays consisting of: hand shower (28 419) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EasyReach tray (27 596) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	<p>27 927 001 chrome *</p> <p>ditto, with non-restricted flow</p>
new		<p>27 926 001 chrome *</p> <p>New Tempesta 100 Shower rail set 2 sprays consisting of: hand shower Tempesta 100 (27 597 10E) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EasyReach tray (27 596) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	
new		<p>27 645 001 chrome *</p> <p>New Tempesta 100 Shower rail set 4 sprays consisting of: hand shower (28 421) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	<p>27 795 001 chrome *</p> <p>ditto, with non-restricted flow</p>

SHOWERS





GROHE NEW TEMPESTA

Ref. No. Colour Price netto (€)

new			<p>27 644 001 chrome *</p> <p>New Tempesta 100 Shower rail set 3 sprays consisting of: hand shower (28 419) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar</p>
			<p>27 794 001 chrome *</p> <p>ditto, with non-restricted flow</p>
new			<p>27 598 10E chrome *</p> <p>New Tempesta 100 Shower rail set 2 sprays consisting of: hand shower Tempesta 100 (27 597 10E) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar</p>
			<p>26 162 001 chrome *</p> <p>ditto, with 9.5 l/min flow limiter</p>
			<p>27 598 001 chrome 55.00</p> <p>ditto, with non-restricted flow</p>
new			<p>27 924 001 chrome 47.00</p> <p>New Tempesta 100 Shower rail set 1 spray consisting of: hand shower (27 923) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar</p>
			<p>27 853 001 chrome 41.00</p> <p>ditto, with non-restricted flow</p>
new			<p>28 789 002 chrome *</p> <p>New Tempesta 100 Shower rail set 3 sprays consisting of: hand shower (28 419) shower rail, 900 mm (27 524) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar</p>
			<p>27 796 001 chrome *</p> <p>ditto, with non-restricted flow</p>

GROHE NEW TEMPESTA





Ref. No. Colour Price netto (€)

new		<p>27 646 10E chrome *</p> <p>New Tempesta 100 Shower rail set 2 sprays consisting of: hand shower (27 597) shower rail, 900 mm (27 524) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar</p> <p>26 163 001 chrome *</p> <p>ditto, with 9.5 l/min flow limiter</p> <p>27 646 001 chrome *</p> <p>ditto, with non-restricted flow</p>	
new		<p>27 925 001 chrome *</p> <p>New Tempesta 100 Shower rail set 1 spray consisting of: hand shower (27 923) shower rail, 900 mm (27 524) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar</p> <p>27 854 001 chrome *</p> <p>ditto, with non-restricted flow</p>	
new		<p>27 601 10E chrome *</p> <p>New Tempesta 100 Wall holder set 2 sprays consisting of: hand shower (27 597) wall shower holder adjustable (27 595) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	
new		<p>27 849 001 chrome *</p> <p>New Tempesta 100 Wall holder set 3 sprays consisting of: hand shower (28 261) wall shower holder (28 605), not adjustable Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	

SHOWERS



GROHE NEW TEMPESTA

Ref. No. Colour Price netto (€)

new		<p>27 803 10E chrome *</p> <p>New Tempesta 100 Wall holder set 2 sprays consisting of: hand shower (27 597) wall shower holder (28 605), not adjustable Relexaflex hose 1500 mm 1/2" x 1/2" (28 151) GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	
new		<p>27 798 10E chrome *</p> <p>New Tempesta 100 Wall holder set 2 sprays consisting of: hand shower (27 597) wall shower holder (28 605), not adjustable Relexaflex hose 1250 mm 1/2" x 1/2" (28 151) GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar</p> <p>26 164 001 chrome * ditto, with 9.5 l/min flow limiter</p> <p>27 799 001 chrome * ditto, with non-restricted flow</p>	
new		<p>26 406 001 chrome *</p> <p>New Tempesta 100 Wall holder set 2 sprays with integrated wall union 1/2" consisting of: hand shower (27 597) shower outlet elbow 1/2" with wall shower holder (28 679) male thread protected against backflow Relexaflex hose 1500 mm 1/2" x 1/2" (28 151) GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life ShockProof silicone ring prevents damages caused by shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	
new		<p>26 412 000 chrome 136.00</p> <p>Tempesta 210 Head shower set 286 mm, 1 spray consisting of: head shower Tempesta 210 (26 410) 1 spray: Rain Shower arm Rainshower 286 mm (28 576 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p> <p>26 411 000 chrome 136.00 ditto, with non-restricted flow</p>	

GROHE NEW TEMPESTA

Ref. No. Colour Price netto (€)

new		<p>27 870 001</p> <p>New Tempesta 100 Head shower set 4 sprays GROHE Rain O², Rain, Massage, Jet ball joint ± 15° rotatable Shower arm with connection thread 1/2" escutcheon GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	<p>chrome *</p>
new		<p>26 088 001</p> <p>New Tempesta 100 Head shower set 3 sprays GROHE Rain O², Rain, Massage ball joint ± 15° rotatable Shower arm with connection thread 1/2" escutcheon GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	<p>chrome *</p>
new		<p>26 414 000</p> <p>Tempesta 210 Head shower set ceiling 142 mm, 1 spray consisting of: head shower Tempesta 210 (26 410) 1 spray: Rain shower arm Rainshower ceiling 142 mm (28 724 000) GROHE EcoJoy 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	<p>chrome 114.00</p>
		<p>26 413 000 ditto, with non-restricted flow</p>	<p>chrome 114.00</p>
new		<p>26 409 000 26 409 ENO</p> <p>Tempesta 210 Head shower 1 spray Rain Ø 210 mm ball joint ± 15° rotatable connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p>	<p>chrome 77.00 brushed nickel 108.00</p>
		<p>26 410 000 26 410 ENO ditto, with 9.5 l/min flow limiter</p>	<p>chrome 77.00 brushed nickel 108.00</p>
		<p>26 408 000 ditto, with non-restricted flow</p>	<p>chrome 77.00</p>


GROHE NEW TEMPESTA

Ref. No.

Colour

Price netto (€)

new



26 044 001

chrome

*

New Tempesta 100

Head shower 4 sprays

GROHE Rain O², Rain, Massage, Jet
ball joint ± 15° rotatable

connection thread 1/2"

GROHE EcoJoy 6.6 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

suitable for instantaneous heater

max. flow rate 1.75 gpm (6.6 l/min)

min. recommended pressure 1.0 bar


27 606 001

chrome

*

ditto, with 9.5 l/min flow limiter

new



26 050 001

chrome

39.00

New Tempesta 100

Head shower 1 spray

Rain

ball joint ± 15° rotatable

GROHE EcoJoy 5.7 l/min. flow limiter

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-lime system

Inner WaterGuide for a longer life

suitable for instantaneous heater


min. recommended pressure 1.0 bar

GROHE SENA TRIGGER SPRAYS




GROHE SENA TRIGGER SPRAYS

Ref. No. Colour Price netto (€)



26 328 000 **chrome** 65.00


Sena Trigger Spray 35
Hand shower 1 spray
with trigger control
metal
GROHE StarLight chrome finish
SpeedClean anti-lime system
universal mounting system, fitting all standard shower hoses
min. recommended pressure 0.5 bar
Please refer to local norms regarding installation.



26 332 000 **chrome** 161.00

Sena Trigger Spray 35
Wall holder set with angle valve 1 spray
consisting of:
hand shower with trigger control (26 328)
valve with integrated shower holder (26 333)
Silverflex Longlife shower hose 1250 mm (26 335 000)
GROHE StarLight chrome finish
SpeedClean anti-lime system
Twistfree to prevent hose from twisting
min. recommended pressure 0.5 bar
Please refer to local norms regarding installation.

26 329 000 **chrome** 159.00
ditto, hose 1.000 mm













26 333 000 **chrome** 79.00

Valve
with wall shower holder
escutcheon
connection thread 1/2"
GROHE StarLight chrome finish
Please refer to local norms regarding installation.



GROHE TEMPESTA TRIGGER SPRAYS



GROHE TEMPESTA TRIGGER SPRAYS

		Ref. No.	Colour	Price netto (€)
		27 512 001	chrome	18.50
<p>Tempesta-F Trigger Spray 30 Hand shower 1 spray with trigger control GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses min. recommended pressure 1.0 bar Please refer to local norms regarding installation.</p>				
		28 020 L01	white	13.50
<p>Tempesta-F Trigger Spray 30 Hand shower 1 spray with trigger control GROHE StarLight finish SpeedClean anti-lime system Inner WaterGuide for a longer life universal mounting system, fitting all standard shower hoses min. recommended pressure 1.0 bar Please refer to local norms regarding installation.</p>				
		26 353 000	chrome	34.00
<p>Tempesta-F Trigger Spray 30 Wall holder set 1 spray consisting of: hand shower with trigger control (27 512 001) wall shower holder (28 605) Silverflex Longlife shower hose 1500 mm (26 346 000) GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting min. recommended pressure 1.0 bar Please refer to local norms regarding installation.</p>				
		27 513 001	chrome	33.00
ditto, with 1250 mm hose				
		26 352 000	chrome	31.00
ditto, with 1000 mm hose				
		26 354 000	chrome	38.00
<p>Tempesta-F Trigger Spray 30 Wall holder set 1 spray consisting of: hand shower with trigger control (27 512 001) wall shower holder (28 605) metal shower hose 1250 mm GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life min. recommended pressure 1.0 bar Please refer to local norms regarding installation.</p>				
		27 812 IL1	chrome/white	27.00
<p>Tempesta-F Trigger Spray 30 Wall holder set 1 spray consisting of: hand shower with trigger control (28 020 L01) wall shower holder (28 605) Silverflex Longlife shower hose 1250 mm (26 335 000) GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting min. recommended pressure 1.0 bar Please refer to local norms regarding installation.</p>				
		26 355 IL0	chrome/white	26.00
ditto, with 1000 mm hose				





GROHE TEMPESTA TRIGGER SPRAYS

	Ref. No.	Colour	Price netto (€)
 	26 356 IL0	chrome/white	30.00
<p>Tempesta-F Trigger Spray 30 Wall holder set 1 spray consisting of: hand shower with trigger control (28 020 L01) wall shower holder (28 605) metal shower hose 1250 mm GROHE StarLight chrome finish SpeedClean anti-lime system Inner WaterGuide for a longer life min. recommended pressure 1.0 bar Please refer to local norms regarding installation.</p>			
 	26 357 000	chrome	67.00
<p>Tempesta-F Trigger Spray 30 Wall holder set with angle valve 1 spray consisting of: hand shower with trigger control (27 512 001) wall shower holder (28 605) Silverflex Longlife shower hose 1500 mm (26 346 000) angle valve 1/2" (22 958) GROHE StarLight finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting min. recommended pressure 1.0 bar Please refer to local norms regarding installation.</p>			
 	26 358 000	chrome	105.00
<p>Tempesta-F Trigger Spray 30 Wall holder set with self-closing angle valve, 1 spray consisting of: hand shower with trigger control (27 512 001) valve with integrated shower holder (26 333) Silverflex Longlife shower hose 1000 mm (26 334 000) GROHE StarLight finish SpeedClean anti-lime system Inner WaterGuide for a longer life Twistfree to prevent hose from twisting min. recommended pressure 1.0 bar Please refer to local norms regarding installation.</p>			
 	26 346 000	chrome	21.24
<p>Silverflex Longlife Shower hose 1500 1500 mm smooth surface for easy cleaning Longlife strengthened model tensile strength 500 N pressure resistance up to 12 bar heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for Twistfree-function GROHE StarLight chrome finish blister packaging</p>			
	26 335 000	chrome	19.16
	ditto, 1.250 mm		
	26 334 000	chrome	17.08
	ditto, 1.000 mm		







GROHE SHOWER HOSES









GROHE SHOWER HOSES

	Ref. No.	Colour	Price netto (€)
 	28 025 000 Rotaflex Metal Longlife Metal shower hose 1750 1750 mm metal Longlife strengthened model tensile strength 500 N pressure resistance up to 16 bar heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for Twistfree-function Cone with silicone tape to prevent the turning of the hand shower during the usage GROHE StarLight chrome finish blister packaging	chrome	27.08
	28 417 000 ditto, 1500 mm	chrome	24.99
 	28 145 000 Relexaflex Metal Longlife Metal shower hose 2000 2000 mm metal Longlife strengthened model tensile strength 750 N pressure resistance up to 16 bar heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE StarLight chrome finish blister packaging	chrome	27.49
	28 143 000 28 143 LS0 28 143 KS0 ditto, 1500 mm	chrome moon white velvet black	22.91 29.99 29.99
	28 142 000 ditto, 1250 mm	chrome	20.83
	28 140 000 Relexaflex Metal Metal shower hose 2000 2000 mm metal tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE StarLight chrome finish blister packaging	chrome	23.33
	28 139 000 ditto, 1750 mm 28 105 000 ditto, 1500 mm	chrome chrome	21.24 18.74

GROHE SHOWER HOSES

	Ref. No.	Colour	Price netto (€)	
 	26 346 000	chrome	21.24	
	Silverflex Longlife Shower hose 1500 1500 mm smooth surface for easy cleaning Longlife strengthened model tensile strength 500 N pressure resistance up to 12 bar heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for Twistfree-function GROHE StarLight chrome finish blister packaging			
	26 335 000	chrome	19.16	
	26 334 000	chrome	17.08	
	28 388 000	chrome	19.16	
	28 388 DC0	supersteel	24.58	
	28 388 BE0	polished nickel	26.66	
	28 388 EN0	brushed nickel	26.66	
	28 388 GL0	cool sunrise	26.66	
	28 388 GN0	brushed cool sunrise	26.66	
	28 388 DA0	warm sunset	26.66	
	28 388 DL0	brushed warm sunset	26.66	
	28 388 A00	hard graphite	26.66	
	28 388 AL0	brushed hard graphite	26.66	
 	Silverflex Shower hose 1750 1750 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for Twistfree-function GROHE StarLight chrome finish blister packaging			
	28 364 000	chrome	16.66	
	28 362 000	chrome	14.58	
	28 362 DC0	supersteel	19.16	
	28 362 BE0	polished nickel	20.83	
	28 362 EN0	brushed nickel	20.83	
	28 362 GL0	cool sunrise	20.83	
	28 362 GN0	brushed cool sunrise	20.83	
	28 362 DA0	warm sunset	20.83	
	28 362 DL0	brushed warm sunset	20.83	
	28 362 A00	hard graphite	20.83	
	28 362 AL0	brushed hard graphite	20.83	
		ditto, 1250 mm		
		ditto, 1500 mm		
		ditto, 1750 mm		
	<div style="background-color: #0070C0; color: white; padding: 2px; display: inline-block;">new</div>  	28 413 001	chrome	*
Rotaflex Shower hose 2000 2000 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for Twistfree-function GROHE StarLight chrome finish blister packaging				
28 410 001		chrome	*	
28 409 001		chrome	*	
	ditto, 1750 mm			
	ditto, 1500 mm			







GROHE SHOWER HOSES

	Ref. No.	Colour	Price netto (€)	
				
		28 155 001	chrome	*
		Relaxaflex Shower hose 2000 2000 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE StarLight chrome finish blister packaging		
		28 154 001	chrome	*
		28 151 001 28 151 L01	chrome white	* 14.16
	28 150 001	chrome	*	
	28 150 001	ditto, 1250 mm		
				
		28 158 000	chrome	32.49
Metal hose 2000 mm for bath rim, installation under tiled surround and shower sets GROHE StarLight chrome finish				
				
		28 146 000	chrome	50.00
Metal hose 2000 mm M15 x M15 GROHE StarLight chrome finish				











GROHE SHOWER ACCESSORIES













GROHE SHOWER HOLDERS

	Ref. No.	Colour	Price netto (€)
 	27 055 000	chrome	43.00
<p>Rainshower Wall hand shower holder adjustable GROHE StarLight chrome finish</p>			
 	28 623 000	chrome	28.00
<p>Relaxa Wall hand shower holder adjustable GROHE StarLight chrome finish</p>			
 	27 595 000	chrome	18.50
<p>New Tempesta Wall hand shower holder adjustable GROHE StarLight chrome finish</p>			

GROHE SHOWER HOLDERS

	Ref. No.	Colour	Price netto (€)
 	27 188 000	chrome	101.00
	GROHE Ondus Hand shower holder wall mounted not adjustable metal GROHE StarLight finish		
 	28 690 000	chrome	106.00
	Sena Wall hand shower holder not adjustable metal GROHE StarLight chrome finish		
 	27 056 000	chrome	29.00
	Rainshower Wall hand shower holder not adjustable without escutcheon GROHE StarLight chrome finish		
 	27 074 000 27 074 DC0 27 074 LS0 27 074 BE0 27 074 EN0 27 074 GL0 27 074 GN0 27 074 DA0 27 074 DL0 27 074 A00 27 074 AL0	chrome supersteel moon white polished nickel brushed nickel cool sunrise brushed cool sunrise warm sunset brushed warm sunset hard graphite brushed hard graphite	33.00 58.00 42.00 39.00 39.00 38.00 39.00 38.00 39.00 38.00 39.00 38.00
	Rainshower Wall hand shower holder not adjustable with round escutcheon GROHE StarLight chrome finish		
 	27 075 000 27 075 LS0	chrome moon white	33.00 40.00
	Rainshower Wall hand shower holder not adjustable with square escutcheon GROHE StarLight chrome finish		

GROHE SHOWER HOLDERS


	Ref. No.	Colour	Price netto (€)
 	27 706 000 Allure Brilliant Wall hand shower holder not adjustable metal GROHE StarLight chrome finish	chrome	32.00
 	27 693 000 Euphoria Cube Wall hand shower holder not adjustable GROHE StarLight chrome finish	chrome	26.00
 	28 622 000 Relaxa Wall hand shower holder not adjustable GROHE StarLight chrome finish	chrome	15.50
 	27 594 000 New Tempesta Cosmopolitan Wall hand shower holder not adjustable GROHE StarLight chrome finish	chrome	12.50
 	28 605 000 Relaxa Wall hand shower holder not adjustable GROHE StarLight chrome finish	chrome	15.50

GROHE SHOWER HOLDERS

Ref. No.

Colour

Price netto (€)



27 151 000


chrome

97.00

Lead-through for pull-out showers
for bath rim installation and under
tiled surround

Lead-through for shower hose
shower hose 1/2" x 3/8",
2000 mm (28 158 000)

**The lead-through can be combined
with all hand showers**
GROHE StarLight chrome finish



27 531 000

chrome

124.00

Lead-through for pull-out showers
for bath rim installation and under
tiled surround

Lead-through for shower hose
with square escutcheon
shower hose 1/2" x 3/8",
2000 mm (28 158 000)











**The lead-through can be combined
with all hand showers**
GROHE StarLight chrome finish

GROHE SHOWER OUTLET ELBOWS















Ref. No. Colour Price netto (€)

		<p>27 190 000 GROHE Ondus Shower outlet elbow connection thread 1/2" external thread metal protected against backflow min. recommended pressure 1.0 bar GROHE StarLight finish</p>	<p>chrome</p>	<p>116.00</p>
		<p>27 057 000 27 057 DC0 27 057 LS0 27 057 BE0 27 057 EN0 27 057 GL0 27 057 GN0 27 057 DA0 27 057 DL0 27 057 A00 27 057 AL0 Rainshower Shower outlet elbow, 1/2" male thread with round escutcheon protected against backflow GROHE StarLight chrome finish</p>	<p>chrome supersteel moon white/chrome polished nickel brushed nickel cool sunrise brushed cool sunrise warm sunset brushed warm sunset hard graphite brushed hard graphite</p>	<p>51.00 63.00 63.00 61.00 61.00 60.00 61.00 60.00 61.00 60.00 61.00 60.00</p>
		<p>27 076 000 27 076 LS0 Rainshower Shower outlet elbow male thread with square escutcheon protected against backflow GROHE StarLight chrome finish</p>	<p>chrome moon white</p>	<p>51.00 62.00</p>
		<p>27 707 000 Allure Brilliant Shower outlet elbow, 1/2" male thread protected against backflow metal GROHE StarLight chrome finish</p>	<p>chrome</p>	<p>50.00</p>
		<p>27 704 000 Euphoria Cube Shower outlet elbow, 1/2" male thread protected against backflow GROHE StarLight chrome finish</p>	<p>chrome</p>	<p>29.00</p>













GROHE SHOWER OUTLET ELBOWS

	Ref. No.	Colour	Price netto (€)
 	26 370 000 Euphoria Cube Shower outlet elbow, 1/2" with wall shower holder male thread protected against backflow GROHE StarLight finish	chrome	37.00
 	28 671 000 Relixa Shower outlet elbow, 1/2" male thread suitable for the Relixa plus hand sprays Single (28 212) Exquisit (28 215) Duo (28 419) Duo (28 261) Trio (28 421) Trio (28 578) GROHE StarLight chrome finish	chrome	30.00
	28 680 000 ditto, protected against backflow	chrome	46.00
 	28 672 000 Relixa Shower outlet elbow, 1/2" 1/2" NPT female thread GROHE StarLight chrome finish	chrome	*
 	28 626 000 Relixa Shower outlet elbow, 1/2" shower connection 1/2" wall connection 1/2" male thread GROHE StarLight chrome finish with matt chrome cap	chrome	31.00
	28 678 000 ditto, protected against backflow	chrome	53.00
	28 636 000 ditto, for IG-combination	chrome	37.00
 	28 628 000 Relixa Shower outlet elbow, 1/2" with wall shower holder male thread GROHE StarLight chrome finish	chrome	31.00
	28 679 000 ditto, protected against backflow	chrome	52.00


GROHE SHOWER RAILS

	Ref. No.	Colour	Price netto (€)
 	28 797 001 Rainshower Shower rail, 600 mm with wall holders made of metal glide element and swivel holder GROHE QuickFix (adjustable distance between wall shower holders for adaption to existing drillings) suitable for the Relexa hand showers Trio (28 793) Champagne spray (28 794) Massage (28 795) Five (28 796) suitable for the Rainshower hand showers 130 mm Classic (28 764) 160 mm Classic (28 765) 130 mm Cosmopolitan (28 755) 160 mm Cosmopolitan (28 756) GROHE StarLight chrome finish	chrome	117.00
 	28 819 001 ditto. projection 900 mm	chrome	130.00
 	27 784 000 Power&Soul Shower rail, 600 mm with wall holders made of metal glide element and swivel holder GROHE QuickFix (adjustable distance between wall shower holders for adaption to existing drillings) GROHE StarLight chrome finish	chrome	100.00
 	27 785 000 ditto, 900 mm	chrome	106.00
 	28 620 000 Relexa Shower rail, 600 mm Ø 28 mm with wall holders glide element and swivel holder angle of inclination adjustable by click stop device height adjustment by click stop GROHE StarLight chrome finish	chrome	76.00
 	28 621 000 Relexa Shower rail, 1000 mm Ø 28 mm with wall holders glide element and swivel holder angle of inclination adjustable by click stop device height adjustment by click stop GROHE StarLight chrome finish	chrome	128.00
 	28 587 000 Relexa Shower rail, 900 mm with handle handle can be mounted right or left handed with wall brackets (3 pieces) gliding element with metal sleeve angle of inclination adjustable by click stop device height adjustment by click stop GROHE StarLight chrome finish	chrome	160.00







GROHE SHOWER RAILS

		Ref. No.	Colour	Price netto (€)
		27 892 000	chrome	187.00
		Euphoria Cube Shower rail, 600 mm with wall holders, glide element and swivel holder GROHE StarLight chrome finish		
		27 841 000	chrome	197.00
		ditto, 900 mm		
		27 499 000	chrome	47.00
		Euphoria Shower rail, 600 mm with wall holders, glide element and swivel holder GROHE QuickFix (upper bracket adjustable for adaption to existing drilling holes) GROHE StarLight chrome finish		
		27 500 000	chrome	50.00
		ditto, 900 mm		
		27 519 000	chrome	51.00
		Tempesta Rustic Shower rail, 600 mm with wall brackets, glider and swivel holder GROHE StarLight chrome finish		
		27 520 000	chrome	55.00
		ditto, 900 mm		
		27 521 000	chrome	51.00
		New Tempesta Cosmopolitan Shower rail, 600 mm with wall brackets, glider and swivel holder GROHE StarLight chrome finish		
		27 522 000	chrome	52.00
		ditto, 900 mm		
		27 523 000	chrome	45.00
		New Tempesta Shower rail, 600 mm with wall brackets, glider and swivel holder GROHE StarLight chrome finish		
		27 524 000	chrome	49.00
		ditto, 900 mm		
		45 914 XE0	grey night time	12.50
		Compensation disc		











GROHE SHOWER RAILS

	Ref. No.	Colour	Price netto (€)
 	45 406 000 Compensation disc (for shower rails 28 600/28 601/28 666)	chrome	7.30
 	45 459 000 Compensation disc for shower rail 28 620/28 621	chrome	7.30
 	48 051 000 Compensation disc for New Tempesta shower rails 27 519 / 27 520 / 27 521 / 27 522 / 27 523 / 27 524 for Euphoria shower rails 27 499 / 27 500	chrome	6.30
 	27 845 000 Euphoria Cube Compensation disc for Euphoria Cube shower bars 27 892 000 / 27 841 000	chrome	1.10
 	26 385 000 Rainshower SmartControl Compensation disc for Rainshower SmartControl systems 26 250, 26 361, 26 379 stackable	chrome	14.00
 	28 856 000 Soap dish acrylic, clear for Relexa shower rails (28 820 and 28 666) GROHE StarLight chrome finish	chrome	31.00

GROHE SHOWER TRAYS

	Ref. No.	Colour	Price netto (€)
 	28 631 000 Relaxa Soap dish for shower rail 28 620/28 621 GROHE StarLight chrome finish	chrome	30.00
 	27 206 000 Soap dish transparent surface in parts with eroded structure shower rail Ø 25 mm	chrome	19.50
 	27 596 000 GROHE EasyReach tray Acrylic for New Tempesta and Euphoria shower rails Ø 22 mm	chrome	6.30



GROHE SHOWER PIPES

	Ref. No.	Colour	Price netto (€)
 	27 320 000	chrome	58.00
<p>Riser pipe 1300 mm with compression coupling 3/4" wall support with compensation piece GROHE StarLight chrome finish</p>			
 	27 304 000	chrome	69.00
<p>Riser pipe 1300 mm shower riser Ø 18 mm union nut 3/4" 1300 mm high projection 330 mm GROHE StarLight chrome finish</p>			
 	28 708 000	chrome	137.00
<p>Pipe clip for pillar shower, 1/2" for shower riser Ø 18 mm with stone pin for fixing with wooden screws GROHE StarLight chrome finish</p>			
 	07 247 000	chrome	*
<p>Shower top extension for hand showers Shower top extension can be combined with the following shower rails: Relexa / Rainshower shower rail 600 mm (28 797) Relexa / Rainshower shower rail 900 mm (28 819) GROHE StarLight chrome finish for use with 28 819/ 28 797 shower bar Allows Rainshower hand-held to be used in an overhead position</p>			
 	28 788 000	chrome	40.00
<p>Relexa Hand shower cradle for wall mixers for mounting on top of the union nut 3/4" GROHE StarLight chrome finish</p>			



GROHE SHOWER ADAPTERS

	Ref. No.	Colour	Price netto (€)
 	28 389 000	chrome	73.00
	Sena Adapter 1/2" x 1/2" metal for use with hand shower holder or shower rail GROHE StarLight chrome finish		
 	28 812 000	black	5.80
	Adapter 1/2" x 1/2" black (to combine hand showers of other manufacturers with Relexa shower rails)		
 	28 813 000	white	4.20
	Adapter 1/2" x 1/2" white (to combine hand showers of other manufacturers with Relexa shower rails)		
 	28 635 XX0	dark grey	5.60
	Relexa Coupling piece as replacement connector for new hand shower and hose each hand shower is equipped with a coupling piece		
 	28 634 XX0	dark grey	18.50
	Relexa Quick coupling for combination with average showers without integrated Grohclick with new system only in connection with coupling piece (28 635/28 637)		
 	28 874 000	chrome	52.00
	T connection, 1/2" for connection to shower and bath/shower-mixer union nut 1/2" 2 connections 1/2" for the shower hose or drain valves GROHE StarLight chrome finish		

GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	Price netto (€)
 	28 988 000	chrome	59.00

Drain Down Valve
for fitting between shut-off valve and shower
acc. to hospital guide rules
female thread 1/2"
GROHE StarLight chrome finish

 	28 799 000	chrome	58.00
---	------------	--------	-------

Diverter
GROHE StarLight chrome finish

GROHE
KITCHEN FITTINGS





CONTENTS

Water systems	GROHE Blue Professional	431
	GROHE Blue Home	435
	GROHE Blue Pure	441
	GROHE Blue accessories	445
	GROHE Red	449
Premium lines	K7	455
	FootControl	457
	Minta / Minta Touch	459
	Zedra / Zedra Touch	463
	Essence	467
	Eurocube	471
Competence lines	Eurodisc Cosmopolitan	473
	Eurodisc	477
	Concetto	479
	Eurostyle Cosmopolitan	483
	Eurosmart Cosmopolitan	487
	Eurosmart	489
	Euroeco / Euroeco Special	493
	Costa	495
	Bau Lines	497
	Soap dispensers	499

GROHE BLUE PROFESSIONAL



GROHE BLUE PROFESSIONAL

Ref. No. Colour Price netto (€)

31 323 001 chrome 2,620.00
31 323 DC1 supersteel 2,750.00

**GROHE Blue Professional
Starter Kit**

consisting of:

GROHE Blue single-lever sink mixer
with filter function

single hole installation

C-spout

separate handle for 3 filtered and chilled table water
still, medium, sparkling
headpart 1/2"

GROHE StarLight finish

GROHE SilkMove 35 mm ceramic cartridge

adjustable flow rate limiter

swivel tubular spout

swivel area 180°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Cube

270 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

GROHE Blue size S filter, filter head with flexible adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please

order activated carbon filter 40 547 001

GROHE Blue 425 g CO₂-carbonization bottle

Min. recommended pressure 2.0 bar

this product contains built-in LED lamps, which

cannot be changed: energy efficiency class: A+

This product includes an article which is declared as a hazardous

substance. Find more information in the safety data sheet. You can

download the safety data at: www.grohe.com/safety-data-sheets/



31 324 001 chrome 2,620.00
31 324 DC1 supersteel 2,653.00

GROHE Blue Professional

Starter Kit

consisting of:

GROHE Blue single-lever sink mixer
with filter function

single hole installation

U - spout

separate handle for 3 filtered and chilled table water
still, medium, sparkling

headpart 1/2"

GROHE StarLight finish

GROHE SilkMove 35 mm ceramic cartridge

adjustable flow rate limiter

swivel tubular spout

swivel area 180°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Cube

270 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

GROHE Blue size S filter, filter head with flexible adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please

order activated carbon filter 40 547 001

GROHE Blue 425 g CO₂-carbonization bottle

Min. recommended pressure 2.0 bar

this product contains built-in LED lamps, which

cannot be changed: energy efficiency class: A+

This product includes an article which is declared as a hazardous

substance. Find more information in the safety data sheet. You can

download the safety data at: www.grohe.com/safety-data-sheets/



GROHE BLUE PROFESSIONAL

Ref. No. Colour Price netto (€)

31 347 002 chrome 2,600.00
31 347 DC2 supersteel 2,639.00

GROHE Blue Minta Professional Starter Kit

consisting of:
GROHE Blue Minta single-lever sink mixer
with filter function

single hole installation
separate handle for 3 filtered and chilled table water
still, medium, sparkling
headpart 1/2"

GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
swivel tubular spout
swivel area 150°

separate inner water ways for filtered
and non-filtered water
flexible connection hoses

GROHE Blue Cube
270 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21

GROHE Blue size S filter, filter head with flexible adjustment

GROHE Blue 425 g CO₂-carbonization bottle

Min. recommended pressure 2.0 bar

this product contains built-in LED lamps, which
cannot be changed: energy efficiency class: A+

This product includes an article which is declared as a hazardous
substance. Find more information in the safety data sheet. You can
download the safety data at: www.grohe.com/safety-data-sheets/



31 346 001 chrome 2,690.00
31 346 DC1 supersteel 2,720.00

GROHE Blue K7 Professional Starter Kit

consisting of:
GROHE Blue K7 single-lever sink mixer
with filter function

single hole installation
separate handle for 3 filtered and chilled table water
still, medium, sparkling
headpart 1/2"

GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
swivel cast spout
swivel area 140°

separate inner water ways for filtered
and non-filtered water
flexible connection hoses

GROHE Blue Cube
270 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21

GROHE Blue size S filter, filter head with flexible adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please


order activated carbon filter 40 547 001

GROHE Blue 425 g CO₂-carbonization bottle

Min. recommended pressure 2.0 bar

this product contains built-in LED lamps, which
cannot be changed: energy efficiency class: A+

This product includes an article which is declared as a hazardous
substance. Find more information in the safety data sheet. You can
download the safety data at: www.grohe.com/safety-data-sheets/



GROHE BLUE PROFESSIONAL

Ref. No.

Colour

Price netto (€)

31 302 001
31 302 DC1

chrome
supersteel

2,326.00
2,426.00

GROHE Blue Mono Chilled and Sparkling Starter Kit

consisting of:

GROHE Blue Minta Mono faucet with filter function
single hole installation

handle for 3 types of filtered and chilled table water
still, medium, sparkling

GROHE StarLight finish

swivel tubular spout

swivel area 140°

flexible connection hoses

GROHE Blue Cube

270 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

GROHE Blue size S filter, filter head with flexible adjustment

for regions with water hardness of more than 9° dKH


for regions with water hardness below 9° dKH please

order activated carbon filter 40 547 001

GROHE Blue 425 g CO₂-carbonization bottle

Min. recommended pressure 2.0 bar

This product includes an article which is declared as a hazardous
substance. Find more information in the safety data sheet. You can
download the safety data at: www.grohe.com/safety-data-sheets/



GROHE BLUE HOME




GROHE BLUE HOME

Ref. No. Colour Price netto (€)

31 454 000 chrome 1,860.00
31 454 DC0 supersteel 2,170.00

GROHE Blue Home L-spout Starter kit
consisting of:
GROHE Blue Home single-lever sink mixer with filter function
single hole installation



L-spout
push buttons for 3 types of filtered and chilled table water
still, medium, sparkling

GROHE StarLight finish
GROHE SilkMove 28 mm ceramic cartridge
swivel tubular spout

swivel area 150°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses


GROHE Blue Home cooler
delivers 3 liters of chilled water per hour
180 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved

adjustable for GROHE Blue filter S-Size, GROHE Blue activated
carbon filter and GROHE Blue magnesium+ filter

GROHE Blue filter S-Size, filter head with
flexible water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please
order activated carbon filter 40 547 001
GROHE Blue 425 g CO₂ bottle

31 455 000 chrome 1,860.00
31 455 DC0 supersteel 2,170.00

GROHE Blue Home C-spout Starter kit
consisting of:
GROHE Blue Home single-lever sink mixer with filter function
single hole installation



C-spout
push buttons for 3 types of filtered and chilled table water
still, medium, sparkling

GROHE StarLight finish
GROHE SilkMove 28 mm ceramic cartridge
swivel tubular spout

swivel area 150°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses

GROHE Blue Home cooler
delivers 3 liters of chilled water per hour
180 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved

adjustable for GROHE Blue filter S-Size, GROHE Blue activated
carbon filter and GROHE Blue magnesium+ filter

GROHE Blue filter S-Size, filter head with
flexible water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please
order activated carbon filter 40 547 001
GROHE Blue 425 g CO₂ bottle

GROHE BLUE HOME

Ref. No. Colour Price netto (€)

31 456 000 chrome 1,860.00
31 456 DC0 supersteel 2,170.00

GROHE Blue Home U-spout Starter kit
consisting of:
GROHE Blue Home single-lever sink mixer with filter function
single hole installation
U - spout
push buttons for 3 types of filtered and chilled table water
still, medium, sparkling
GROHE StarLight finish
GROHE SilkMove 28 mm ceramic cartridge
swivel tubular spout
swivel area 150°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled water per hour
180 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved
adjustable for GROHE Blue filter S-Size, GROHE Blue activated
carbon filter and GROHE Blue magnesium+ filter
GROHE Blue filter S-Size, filter head with
flexible water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please
order activated carbon filter 40 547 001
GROHE Blue 425 g CO₂ bottle



KITCHEN
FITTINGS

31 498 000 chrome 1,790.00
31 498 DC0 supersteel 2,070.00

GROHE Blue Home Mono Starter kit
consisting of:
GROHE Blue Home Mono faucet with filter function
single hole installation
C-spout
push buttons for 3 types of filtered and chilled table water
still, medium, sparkling
GROHE StarLight finish
swivel tubular spout
swivel area 150°
GROHE Blue Home cooler
delivers 3 liters of chilled water per hour
180 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved
adjustable for GROHE Blue filter S-Size, GROHE Blue activated
carbon filter and GROHE Blue magnesium+ filter
GROHE Blue filter S-Size, filter head with
flexible water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please
order activated carbon filter 40 547 001
GROHE Blue 425 g CO₂ bottle



new

31 539 000
31 539 DC0

chrome
supersteel

*
*

**GROHE Blue Home
L-spout Starter kit**

consisting of:
GROHE Blue Home single-lever sink mixer with filter function
single hole installation

L-spout

push buttons for 3 types of filtered and chilled table water
still, medium, sparkling

GROHE StarLight finish

GROHE SilkMove 28 mm ceramic cartridge

pull out mousseur

swivel tubular spout

swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled water per hour

180 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

software set-up and monitoring of filter and CO₂ capacity

possible via GROHE Ondus app

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on used

materials and walls between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue activated

carbon filter and GROHE Blue magnesium+ filter

GROHE Blue filter S-Size, filter head with

flexible water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please

order activated carbon filter 40 547 001

GROHE Blue 425 g CO₂ bottle



System requirements

Apple

iPhone with iOS 9.0 or higher

System requirements

Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

GROHE BLUE HOME

Ref. No.

Colour

Price netto (€)

new

31 541 000
31 541 DC0

chrome
supersteel

*
*

GROHE Blue Home C-spout Starter kit

consisting of:
GROHE Blue Home single-lever sink mixer with filter function
single hole installation

C-spout

push buttons for 3 types of filtered and chilled table water
still, medium, sparkling

GROHE StarLight finish

GROHE SilkMove 28 mm ceramic cartridge

pull out mousseur

swivel tubular spout

swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled water per hour

180 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

software set-up and monitoring of filter and CO₂ capacity

possible via GROHE Ondus app

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on used

materials and walls between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue activated

carbon filter and GROHE Blue magnesium+ filter

GROHE Blue filter S-Size, filter head with

flexible water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please

order activated carbon filter 40 547 001

GROHE Blue 425 g CO₂ bottle

System requirements

Apple

iPhone with iOS 9.0 or higher

System requirements

Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/



new

31 543 000
31 543 DC0

chrome
supersteel

*
*

**GROHE Blue Home
U-spout Starter kit**

consisting of:
GROHE Blue Home single-lever sink mixer with filter function
single hole installation

U - spout
push buttons for 3 types of filtered and chilled table water
still, medium, sparkling

GROHE StarLight finish

GROHE SilkMove 28 mm ceramic cartridge

pull out mousseur
swivel tubular spout
swivel area 150°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled water per hour
180 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved

software set-up and monitoring of filter and CO₂ capacity
possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used
materials and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue activated
carbon filter and GROHE Blue magnesium+ filter

GROHE Blue filter S-Size, filter head with
flexible water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please
order activated carbon filter 40 547 001

GROHE Blue 425 g CO₂ bottle

System requirements

Apple

iPhone with iOS 9.0 or higher

System requirements

Android

smart phone with Android 4.3 or higher


Mobile devices and GROHE Ondus App*** are not included in delivery and have
to be ordered separately via an authorised Apple store/store/iTunes or Google Play
store.

* The Bluetooth word mark and logos are registered trademarks owned by
Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license.
Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of
Apple Inc., registered in the U.S. and other countries. Apple is not responsible for
the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous
substance. Find more information in the safety data sheet. You can
download the safety data at: www.grohe.com/safety-data-sheets/




GROHE BLUE PURE



GROHE BLUE PURE


Ref. No. Colour Price netto (€)

33 249 001 chrome 727.00
33 249 DC1 supersteel 858.00




GROHE Blue Pure Starter Kit
consisting of:
GROHE Blue single-lever sink mixer with filter function
single hole installation
C-spout
separate handle for filtered water
headpart 1/2"
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
swivel tubular spout
swivel area 180°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
type of protection IP 21
main switching power supply 100 - 240 V AC
50/60 Hz with safety extra-low voltage (SELV)
6 V DC to filter change display unit
GROHE Blue size S filter, filter head with flexible adjustment
this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+

33 251 000 chrome 471.00



GROHE Blue Single-lever sink mixer 1/2" Bi-Flow
C-spout
single hole installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
metal lever
adjustable flow rate limiter
swivel tubular spout
separate inner water ways for filtered and non-filtered water
with integrated drinking water outlet
with ceramic headpart to shut off drinking water
mousseur
flexible connection hoses
filter for drinking water not included in delivery
this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+

31 299 001 chrome 727.00
31 299 DC1 supersteel 858.00




GROHE Blue Pure Starter Kit
consisting of:
GROHE Blue single-lever sink mixer with filter function
single hole installation
U - spout
separate handle for filtered water
headpart 1/2"
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
swivel tubular spout
swivel area 180°
separate inner water ways for filtered and non-filtered water
flexible connection hoses
type of protection IP 21
main switching power supply 100 - 240 V AC
50/60 Hz with safety extra-low voltage (SELV)
6 V DC to filter change display unit
GROHE Blue size S filter, filter head with flexible adjustment
this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+

GROHE BLUE PURE

Ref. No. Colour Price netto (€)

31 345 002 chrome 887.00
31 345 DC2 supersteel 1,020.00



GROHE Blue Minta Pure Starter Kit

consisting of:
GROHE Blue Minta single-lever sink mixer with filter function

single hole installation

separate handle for filtered water headpart 1/2"

GROHE StarLight finish

GROHE SilkMove 35 mm ceramic cartridge

adjustable flow rate limiter

swivel tubular spout

swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

type of protection IP 21

main switching power supply 100 - 240 V AC

50/60 Hz with safety extra-low voltage (SELV)

6 V DC to filter change display unit

GROHE Blue size S filter, filter head with flexible adjustment


adjustable for 600 litre, 1500 litre or

3000 litre filter cartridges

this product contains built-in LED lamps, which

cannot be changed: energy efficiency class: A+

KITCHEN FITTINGS



31 301 001 chrome 684.00

GROHE Blue Mono Pure Starter Kit

consisting of:

GROHE Blue Minta Mono faucet with filter function

single hole installation

handle for filtered table water

GROHE StarLight finish

swivel tubular spout

swivel area 150°

flexible connection hoses

type of protection IP 21

main switching power supply 100 - 240 V AC

50/60 Hz with safety extra-low voltage (SELV)












6 V DC to filter change display unit

GROHE Blue size S filter, filter head with flexible adjustment

GROHE BLUE ACCESSORIES



GROHE BLUE ACCESSORIES

		Ref. No.	Colour	Price netto (€)
		40 848 000	chrome	8.33
		GROHE Blue Drinking bottle Tritan drinking bottle with GROHE Blue decor BPA (Bisphenol A) free lid with strap volume 500 ml		
		40 848 SD0	stainless steel	12.49
		GROHE Blue Thermo drinking bottle stainless steel drinking bottle with GROHE Blue decor double-walled lid with strap volume 450 ml		
		40 405 000	chrome	29.16
		GROHE Blue Glass carafe crystal glass with GROHE Blue decor stainless steel lid dish washer safe volume 1.0 l		
		40 437 000	chrome	29.16
		GROHE Blue Water glasses (6 pieces) crystal glasses with GROHE Blue decor dish washer safe volume 250 ml		
		46 717 000	chrome	157.00
		Pressure indicator for GROHE Blue including adapters for 425 g and 2 kg CO ₂ bottles		
		40 452 000	chrome	31.00
		GROHE Blue Pressure reducing valve for installation of GROHE Blue Chilled & Sparkling with more than 5 bar water pressure		

GROHE BLUE ACCESSORIES

Ref. No. Colour Price netto (€)




40 578 000 **chrome** *

GROHE Blue
Pressure reducing valve
for installation of GROHE Blue Chilled & Sparkling with more than 5 bar water pressure
VA approved



40 621 000 **chrome** **28.00**
40 621 DC0 **supersteel** *

GROHE Blue
Shorter mixed water lever
for GROHE Blue and GROHE Red faucets to avoid hitting the lever to the backwall of the kitchen in warm water position
fits to:
- 31 323 001 / DC1
- 31 324 001 / DC1
- all GROHE Red Duo faucets




40 404 001 **chrome** **58.33**

GROHE Blue
Filter S-Size
BWT replacement filter for GROHE Blue
capacity 600 l at 15° dKH
5-phases filter
compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure

40 430 001 **chrome** **108.33**
ditto, M-Size, capacity 1500 l at 15° dKh, 376 mm high

40 412 001 **chrome** **141.66**
ditto, L-Size, capacity 2600 l at 15° dKh, 429 mm high



40 547 001 **chrome** **74.99**

GROHE Blue
Active carbon filter
BWT replacement filter for GROHE Blue systems for regions with water hardness below 9° dKH
capacity 3000 l
3-phases filter
compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure



40 691 001 **chrome** **58.33**

GROHE Blue
Magnesiumfilter
BWT replacement filter for GROHE Blue for recharge of the water with magnesium
capacity 400 l at 15° dGH
5-phases filter
compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure









40 575 001 **chrome** *

GROHE Blue UltraSafe
Filter
exchange filter for GROHE Blue UltraSafe
capacity 3000 l
2-phase-filter

KITCHEN
FITTINGS

GROHE BLUE ACCESSORIES


	Ref. No.	Colour	Price netto (€)
	64 508 001 GROHE Blue filter head only for use in combination with GROHE Blue filters 40 404 001 / 40 430 001 / 40 412 001 / 40 691 001 / 40 547 001	chrome	46.00
 	40 434 001 GROHE Blue Cleaning cartridge for 100% biological disinfection of the GROHE Blue chiller and filterhead including sprayhead and water test stripes only to use in combination with 40 694 000 This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/	chrome	33.33
	40 694 000 GROHE Blue cleaning cartridge adapter for GROHE Blue BWT Filterhead only to use in combination with 40 434 001	chrome	24.99
 	40 422 000 GROHE Blue Starter kit 425 g CO₂ bottles (4 pieces) carbondioxid from natural sources for food and beverage (E290) Purity: CO ₂ 99.9 % v/v min. volume 1 bottle: 425 g, for up to 60 l of sparkling water for refilling please order 40 687 000 This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/	chrome	66.66

GROHE RED




30 079 001	chrome	1,580.00
30 079 DC1	supersteel	1,820.00

**GROHE Red Duo
Faucet and L size boiler**
consisting of:
**GROHE Red Duo single-lever sink mixer
single hole installation**
C-spout
GROHE ChildLock push buttons for boiling water
TÜV certified triple electronic safeguards against accidental
activation of boiling water
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
insulated tubular spout
swivel area 150°
separate water ways
flexible connection hoses
connection for GROHE Red boiler
GROHE Red boiler L size
reservoir for boiling and hot water
5.5 liter 100° C boiling water
7 liter total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and outlet for boiling water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Red filter set
for protection of the boiler from limescale
capacity 600 l at 15° dKH
5 phase filter
flow rate measuring unit




30 325 001	chrome	1,580.00
30 325 DC1	supersteel	1,820.00

**GROHE Red Duo
Faucet and L size boiler**
consisting of:
**GROHE Red Duo single-lever sink mixer
single hole installation**
L-spout
GROHE ChildLock push buttons for boiling water
TÜV certified triple electronic safeguards against accidental
activation of boiling water
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
insulated tubular spout
swivel area 150°
separate water ways
flexible connection hoses
connection for GROHE Red boiler
GROHE Red boiler L size
reservoir for boiling and hot water
5.5 liter 100° C boiling water
7 liter total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and outlet for boiling water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Red filter set
for protection of the boiler from limescale
capacity 600 l at 15° dKH
5 phase filter
flow rate measuring unit




30 083 001	chrome	1,460.00
30 083 DC1	supersteel	1,680.00

GROHE Red Duo
Faucet and M size boiler
consisting of:
GROHE Red Duo single-lever sink mixer
single hole installation
C-spout
GROHE ChildLock push buttons for boiling water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
insulated tubular spout
swivel area 150°
separate water ways
flexible connection hoses
connection for GROHE Red boiler
GROHE Red boiler M size
reservoir for boiling and hot water
3 liter 100° C boiling water
4 liter total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and outlet for boiling water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Red filter set
for protection of the boiler from limescale
capacity 600 l at 15° dKH
5 phase filter
flow rate measuring unit



30 327 001	chrome	1,460.00
30 327 DC1	supersteel	1,680.00

GROHE Red Duo
Faucet and M size boiler
consisting of:
GROHE Red Duo single-lever sink mixer
single hole installation
L-spout
GROHE ChildLock push buttons for boiling water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
insulated tubular spout
swivel area 150°
separate water ways
flexible connection hoses
connection for GROHE Red boiler
GROHE Red boiler M size
reservoir for boiling and hot water
3 liter 100° C boiling water
4 liter total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and outlet for boiling water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Red filter set
for protection of the boiler from limescale
capacity 600 l at 15° dKH
5 phase filter
flow rate measuring unit



30 080 001

chrome

1,460.00

**GROHE Red Mono
Pillar tap and L size boiler**

consisting of:

**GROHE Red Mono pillar tap
single hole installation**

C-spout

GROHE ChildLock push buttons for boiling water
TÜV certified triple electronic safeguards against accidental
activation of boiling water

GROHE StarLight chrome finish
insulated tubular spout
swivel area 150°

connection for GROHE Red boiler

GROHE Red boiler L size

reservoir for boiling and hot water

5.5 liter 100° C boiling water

7 liter total capacity

required inlet pressure: 1-7 bar

with flexible connection hose and outlet for boiling water

CE approved

power supply 230 V 50 Hz

power consumption 2100 W

standby power consumption 15 W

energy efficiency class A


GROHE Red filter set

for protection of the boiler from limescale

capacity 600 l at 15° dKH

5 phase filter

flow rate measuring unit



30 085 001

chrome

1,350.00

**GROHE Red Mono
Pillar tap and M size boiler**

consisting of:

**GROHE Red Mono pillar tap
single hole installation**

C-spout

GROHE ChildLock push buttons for boiling water
TÜV certified triple electronic safeguards against accidental
activation of boiling water

GROHE StarLight chrome finish
insulated tubular spout
swivel area 150°

connection for GROHE Red boiler

GROHE Red boiler M size

reservoir for boiling and hot water

3 liter 100° C boiling water

4 liter total capacity

required inlet pressure: 1-7 bar

with flexible connection hose and outlet for boiling water

CE approved

power supply 230 V 50 Hz

power consumption 2100 W

standby power consumption 15 W

energy efficiency class A


GROHE Red filter set

for protection of the boiler from limescale

capacity 600 l at 15° dKH

5 phase filter


flow rate measuring unit



GROHE RED

Ref. No. Colour Price netto (€)

30 339 001 **chrome** 1,300.00




GROHE Red Mono Pillar tap and M size boiler
consisting of:
GROHE Red Mono pillar tap single hole installation
L-spout
GROHE ChildLock push buttons for boiling water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE StarLight chrome finish insulated tubular spout
swivel area 150°
connection for GROHE Red boiler
GROHE Red boiler M size
reservoir for boiling and hot water
3 liter 100° C boiling water
4 liter total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and outlet for boiling water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Red filter set
for protection of the boiler from limescale
capacity 600 l at 15° dKH
5 phase filter
flow rate measuring unit

40 841 001 **chrome** *




GROHE Red Mixing valve
for thermostatic mixing of mains and boiling water to generate warm water
adjustable between 35°C and 75°C
hot fill and cold fill installation possible
including 70 cm connection hose, manifold and wall fixation

40 438 001 **chrome** 392.00



GROHE Red Filter with filter head
for regions with water hardness higher 12° KH
turn before GROHE Red boiler
flexible connection hoses
filter 600 l

40 919 SD0 **stainless steel** 14.99




GROHE Red Thermo drinking bottle
stainless steel bottle with GROHE Red decor
double-walled
lid with strap
with tea strainer
volume 450 ml

GROHE RED

Ref. No.

Colour

Price netto (€)



40 432 000

chrome

24.99

**GROHE Red
Tea glasses (4 pieces)**


heat proof glass with GROHE Red decor
dish washer safe
volume 250 ml

GROHE K7



GROHE K7

Ref. No. Colour Price netto (€)




32 950 000
32 950 DC0

chrome
supersteel

718.00
934.00

K7
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
professional spray
diverter: mousseur/**SpeedClean** shower jet
automatic return to mousseur
metal spray
adjustable flow rate limiter
swivel spout
swivel area 140°
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar




31 379 000
31 379 DC0

chrome
supersteel

691.00
898.00

K7
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
professional spray
diverter: mousseur/**SpeedClean** shower jet
automatic return to mousseur
metal spray
adjustable flow rate limiter
swivel spout
swivel area 140°
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar




32 175 000
32 175 DC0

chrome
supersteel

652.00
893.00

K7
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
SpeedClean mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 140°
metal lever
flexible connection hoses
rapid installation system



32 176 000
32 176 DC0

chrome
supersteel

737.00
958.00

K7
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
pull-out dual spray control -
switches back and forth between
regular flow and spray
diverter: mousseur/**SpeedClean** shower jet
automatic return to mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 140°
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar

GROHE FOOTCONTROL




GROHE FOOTCONTROL

Ref. No.

Colour

Price netto (€)




30 312 000
30 312 DC0

chrome
supersteel

997.00
1,200.00

K7 Foot Control Electronic single-lever sink mixer 1/2" medium spout

Foot control: activation of water via contact with sensor
battery supply 6 V lithium-battery, type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatically safety stop after 60 sec. (factory set)
type of protection IP 44
GROHE SilkMove 35 mm ceramic cartridge
professional spray
diverter: mousseur/**SpeedClean** shower jet
automatic return to mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system




30 311 000
30 311 DC0

chrome
supersteel

647.00
739.00

Essence Foot Control Electronic single-lever sink mixer 1/2" L-spout

Foot control: activation of water via contact with sensor
battery supply 6 V lithium-battery, type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatically safety stop after 60 sec. (factory set)
type of protection IP 44
GROHE SilkMove 28 mm ceramic cartridge
flow strainer
pull-out dual spray control -
switches back and forth between
regular flow and spray
diverter: laminar spray/**SpeedClean** shower jet
automatic return to laminar spray
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system



30 309 000

chrome

337.00

FootControl Retro-fit set


Foot control: activation of water via contact with sensor
battery supply 6 V lithium-battery, type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatically safety stop after 60 sec. (factory set)
type of protection IP 44
upgrade set for GROHE pull-out kitchen faucets

GROHE MINTA / MINTA TOUCH




GROHE MINTA / MINTA TOUCH

Ref. No. Colour Price netto (€)




31 360 001 chrome 580.00
31 360 DC1 supersteel 752.00

Minta Touch
Electronic single-lever sink mixer 1/2"
L-spout
Touch: activation of water via skin contact
battery supply 6 V lithium-battery, type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatically safety stop after 60 sec. (factory set)
type of protection IP 44
GROHE SilkMove 46 mm ceramic cartridge
pull out mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system




31 358 001 chrome 593.00
31 358 DC1 supersteel 770.00

Minta Touch
Electronic single-lever sink mixer 1/2"
C-spout
Touch: activation of water via skin contact
battery supply 6 V lithium-battery, type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatically safety stop after 60 sec. (factory set)
type of protection IP 44
GROHE SilkMove 46 mm ceramic cartridge
flow strainer
pull-out mousseur spray
diverter: laminar spray/**SpeedClean** shower jet
automatic return to laminar spray
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system



31 375 000 chrome 243.00
31 375 DC0 supersteel 287.00

Minta
Single-lever sink mixer 1/2"
L-spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
swivel tubular spout
swivel range 0°/150°/360°
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar




32 168 000 chrome 269.00
32 168 DC0 supersteel 335.00

Minta
Single-lever sink mixer 1/2"
L-spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull out mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valves
protected against backflow
flexible connection hoses
rapid installation system

GROHE MINTA / MINTA TOUCH


Ref. No. Colour Price netto (€)

30 274 000	chrome	320.00
30 274 DC0	supersteel	414.00




Minta
Single-lever sink mixer 1/2"
L-spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
flow strainer
pull-out dual spray control -
switches back and forth between
regular flow and spray
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar

32 917 000	chrome	227.00
32 917 DC0	supersteel	278.00
32 917 LS0	moon white	278.00
32 917 KS0	velvet black	278.00



Minta
Single-lever sink mixer 1/2"
C-spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150° / 360°
flexible connection hoses
connector set 3/8"
rapid installation system
optional temperature limiter ref. no. 46 308 000


32 918 000	chrome	269.00
32 918 DC0	supersteel	359.00



Minta
Single-lever sink mixer 1/2"
C-spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull out mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar

32 918 00E	chrome	272.00
with GROHE EcoJoy 5.7 l/min. flow limiter		

32 321 000	chrome	274.00
32 321 DC0	supersteel	359.00



Minta
Single-lever sink mixer 1/2"
C-spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
flow strainer
pull-out laminar spray
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar

KITCHEN
FITTINGS

GROHE MINTA / MINTA TOUCH

Ref. No.


Colour

Price netto (€)

30 348 000

chrome

*




Minta
Single-lever sink mixer 1/2"
C-spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
flow strainer
pull-out mousseur spray
diverter: mousseur/SpeedClean shower jet
automatic return to mousseur
adjustable flow rate limiter
swivel tubular spout, swivel area 360°
shorter lever (71 mm)
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar

32 488 000
32 488 DC0

chrome
supersteel

227.00
272.00




Minta
Single-lever sink mixer 1/2"
U - spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
selectable swivel area : 0° / 150° / 360°
swivel tubular spout
flexible connection hoses
rapid installation system
optional temperature limiter ref. no. 46 308 000

32 067 000

chrome

272.00




Minta
Single-lever sink mixer 1/2"
U - spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull out mousseur
adjustable flow rate limiter
swivel tubular spout, swivel area 360°
integrated non-return valves
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar

32 322 000
32 322 DC0

chrome
supersteel

274.00
359.00



Minta
Single-lever sink mixer 1/2"
U - spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
flow strainer
pull-out laminar spray
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
adjustable flow rate limiter
swivel tubular spout, swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar

40 684 000
40 684 DC0

chrome
supersteel

53.00
*



Minta
Lever
for Minta single lever sink mixer


GROHE ZEDRA / ZEDRA TOUCH



GROHE ZEDRA / ZEDRA TOUCH


Ref. No. Colour Price netto (€)

30 219 001 chrome 723.00
30 219 DC1 supersteel 947.00




Zedra Touch
Electronic single-lever sink mixer 1/2"
Touch: activation of water via skin contact
battery supply 6 V lithium-battery, type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatically safety stop after 60 sec. (factory set)
type of protection IP 44
GROHE SilkMove 46 mm ceramic cartridge
pull-out dual spray control -
switches back and forth between
regular flow and spray
diverter: mousseur/**SpeedClean** shower jet
automatic return to mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system

32 294 001 chrome 452.00
32 294 SD1 stainless steel 655.00




Zedra
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull-out dual spray control -
switches back and forth between
regular flow and spray
diverter: mousseur/**SpeedClean** shower jet
automatic return to mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar

32 553 000 chrome 425.00
32 553 SD0 stainless steel 616.00



Zedra
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull-out dual spray control -
switches back and forth between
regular flow and spray
diverter: mousseur/**SpeedClean** shower jet
automatic return to mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system

30 026 000 chrome 318.00
30 026 SD0 stainless steel 485.00




Zedra
Pillar tap 1/2"
single hole installation
GROHE StarLight finish
ceramic headpart 1/2", 90°
mousseur
swivel tubular spout
swivel area 360°

GROHE ZEDRA / ZEDRA TOUCH

Ref. No.

Colour

Price netto (€)




32 296 000
32 296 SD0

chrome
stainless steel

376.00
573.00

Zedra
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
flow strainer
pull-out laminar spray
diverter: laminar spray/**SpeedClean** shower jet
automatic return to laminar spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
min. recommended pressure 1.0 bar



31 203 000

chrome

508.00

Zedra
Single-lever sink mixer 1/2"
shut off valve
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
flow strainer
pull-out mousseur spray
diverter: laminar spray/**SpeedClean** shower jet
automatic return to laminar spray
swivel area 140°
protected against backflow
flexible connection hoses
rapid installation system


KITCHEN
FITTINGS

GROHE ESSENCE



GROHE ESSENCE

Ref. No. Colour Price netto (€)




30 294 000 chrome 405.00
30 294 DC0 supersteel 525.00

Essence
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
flow strainer
with integrated temperature limiter
professional spray
with flexible, hygienic GROHflexx kitchen santoprene hose
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
metal spray
GROHE EasyDock M integrated magnet for seamless docking of the spray head
swivel spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system



30 321 GE0 green 59.00
30 321 XC0 dark grey 95.00
30 321 MW0 chrome/sheer marble 95.00
30 321 HG0 dark brown 99.00
30 321 DG0 red 59.00
30 321 DP0 pink 59.00
30 321 DU0 purple 59.00
30 321 TY0 blue 59.00
30 321 YF0 yellow 59.00
30 321 YR0 orange 59.00

GROHflexx kitchen hose spout
hose spout for Essence kitchen faucet
for 30 294 000/30 294 DC0
flexible, hygienic GROHflexx kitchen santoprene hose
including fixing parts



30 269 000 chrome 247.00
30 269 DC0 supersteel 334.00
30 269 BE0 polished nickel 316.00
30 269 EN0 brushed nickel 316.00
30 269 GL0 cool sunrise 316.00
30 269 GN0 brushed cool sunrise 316.00
30 269 DA0 warm sunset 316.00
30 269 DL0 brushed warm sunset 316.00
30 269 A00 hard graphite 316.00
30 269 AL0 brushed hard graphite 316.00


Essence
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
mousseur
swivel tubular spout
adjustable swivel area 0° / 150° / 360°
flexible connection hoses
rapid installation system
integrated temperature limiter
min. recommended pressure 1.0 bar

GROHE ESSENCE

Ref. No.

Colour

Price netto (€)



30 270 000	chrome	325.00
30 270 DC0	supersteel	430.00
30 270 BE0	polished nickel	410.00
30 270 EN0	brushed nickel	410.00
30 270 GL0	cool sunrise	410.00
30 270 GN0	brushed cool sunrise	410.00
30 270 DA0	warm sunset	410.00
30 270 DL0	brushed warm sunset	410.00
30 270 A00	hard graphite	410.00
30 270 AL0	brushed hard graphite	410.00

Essence

Single-lever sink mixer 1/2"

high spout

single hole installation

GROHE StarLight chrome finish

GROHE SilkMove 28 mm ceramic cartridge

flow strainer

pull-out dual spray control -
switches back and forth between
regular flow and spray

diverter: laminar spray/SpeedClean shower jet

automatic return to laminar spray

swivel tubular spout

swivel area 360°

integrated non-return valve

protected against backflow

flexible connection hoses

rapid installation system

integrated temperature limiter

min. recommended pressure 1.0 bar

KITCHEN
FITTINGS

GROHE EUROCUBE




GROHE EUROCUBE

Ref. No.

Colour

Price netto (€)




31 395 000
31 395 DC0

chrome
supersteel

611.00
795.00

Eurocube
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight finish
GROHE SilkMove 28 mm ceramic cartridge
diverter: mousseur/**SpeedClean** shower jet
swivel spout
swivel area 140°
360° maneuverable spring arm
protected against backflow
flexible connection hoses
applicable for under cupboard installation
rapid installation system



31 255 000
31 255 DC0

chrome
supersteel

243.00
318.00


Eurocube
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 28 mm ceramic cartridge
mousseur
swivel cast spout
swivel area 360°
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar

GROHE EURODISC COSMOPOLITAN




GROHE EURODISC COSMOPOLITAN

Ref. No. Colour Price netto (€)




32 259 002 chrome 212.00

Eurodisc Cosmopolitan
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150° / 360°
flexible connection hoses
rapid installation system




31 122 002 chrome 253.00

Eurodisc Cosmopolitan
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
pull out mousseur
swivel tubular spout
adjustable flow rate limiter
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar




33 770 002 chrome 213.00

Eurodisc Cosmopolitan
Single-lever sink mixer 1/2"
medium spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 140°
flexible connection hoses
rapid installation system



32 257 002 chrome 266.00

Eurodisc Cosmopolitan
Single-lever sink mixer 1/2"
medium spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
pull-out dual spray
diverter: mousseur/SpeedClean shower jet
automatic return to mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 100°
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar



33 312 002 chrome 358.00


Eurodisc Cosmopolitan
Single-lever sink mixer 1/2"
for installation in front of window
medium spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 140°
non-removable socket height: 30 mm
flexible connection hoses

GROHE EURODISC COSMOPOLITAN

Ref. No.

Colour

Price netto (€)



33 772 002

chrome

217.00

Eurodisc Cosmopolitan
Single-lever sink mixer 1/2"
wall mounted

GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150°
projection 211 mm
S-unions


GROHE EURODISC



Ref. No.

Colour

Price netto (€)




33 770 001

chrome

210.00

Eurodisc
Single-lever sink mixer 1/2"
 low spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
 mousseur
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 140°
 with stop restriction
 flexible connection hoses
 rapid installation system




32 257 001

chrome

298.00

Eurodisc
Single-lever sink mixer 1/2"
 low spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
 pull-out dual spray
 diverter: mousseur/**SpeedClean** shower jet
 adjustable flow rate limiter
 swivel cast spout
 swivel area 140°
 flexible connection hoses
 rapid installation system
 min. recommended pressure 1.0 bar



33 772 001

chrome


258.00

Eurodisc
Single-lever sink mixer 1/2"
 wall mounted
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
 mousseur
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 100°
 S-unions

GROHE CONCETTO




Ref. No. Colour Price netto (€)




31 491 000 chrome 329.00
31 491 DC0 supersteel 444.00

Concetto
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 28 mm ceramic cartridge
flow strainer
with integrated temperature limiter
professional spray
with flexible, hygienic GROHflexx kitchen santoprene hose
diverter: laminar spray/**SpeedClean** shower jet
automatic return to laminar spray
GROHE EasyDock M integrated magnet for seamless docking of the spray head
swivel spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system




32 661 001 chrome 203.00
32 661 DC1 supersteel 248.00

Concetto
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150° / 360°
mousseur
flexible connection hoses
rapid installation system



32 663 001 chrome 246.00
32 663 DC1 supersteel 317.00

Concetto
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
pull out mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar




31 483 001 chrome 248.00
31 483 DC1 supersteel 318.00

Concetto
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
flow strainer
pull-out laminar spray
diverter: laminar spray/**SpeedClean** shower jet
automatic return to laminar spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system


GROHE CONCETTO

Ref. No. Colour Price netto (€)




31 128 001 chrome 203.00
31 128 DC1 supersteel 263.00

Concetto
Single-lever sink mixer 1/2"
medium spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 140°
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar




31 129 001 chrome 246.00
31 129 DC1 supersteel 321.00

Concetto
Single-lever sink mixer 1/2"
medium spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
pull out mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 100°
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar



30 273 001 chrome 270.00
30 273 DC1 supersteel 366.00

Concetto
Single-lever sink mixer 1/2"
medium spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
flow strainer
pull-out dual spray control -
switches back and forth between
regular flow and spray
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
adjustable flow rate limiter
swivel cast spout
swivel area 100°
protected against backflow
integrated non-return valve
flexible connection hoses
rapid installation system



31 210 001 chrome 318.00

Concetto
Single-lever sink mixer 1/2"
for installation in front of window
medium spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 140°
non-removable socket height: 30mm
flexible connection hoses


KITCHEN
FITTINGS

GROHE CONCETTO

Ref. No.

Colour

Price netto (€)




32 659 001
32 659 DC1

chrome
supersteel

177.00
231.00

Concetto
Single-lever sink mixer 1/2"
low spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 140°
flexible connection hoses
rapid installation system



32 667 001

chrome

170.00

Concetto
Single-lever sink mixer 1/2"
wall mounted
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
projection 223 mm
S-unions

GROHE EUROSTYLE COSMOPOLITAN




GROHE EUROSTYLE COSMOPOLITAN

Ref. No.

Colour

Price netto (€)




33 975 002

chrome

187.00

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150° / 360°
flexible connection hoses
rapid installation system




31 126 002

chrome

223.00

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
pull out mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar




31 482 002

chrome

240.00

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
single hole installation
high spout
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
flow strainer
pull-out laminar spray
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system




30 221 002

chrome

143.00

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
adjustable swivel area 0° / 150° / 360°
flexible connection hoses
rapid installation system
integrated temperature limiter











31 124 002

chrome

205.00

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
medium spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
flexible connection hoses
rapid installation system











GROHE EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	Price netto (€)
 	31 159 002	chrome	305.00
<p>Eurostyle Cosmopolitan Single-lever sink mixer 1/2" for installation in front of window medium spout single hole installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° non-removable socket height: 30mm flexible connection hoses</p>			
 	33 977 002	chrome	138.00
<p>Eurostyle Cosmopolitan Single-lever sink mixer 1/2" low spout single hole installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system</p>			
 	33 982 002	chrome	171.00
<p>Eurostyle Cosmopolitan Single-lever sink mixer 1/2" wall mounted GROHE StarLight finish GROHE SilkMove 46 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° projection 211 mm S-unions</p>			
 	45 562 000	chrome	32.00
<p>Adapter To convert to other spouts with screw coupling G3/4 Suitable for several sink mixer wall mount e.g. 33 772 001, 33 772 002, 33 982 002</p>			

GROHE EUROSMART COSMOPOLITAN




GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	Price netto (€)
	32 843 000	chrome	159.00
	32 843 DC0	supersteel	202.00
	Eurosmart Cosmopolitan Single-lever sink mixer 1/2" high spout single hole installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° / 360° flexible connection hoses rapid installation system		
	32 843 00E	chrome	159.00
	ditto, with GROHE Ecojoy mousseur 5.7 l/min		
	31 481 000	chrome	232.00
	Eurosmart Cosmopolitan Single-lever sink mixer 1/2" high spout single hole installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge flow strainer pull-out laminar spray diverter: laminar spray/SpeedClean shower jet automatic return to laminar spray adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses rapid installation system		
	30 193 000	chrome	119.00
	30 193 DC0	supersteel	156.00
	Eurosmart Cosmopolitan Single-lever sink mixer 1/2" medium spout single hole installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system min. recommended pressure 1.0 bar		
	32 842 000	chrome	129.00
	Eurosmart Cosmopolitan Single-lever sink mixer 1/2" low spout single hole installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system		
	31 170 000	chrome	242.00
	Eurosmart Cosmopolitan Single-lever sink mixer 1/2" for installation in front of window low spout single hole installation GROHE StarLight finish GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter mousseur swivel tubular spout swivel area 140° non-removable socket height: 30mm flexible connection hoses		

GROHE EUROSMART




Ref. No. Colour Price netto (€)




33 202 002 chrome 118.00
33 202 DC2 supersteel 136.00

Eurosmart
Single-lever sink mixer 1/2"
high spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
integrated temperature limiter
mousseur
adjustable flow rate limiter
swivel tubular spout
adjustable swivel area 0° / 150° / 360°
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar




30 305 000 chrome 156.00
30 305 DC0 supersteel 205.00

Eurosmart
Single-lever sink mixer 1/2"
low spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
flow strainer
with integrated temperature limiter
pull-out dual spray control -
switches back and forth between
regular flow and spray
diverter: laminar spray/**SpeedClean** shower jet
automatic return to laminar spray
adjustable flow rate limiter
swivel cast spout
88° swivel radius
separate inner water ways – lead and nickel free
flexible connection hoses
rapid installation system
protected against backflow



30 355 000 chrome *





Eurosmart
Single-lever sink mixer 1/2"
low spout
single hole installation
GROHE StarLight chrome finish
GROHE SilkMove ES 35 mm ceramic cartridge
with energy saving function via cold start
flow strainer
with integrated temperature limiter
pull-out dual spray control -
switches back and forth between
regular flow and spray
diverter: mousseur/**SpeedClean** shower jet
automatic return to mousseur
adjustable flow rate limiter
swivel cast spout
88° swivel radius
separate inner water ways – lead and nickel free
flexible connection hoses
rapid installation system
protected against backflow




33 281 002 chrome 113.00
33 281 DC2 supersteel 136.00

Eurosmart
Single-lever sink mixer 1/2"
low spout
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
integrated temperature limiter
adjustable flow rate limiter
swivel cast spout
swivel area 140°
separate inner water ways – lead and nickel free
mousseur with coin slot for tool free replacement
flexible connection hoses
rapid installation system
min. recommended pressure 1.0 bar

33 281 20E chrome 113.00
ditto, with GROHE EcoJoy 5.7 l/min. flow limiter


	<p>31 478 000 chrome 138.00</p> <p>Eurosmart Single-lever sink mixer with angle valves, 1/2" consisting of: Eurosmart single-lever sink mixer, 1/2" (33 281 002) low spout single hole installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge with integrated temperature limiter adjustable flow rate limiter swivel cast spout swivel area 140° separate inner water ways – lead and nickel free mousseur with coin slot for tool free replacement flexible connection hoses rapid installation system min. recommended pressure 1.0 bar Original WAS combination angle valve for dishwasher, 1/2" (22 035 000) angle valve, 1/2" (22 018 000)</p>
	<p>30 260 002 chrome 113.00</p> <p>Eurosmart Single-lever sink mixer 1/2" low spout single hole installation GROHE StarLight finish GROHE SilkMove ES 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter swivel cast spout swivel area 140° separate inner water ways – lead and nickel free mousseur with coin slot for tool free replacement flexible connection hoses rapid installation system min. recommended pressure 1.0 bar</p>
	<p>32 482 002 chrome 138.00</p> <p>Eurosmart Single-lever sink mixer 1/2" wall mounted GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel area 360° swivel tubular spout projection 186 mm integrated temperature limiter S-unions</p>
	<p>32 224 002 chrome 138.00</p> <p>Eurosmart Single-lever sink mixer 1/2" wall mounted GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 360° projection 277 mm integrated temperature limiter S-unions</p>

Ref. No. Colour Price netto (€)




31 391 002 chrome 138.00

Eurosmart
Single-lever sink mixer 1/2"
wall mounted
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
projection 217 mm
integrated temperature limiter
S-unions




31 509 002 chrome 138.00

Eurosmart
Single-lever sink mixer 1/2"
wall mounted
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
projection 150 mm
integrated temperature limiter
S-unions



31 556 002 chrome *

Eurosmart
Single-lever sink mixer 1/2"
integrated stop valve
high spout
single hole installation
GROHE StarLight finish
GROHE SilkMove ES 35 mm ceramic cartridge
with energy saving function via cold start
mousseur
adjustable flow rate limiter
swivel tubular spout
adjustable swivel area 0° / 150° / 360°
flexible connection hoses
rapid installation system



31 557 002 chrome *

Eurosmart
Single-lever sink mixer 1/2"
integrated stop valve
high spout
single hole installation
GROHE StarLight finish
GROHE SilkMove ES 35 mm ceramic cartridge
with energy saving function via cold start
mousseur
adjustable flow rate limiter
swivel tubular spout
adjustable swivel area 0° / 150° / 360°
flexible connection hoses
rapid installation system

GROHE EUROECO / EUROECO SPECIAL




GROHE EUROECO / EUROECO SPECIAL

Ref. No.

Colour

Price netto (€)




32 752 000

chrome

97.00

Euroeco
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel range 0°/150°/360°
metal lever
flexible connection hoses
rapid installation system




32 750 000

chrome

97.00

Euroeco
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
metal lever
flexible connection hoses
rapid installation system




32 786 000

chrome

151.00

Euroeco Special
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 9 l/min.
swivel tubular spout
selectable swivel area : 0° / 150° / 360°
metal lever
lever length 120 mm
flexible connection hoses
rapid installation system




33 912 000

chrome

277.00

Euroeco Special
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight chrome finish
ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 9 l/min.
swivel tubular spout
metal lever
lever length 120 mm
temperature limiter
Attention: old product



32 787 000











chrome

151.00

Euroeco Special
Single-lever sink mixer 1/2"
single hole installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 9 l/min.
swivel tubular spout
lever length 120 mm
flexible connection hoses

GROHE COSTA




	Ref. No.	Colour	Price netto (€)
		31 831 001 Costa L Single-hole sink mixer 1/2" metal handles heat-insulated GROHE StarLight finish Longlife-headparts mousseur swivel tubular spout swivel area 360° flexible connection hoses	chrome 86.00
		31 187 001 Costa L Wall sink mixer 1/2" metal handles heat-insulated GROHE StarLight finish Longlife-headparts mousseur swivel tubular spout swivel area 360° projection 200 mm S-unions	chrome 99.00
		30 484 001 Costa L Bibtap 1/2" wall mounted metal handle heat-insulated marking: blue GROHE StarLight finish mousseur Longlife-headparts swivel tubular spout swivel area 360° projection 200 mm	chrome 53.00
		20 179 001 Costa S Pillar tap metal handle heat-insulated screwable GROHE StarLight finish ceramic headpart 1/2", 90° flow straightener swivel tubular spout swivel area 360° union nut 1/2" with 10.5 mm drilling	chrome 115.00
		31 195 001 Costa S Wall sink mixer 1/2" wall mounted metal handles heat-insulated screwable GROHE StarLight finish Carbodur headpart mousseur swivel spout swivel area 360° projection 200 mm without connection unions	chrome 113.00


GROHE BAU LINES




Ref. No. Colour Price netto (€)




31 367 000 **chrome** **100.00**
BauEdge
Single-lever sink mixer 1/2"
 high spout
single hole installation
GROHE StarLight chrome finish
GROHE Longlife 28 mm ceramic cartridge
 spout with mousseur
 swivel tubular spout
 swivel area 360°
 flexible connection hoses
 rapid installation system
 min. recommended pressure 1.0 bar




31 368 000 **chrome** **100.00**
BauLoop
Single-lever sink mixer 1/2"
 high spout
single hole installation
GROHE StarLight finish
GROHE Longlife 28 mm ceramic cartridge
 spout with mousseur
 swivel tubular spout
 swivel area 360°
 flexible connection hoses
 rapid installation system
 Min. recommended pressure 0.1 bar



31 535 000 **chrome** **91.00**
BauClassic
Single-lever sink mixer 1/2"
 high spout
single hole installation
GROHE StarLight finish
GROHE Longlife 28 mm ceramic cartridge
 spout with mousseur
 swivel tubular spout
 swivel area 360°
 flexible connection hoses
 rapid installation system
 Min. recommended pressure 0.1 bar



31 536 000 **chrome** **91.00**
BauCurve
Single-lever sink mixer 1/2"
 high spout
single hole installation
GROHE StarLight finish
GROHE Longlife 28 mm ceramic cartridge
 spout with mousseur
 swivel tubular spout
 swivel area 360°
 flexible connection hoses
 rapid installation system
 Min. recommended pressure 0.1 bar



31 538 000 **chrome** **91.00**
BauFlow
Single-lever sink mixer 1/2"
 high spout
single hole installation
GROHE StarLight finish
GROHE Longlife 28 mm ceramic cartridge
 spout with mousseur
 swivel tubular spout
 swivel area 360°
 flexible connection hoses
 rapid installation system
 Min. recommended pressure 0.1 bar

GROHE SOAP DISPENSERS



GROHE SOAP DISPENSERS

	Ref. No.	Colour	Price netto (€)
 	40 535 000 40 535 DC0	chrome supersteel	59.00 78.00
Cosmopolitan soap dispenser for liquid soaps, storage bin 500 ml GROHE StarLight finish			
 	40 536 000 40 536 DC0	chrome supersteel	54.00 72.00
Contemporary soap dispenser for liquid soaps, storage bin 500 ml GROHE StarLight finish			
 	40 553 000	chrome	76.00
Ladylux / Zedra soap dispenser for liquid soaps, storage bin 500 ml GROHE StarLight finish			
 	40 537 000 40 537 ZB0	chrome antique bronze	68.00 86.00
Authentic soap dispenser for liquid soaps, storage bin 500 ml GROHE StarLight finish			
 	45 704 000	chrome	32.00
Flexible connection hose 300 mm 3/8" x 3/8"			
 	45 247 000	chrome	12.00
Nipple for reset from Costa-outlets into Atlanta-outlets GROHE StarLight chrome finish			

GROHE SOAP DISPENSERS

Ref. No.


Colour

Price netto (€)

13 071 000

chrome

32.00



Tubular spout
swivelling, without stop
mousseur
coupling nut 3/4"
projection 140 mm
DR-brass
GROHE StarLight chrome finish

KITCHEN
FITTINGS

GROHE
SPECIAL FITTINGS





CONTENTS

Electronic fittings	Essence E	505
	Eurocube E	509
	Bluetooth monitoring	513
	Europlus E	523
	Eurosmart Cosmopolitan E	527
Special thermostats	Euroeco Cosmopolitan E	535
	Grohtherm Ergomix	541
	Grohtherm Micro	545
	Grohtherm Special	547
	Automatic 2000	553
Single-lever mixer	Grohtherm XL	557
	Euroeco Special	561
Self-closing fittings	Euroeco Single Sequential	567
	Eurodisc SE	571
	Eurosmart Cosmopolitan T	575
	Euroeco Cosmopolitan T	577
	Contromix	579

SYSTEM REQUIREMENTS FOR ELECTRONIC FAUCETS WITH BLUETOOTH

Apple iOS 8.0 or higher
Android 4.3 or higher

Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.


GROHE ESSENCE E



36 444 000

chrome

555.00



Essence E

Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC

GROHE StarLight chrome finish adjustable swivel area 0° / 150° / 360°

laminar spray regulator 5.0 l/min

flexible connection hoses

non-return valve

dirt strainers

with integrated solenoid valve

rapid installation system

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407

CE approved

acoustic group I in accordance with DIN 4109


type of protection faucet IP 59K

min. recommended pressure 1.0 bar

36 445 000

chrome

531.00



Essence E

Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

6 V lithium-battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

GROHE StarLight chrome finish adjustable swivel area 0° / 150° / 360°

laminar spray regulator 5.0 l/min

flexible connection hoses

non-return valve

dirt strainers

with integrated solenoid valve

external battery

rapid installation system

multistage battery status display

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407

CE approved

acoustic group I in accordance with DIN 4109


type of protection faucet IP 59K

min. recommended pressure 1.0 bar

36 446 000

chrome

496.00



Essence E

Infra-red electronic basin tap 1/2" without mixing device

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose for cold or premixed water

6 V lithium-battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

GROHE StarLight chrome finish adjustable swivel area 0° / 150° / 360°

laminar spray regulator 5.0 l/min

flexible connection hose

dirt strainer

with integrated solenoid valve

external battery

rapid installation system

multistage battery status display

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings


by remote control 36 407

CE approved

acoustic group I in accordance with DIN 4109

type of protection faucet IP 59K

min. recommended pressure 1.0 bar



36 447 000


chrome

704.00

Essence E

Infra-red electronic wall basin tap without mixing device

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose for cold or premixed water with transformer 100-230 V AC, 50-60 Hz, 6 V DC laminar spray regulator 5.0 l/min
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
set for final installation
for use with Rapid SL 38 748 002 or roughing-in set 36 264 001
CE approved
acoustic group I in accordance with DIN 4109
min. recommended pressure 1.0 bar




36 264 001

chrome

166.00

Concealed mounting box

wall installation
for installation with pre-mixed or cold water suitable for IR-sets for final installation
connection housing for power supply suitable for 36 447 000, 36 442 000



38 748 002

chrome

437.00

Rapid SL for wash basin

for wall mounted fittings with roughing-in set for infra-red electronic Europlus E 36 042 SD0, Essence E 36 447 000 and Eurocube E 36 442 000


1.13 m installation height

for on-the-wall installations or studded walls powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled quick adjustment, lockable fixing material
wash basin fixing bolts M10 with fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
pre-mounted roughing-in set with protecting block
fire-proof pipe for laying electronic cables
installation box with water group, stop valve and flush elbow
connection with noise protected fitting holder 1/2"
connecting box for mains supply 230 V
CE approved
for installation with pre-mixed or cold water
without accessories for on-the-wall installation

GROHE ESSENCE E

Ref. No. Colour Price netto (€)

36 407 001 chrome 299.00



Remote control
for all GROHE one eye infra-red products as of 06/2015
and GROHE Blue Home

monitoring
consumption and usage data
thermal disinfection cycles (infrared faucets)
auto flush cycles (infrared faucets)
cleaning mode cycles (GROHE Blue Home)
filter and CO₂ capacity (GROHE Blue Home)

configuration
cleaning mode on/off
thermal disinfection (infrared faucets)
detection range
shut off delay (infrared faucets)
auto flush (infrared faucets)
filter capacity (GROHE Blue Home)

service
send and save profile
reset to factory or user settings
filter capacity (GROHE Blue Home)
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V AAA DC battery supply

36 340 000 chrome 57.00



Power extension cable
length 3.00 m


36 341 000 chrome 105.00
ditto, length 10 m

42 393 000 chrome 43.00



Battery housing
including 6 V lithium-battery, type CR-P2
to replace transformer

36 338 000 chrome 98.00



Switch-mode power supply
for one eye infra-red wash basin mixer
switch-mode power supply with operating
voltage 100-230 V AC, 50 - 60 Hz
for concealed socket with cover and strain relief

GROHE EUROCUBE E



GROHE EUROCUBE E

Ref. No.


Colour

Price netto (€)

36 440 000

chrome

684.00



Eurocube E

Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC

GROHE StarLight chrome finish
laminar spray regulator 5.7 l/min
flexible connection hoses

non-return valve
dirt strainers
with integrated solenoid valve
rapid installation system


7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407

CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K
min. recommended pressure 1.0 bar

36 441 000

chrome

661.00



Eurocube E

Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

6 V lithium-battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

GROHE StarLight chrome finish
laminar spray regulator 5.7 l/min
flexible connection hoses

non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display


7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407

CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K
min. recommended pressure 1.0 bar

36 442 000

chrome

743.00



Eurocube E

Infra-red electronic wall basin tap without mixing device

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose for cold or premixed water with transformer 100-230 V AC, 50-60 Hz, 6 V DC

laminar spray regulator 5.7 l/min
7 pre-set programs:
auto flush

thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407


set for final installation
for use with Rapid SL 38 748 002 or roughing-in set 36 264 001
CE approved
acoustic group I in accordance with DIN 4109
min. recommended pressure 1.0 bar

GROHE EUROCUBE E

Ref. No.

Colour

Price netto (€)




36 264 001

chrome

166.00

Concealed mounting box

wall installation
for installation with pre-mixed or cold water
suitable for IR-sets for final installation
connection housing for power supply
suitable for 36 447 000, 36 442 000



38 748 002

chrome

437.00


Rapid SL for wash basin

for wall mounted fittings
with roughing-in set for infra-red electronic
Europlus E 36 042 SD0, Essence E 36 447 000
and Eurocube E 36 442 000

1.13 m installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
quick adjustment, lockable
fixing material
wash basin fixing bolts M10 with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
pre-mounted roughing-in set
with protecting block
fire-proof pipe for laying electronic cables
installation box with water group, stop valve and flush elbow
connection with noise protected fitting holder 1/2"
connecting box for mains supply 230 V
CE approved
for installation with pre-mixed or cold water
without accessories for on-the-wall installation

SPECIAL FITTINGS



36 407 001

chrome

299.00

Remote control

for all GROHE one eye infra-red products as of 06/2015
and GROHE Blue Home

monitoring

consumption and usage data
thermal disinfection cycles (infrared faucets)
auto flush cycles (infrared faucets)
cleaning mode cycles (GROHE Blue Home)
filter and CO₂ capacity (GROHE Blue Home)

configuration

cleaning mode on/off
thermal disinfection (infrared faucets)
detection range
shut off delay (infrared faucets)
auto flush (infrared faucets)
filter capacity (GROHE Blue Home)

service

send and save profile
reset to factory or user settings
filter capacity (GROHE Blue Home)
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V AAA DC battery supply



36 340 000

chrome

57.00

Power extension cable

length 3.00 m





36 341 000

chrome

105.00

ditto, length 10 m

GROHE EUROCUBE E


	Ref. No.	Colour	Price netto (€)
	42 388 000 Mains adaptor with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC to replace battery	chrome	45.00
	42 393 000 Battery housing including 6 V lithium-battery, type CR-P2 to replace transformer	chrome	43.00
 	36 338 000 Switch-mode power supply for one eye infra-red wash basin mixer switch-mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief	chrome	98.00

GROHE



GROHE BLUETOOTH MONITORING

BLUETOOTH* MONITORING - SYSTEM REQUIREMENTS



System requirements

Apple

iPhone 5/6/7, iPad 2/3/4/Air/Air 2, iPad mini/2/3
Apple operating system: as of release iOS 8.0 and above (32/64 bit)

Android

min 4" display with OS Version 4.3 – 5.x

Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

GROHE BLUETOOTH MONITORING

Ref. No.


Colour

Price netto (€)

36 411 000

chrome

844.00



Europlus E Bluetooth

Infra-red electronic basin tap 1/2" with mixing device

with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose with plug transformer 100-240 V AC, 50-60 Hz, 6.75 V DC rapid installation system

mixing device with adjustable hot water limiter

GROHE StarLight finish

GROHE EcoJoy mousseur 5.7 l/min

with integrated solenoid valve

integrated non-return valves and dirt strainers

with Bluetooth 4.0* for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on used

materials and walls between transmitter and receiver

monitoring

password protected products

app detects all Bluetooth products in range

auto flush cycles and timing last auto flush

usage per day / 30 days

thermal disinfection cycles and timings last disinfection

configuration

detection range and shut off delay

auto flush

thermal disinfection

cleaning mode

2 on/off timers

identification by name

service

send and save 3 profiles

reset to factory or user settings

hard and software version

CE approved


acoustic group I in accordance with DIN 4109

type of protection faucet IP 59K

36 413 000

chrome

681.00



Eurosmart Cosmopolitan E Bluetooth

Infra-red electronic basin tap 1/2" with mixing device

with infrared sensor and Bluetooth module for bi-directional communication for monitoring,

configuration and service purpose

with plug transformer 100-240 V AC, 50-60 Hz, 6.75 V DC

rapid installation system

mixing device with adjustable hot water limiter

GROHE StarLight finish

GROHE EcoJoy mousseur 5.7 l/min

with integrated solenoid valve

integrated non-return valves and dirt strainers

with Bluetooth 4.0* for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on used

materials and walls between transmitter and receiver

monitoring

password protected products

app detects all Bluetooth products in range

auto flush cycles and timing last auto flush

usage per day / 30 days

thermal disinfection cycles and timings last disinfection

configuration

detection range and shut off delay

auto flush

thermal disinfection

cleaning mode

2 on/off timers

identification by name

service

send and save 3 profiles

reset to factory or user settings

hard and software version

CE approved

acoustic group I in accordance with DIN 4109

type of protection faucet IP 59K

GROHE BLUETOOTH MONITORING

Ref. No.


Colour

Price netto (€)

36 409 000

chrome

560.00



**Euroeco Cosmopolitan E Bluetooth
Infra-red electronic basin tap 1/2" without mixing device**

with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose with plug transformer 100-240 V AC, 50-60 Hz, 6.75 V DC rapid installation system

GROHE StarLight finish
GROHE EcoJoy mousseur 5.7 l/min
external solenoid valve
dirt strainer

with Bluetooth 4.0* for wireless data communication for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver

monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day / 30 days
thermal disinfection cycles and timings last disinfection

configuration
detection range and shut off delay
thermal disinfection


auto flush
cleaning mode
2 on/off timers
identification by name

service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K

36 414 000

chrome

925.00



**Eurosmart Cosmopolitan E Bluetooth
Infra-red electronic thermostatic basin mixer, wall mounted**

with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC

GROHE StarLight finish

GROHE CoolTouch

GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop at 38°C
swivel cast spout 219 mm
with swivel stop at 130° or fixed
projection 287 mm
laminar mousseur 9 l/min
S-unions

escutcheon covers for S unions
non-return valve
dirt strainers

power connection cable 3.0 m
for use with connection set
39 383 000

with Bluetooth 4.0* for wireless data communication for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver

monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day / 30 days
thermal disinfection cycles and timings last disinfection


configuration
detection range and shut off delay
auto flush
thermal disinfection

cleaning mode
2 on/off timers
identification by name

service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K


GROHE BLUETOOTH MONITORING

Ref. No. Colour Price netto (€)



39 383 000 chrome 89.00


**Eurosmart Cosmopolitan E
Thermostatic 230 V connection set**
fitting support
2 fitting connections 1/2"
power supply connector
wall installation
for use with Eurosmart Cosmopolitan E thermostat 230 V



36 410 000 chrome 643.00


**Euroeco Cosmopolitan E Bluetooth
Infra-red electronic basin tap without mixing device**
with infrared sensor and Bluetooth module for
bi-directional communication for monitoring,
configuration and service purpose
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
set for final installation for concealed
fitting box
36 336 000/36 337 000
GROHE StarLight finish
GROHE EcoJoy technology for less water and perfect flow
laminar flow straightener 9 l/min.
chrome escutcheon and spout
projection 172 mm
with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used
materials and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day / 30 days
thermal disinfection cycles and timings last disinfection
configuration
detection range and shut off delay
auto flush
thermal disinfection
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved
acoustic group I in accordance with DIN 4109

SPECIAL FITTINGS



36 337 000 chrome 109.00

**Euroeco Cosmopolitan E
Concealed mounting box**
wall installation
for installation with pre-mixed or cold water
suitable for IR-sets for final installation
stop valve
connection housing for power supply
suitable for
36 273 000, 36 335 SD0, 36 334 SD0, 36 411 000



36 336 000 chrome 307.00

**Eurosmart Cosmopolitan E
Concealed mounting box**
with integrated pre-adjustable
thermostatic mixer
wall installation
suitable for IR-sets for final installation
2 stop valves
non-return valve
connection housing for power supply
suitable for

GROHE BLUETOOTH MONITORING

Ref. No.


Colour

Price netto (€)

36 412 000

chrome

728.00



**Eurosmart Cosmopolitan E Bluetooth
Infra-red electronic basin mixer 1/2" with mixing device
and adjustable temperature limiter**

with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC set for final installation for concealed fitting box

36 339 000

GROHE StarLight finish

GROHE EcoJoy technology for less water and perfect flow laminar flow straightener 9 l/min.

chrome escutcheon and spout projection 172 mm

with Bluetooth 4.0* for wireless data communication for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver

monitoring

password protected products

app detects all Bluetooth products in range

auto flush cycles and timing last auto flush

usage per day / 30 days

thermal disinfection cycles and timings last disinfection

configuration

detection range and shut off delay

auto flush

thermal disinfection

cleaning mode

2 on/off timers

identification by name

service

send and save 3 profiles

reset to factory or user settings

hard and software version


CE approved

acoustic group I in accordance with DIN 4109

36 339 000

chrome

200.00



**Eurosmart Cosmopolitan E
Concealed mounting box
with mixture**

wall installation

suitable for IR-sets for final installation

2 stop valves

housing with mixing device

non-return valve

connection housing for power supply

suitable for

36 315 000, 36 412 000, 36 376 000

GROHE BLUETOOTH MONITORING

Ref. No.


Colour

Price netto (€)

36 415 000

chrome

610.00



**Eurosmart Cosmopolitan E Bluetooth
Infra-red electronic for concealed shower thermostat**

with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC for concealed installation box 36 416 000

GROHE StarLight finish

chrome escutcheon with Bluetooth 4.0* for wireless data communication for Apple** and Android devices Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver

monitoring

password protected products app detects all Bluetooth products in range auto flush cycles and timing last auto flush usage per day / 30 days thermal disinfection cycles and timings last disinfection

configuration

shut off delay auto flush thermal disinfection cleaning mode

2 on/off timers identification by name


service

send and save 3 profiles reset to factory or user settings hard and software version CE approved

36 416 000

chrome

587.00




**Eurosmart Cosmopolitan E
Concealed body**

for shower with integrated pre-adjustable thermostatic mixer suitable for IR-set 36 415 000 2 stop valves Grotherm Micro integrated non-return valves with filters connection housing for power supply min. recommended pressure 1.0 bar

37 503 000

chrome

812.00



**Tectron Skate Bluetooth
Infra-red electronic for Urinal
for Rapido U**

37 338 000 with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose

GROHE StarLight finish

flow pressure min 0.5 bar operating pressure max 10 bar with Bluetooth 4.0* for wireless data communication bluetooth transmitter frequency: 2.4 GHz for Apple** and Android devices Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver

monitoring

password protected products app detects all Bluetooth products in range auto flush cycles and timing last auto flush usage per day / 30 days

configuration

detection range and shut off delay auto flush cleaning mode

2 on/off timers identification by name

service


send and save 3 profiles reset to factory or user settings CE approved hard and software version

GROHE BLUETOOTH MONITORING

Ref. No.

Colour

Price netto (€)



37 338 000

chrome


128.00

GROHE Rapido U
roughing-in set for urinal
for manual actuation or Tectron
infra-red electronic 6 V or 230 V
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
connecting box for mains supply
installation box with gasket
fixing points for dry cladding and
masonry-in
shortable inspection shaft incl. protection

37 505 SD0

stainless steel

812.00




Tectron Skate Bluetooth
Infra-red electronic for WC
for flushing cistern GD 2
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
with infrared sensor and Bluetooth module for
bi-directional communication for monitoring,
configuration and service purpose
front plate 156 x 197 mm
servo motor
with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used
materials and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day / 30 days
configuration
detection range and shut off delay
auto flush
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved

37 504 000







chrome

1,000.00



Tectron Skate Bluetooth
Infra-red electronic for WC
for flushing cistern GD 2
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
with infrared sensor and Bluetooth module for
bi-directional communication for monitoring,
configuration and service purpose
with additional manual actuation
GROHE StarLight finish
front plate 156 x 197 mm
servo motor
with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on used
materials and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day / 30 days
configuration
detection range and shut off delay
auto flush
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved


GROHE BLUETOOTH MONITORING

	Ref. No.	Colour	Price netto (€)
	36 340 000	chrome	57.00
	Power extension cable length 3.00 m		
	36 341 000	chrome	105.00
	ditto, length 10 m		
	36 338 000	chrome	98.00
	Switch-mode power supply for one eye infra-red wash basin mixer switch-mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief		
	36 407 001	chrome	299.00
	Remote control for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home monitoring consumption and usage data thermal disinfection cycles (infrared faucets) auto flush cycles (infrared faucets) cleaning mode cycles (GROHE Blue Home) filter and CO ₂ capacity (GROHE Blue Home) configuration cleaning mode on/off thermal disinfection (infrared faucets) detection range shut off delay (infrared faucets) auto flush (infrared faucets) filter capacity (GROHE Blue Home) service send and save profile reset to factory or user settings filter capacity (GROHE Blue Home) demo mode error codes (GROHE Blue Home) 3 x 1.5 V AAA DC battery supply		
			

GROHE EUROPLUS E




36 207 001 chrome 537.00



Europlus E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication for monitoring, configuration and service purpose
6 V lithium-battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE EcoJoy mousseur 5.7 l/min
non-return valve
dirt strainers
solenoid valve
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K


36 208 001 chrome 493.00
ditto, without mixing device

36 236 001 chrome 587.00



Europlus E
Infra-red electronic basin mixer 1/2" with mixing device, adjustable temperature limiter and waste set
with infrared sensor for bi-directional communication for monitoring, configuration and service purpose
6 V lithium-battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE EcoJoy mousseur 5.7 l/min
non-return valve
dirt strainers
solenoid valve
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K

36 015 001 chrome 610.00




Europlus E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication for monitoring, configuration and service purpose
with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE EcoJoy mousseur 5.7 l/min
non-return valve
dirt strainers
solenoid valve
rapid installation system
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K

36 016 001 chrome 558.00
ditto, without mixing device

GROHE EUROPLUS E


Ref. No. Colour Price netto (€)

36 387 000 chrome 987.00



Europlus E
Powerbox
 with infrared sensor for bi-directional communication for monitoring, configuration and service purpose including Powerbox self-generating power system
single hole installation
GROHE EcoJoy 6.0 l/min mousseur including all flexible connection hoses
 non-return valve
 dirt strainer
 rapid installation system
 Powerbox
 power generator with water turbine
 internal energy saving unit
 with use of 60 s/24 h stand-by, 260 s/100 h stand-by with additional backup power
 7 pre-set programs:
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 min. recommended pressure 1.0 bar


36 239 001 chrome 1,280.00



Europlus E
Infrared electronic wash basin thermostat, 1/2"
 with infrared sensor for bi-directional communication for monitoring, configuration and service purpose
 wall mounted
6 V lithium-battery, type CR-P2
 battery lifetime: approx. 7 years (150 actuations a day)
 3 modi to start mixer: hand-hand, hand-body or body-body reflection
 temperature scale handle with safety stop between 35°C and 45°C
 laminar flow straightener 9 l/min.
 non-return valve
 dirt strainers
 swivel cast spout
 192 mm
 projection 264 mm
 swivel range stop at 130°, lockable
 multistage battery status display
 7 pre-set programs:
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 CE approved
 acoustic group I in accordance with DIN 4109
 type of protection IP 69K
 min. recommended pressure 1.0 bar

36 240 001 chrome 1,220.00
 ditto, swivel cast spout 160 mm, projection 232 mm

36 407 001 chrome 299.00



Remote control
 for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home
monitoring
 consumption and usage data
 thermal disinfection cycles (infrared faucets)
 auto flush cycles (infrared faucets)
 cleaning mode cycles (GROHE Blue Home)
 filter and CO₂ capacity (GROHE Blue Home)
configuration
 cleaning mode on/off
 thermal disinfection (infrared faucets)
 detection range
 shut off delay (infrared faucets)
 auto flush (infrared faucets)
 filter capacity (GROHE Blue Home)
service
 send and save profile
 reset to factory or user settings
 filter capacity (GROHE Blue Home)
 demo mode
 error codes (GROHE Blue Home)
 3 x 1.5 V AAA DC battery supply

SPECIAL FITTINGS

GROHE EUROPLUS E

	Ref. No.	Colour	Price netto (€)
 	36 340 000	chrome	57.00
	Power extension cable length 3.00 m		
	36 341 000	chrome	105.00
	ditto, length 10 m		
	42 393 000	chrome	43.00
	Battery housing including 6 V lithium-battery, type CR-P2 to replace transformer		
	42 388 000	chrome	45.00
	Mains adaptor with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC to replace battery		
 	36 338 000	chrome	98.00
	Switch-mode power supply for one eye infra-red wash basin mixer switch-mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief		
 	42 132 000	chrome	260.00
	Spout for Europlus E thermostat 192 mm		
 	43 957 000	chrome	181.00
	Spout for Europlus E thermostat 90 mm		


GROHE EUROSMART COSMOPOLITAN E



GROHE EUROSMART COSMOPOLITAN E

Ref. No. Colour Price netto (€)

36 327 001 chrome 352.00



**Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2" with mixing device
and adjustable temperature limiter**

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

6 V lithium-battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

GROHE EcoJoy mousseur 5.7 l/min

flexible connection hoses

non-return valve

dirt strainers

with integrated solenoid valve

external battery

rapid installation system

multistage battery status display

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407

CE approved

acoustic group I in accordance with DIN 4109


type of protection faucet IP 59K

min. recommended pressure 1.0 bar

36 331 001 chrome 365.00

ditto, with pop-up waste set 1 1/4"

36 422 000 chrome 388.00



**Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2" L-Size
with mixing device and adjustable temperature limiter**

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

6 V lithium-battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

GROHE StarLight finish

GROHE EcoJoy mousseur 5.7 l/min

flexible connection hoses

non-return valve

dirt strainers

with integrated solenoid valve

external battery

rapid installation system

multistage battery status display

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407


CE approved

acoustic group I in accordance with DIN 4109

type of protection faucet IP 59K

min. recommended pressure 1.0 bar

36 325 001 chrome 431.00



**Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2" with mixing device
and adjustable temperature limiter**

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC

GROHE EcoJoy mousseur 5.7 l/min

non-return valve

dirt strainers

with integrated solenoid valve

rapid installation system

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407

CE approved

acoustic group I in accordance with DIN 4109

type of protection faucet IP 59K

min. recommended pressure 1.0 bar

GROHE EUROSMART COSMOPOLITAN E

Ref. No.


Colour

Price netto (€)

36 421 000

chrome

385.00




Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2" L-Size
with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE StarLight finish
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
rapid installation system
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K
min. recommended pressure 1.0 bar

36 439 000

chrome

295.00




Eurosmart Cosmopolitan E
Infra-red electronic basin tap 1/2" without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
for cold or premixed water
6 V lithium-battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hose
dirt strainer
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K
min. recommended pressure 1.0 bar

36 330 001

chrome

352.00



Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2"
with hidden mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
6 V lithium-battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
GROHE EcoJoy mousseur 5.7 l/min
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs:
CE approved
acoustic group I in accordance with DIN 4109
type of protection faucet IP 59K
min. recommended pressure 1.0 bar


SPECIAL FITTINGS

GROHE EUROSMART COSMOPOLITAN E

Ref. No.

Colour

Price netto (€)



36 386 001

chrome

811.00

Eurosmart Cosmopolitan E

Powerbox

Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and service purpose including Powerbox self-generating power system

GROHE EcoJoy 6.0 l/min mousseur including all flexible connection hoses


non-return valve
dirt strainer
rapid installation system

Powerbox

power generator with water turbine
internal energy saving unit
with use of 60 s/24 h stand-by, 260 s/100 h stand-by with additional backup power

7 pre-set programs:

auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
min. recommended pressure 1.0 bar



36 332 000

chrome

826.00

Eurosmart Cosmopolitan E

Infra-red electronic wall basin mixer with thermostatic temperature control

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

6 V lithium-battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)
3 modi to start mixer: hand-hand, hand-body or body-body reflection
laminar mousseur 9 l/min

non-return valve
dirt strainers
temperature scale handle with GROHE SafeStop at 38°C
swivel cast spout

219 mm
projection 287 mm
swivel range stop at 130°, lockable
multistage battery status display

7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407


CE approved
acoustic group I in accordance with DIN 4109

36 333 000

chrome

811.00

ditto, projection 255 mm



36 334 SD0

stainless steel

430.00

Eurosmart Cosmopolitan E

Infra-red electronic wall basin tap without mixing device

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

for cold or premixed water
with transformer 100-230 V AC, 50-60 Hz, 6 V DC

laminar mousseur 9 l/min
stainless steel escutcheon

SuperSteel spout
projection 232 mm

7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407

set for final installation for concealed fitting box

36 336 000/36 337 000

CE approved
acoustic group I in accordance with DIN 4109

36 335 SD0

stainless steel

414.00


ditto, spout 172 mm

GROHE EUROSMART COSMOPOLITAN E

Ref. No.

Colour

Price netto (€)




36 337 000

chrome

109.00

**Euroeco Cosmopolitan E
Concealed mounting box**

wall installation
for installation with pre-mixed or cold water
suitable for IR-sets for final installation
stop valve
connection housing for power supply
suitable for
36 273 000, 36 335 SD0, 36 334 SD0, 36 411 000




36 336 000

chrome

307.00

**Eurosmart Cosmopolitan E
Concealed mounting box**

with integrated pre-adjustable
thermostatic mixer
wall installation
suitable for IR-sets for final installation
2 stop valves
non-return valve
connection housing for power supply
suitable for



36 376 000

chrome

466.00

**Eurosmart Cosmopolitan E
Infra-red electronic basin mixer with mixing device
and adjustable temperature limiter**


with infrared sensor for bi-directional communication
for monitoring, configuration and service purpose
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE StarLight finish
GROHE EcoJoy technology for less water and perfect flow
laminar flow straightener 9 l/min.
chrome escutcheon
chrome spout
projection 232 mm
7 pre-set programs:
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
set for final installation for concealed
fitting box
36 339 000
CE approved
acoustic group I in accordance with DIN 4109
min. recommended pressure 1.0 bar

36 315 000

chrome

460.00

ditto, projection 170 mm



36 339 000

chrome

200.00

**Eurosmart Cosmopolitan E
Concealed mounting box
with mixture**

wall installation
suitable for IR-sets for final installation
2 stop valves
housing with mixing device
non-return valve
connection housing for power supply
suitable for
36 315 000, 36 412 000, 36 376 000

GROHE EUROSMART COSMOPOLITAN E


	Ref. No.	Colour	Price netto (€)
 	36 407 001 Remote control for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home monitoring consumption and usage data thermal disinfection cycles (infrared faucets) auto flush cycles (infrared faucets) cleaning mode cycles (GROHE Blue Home) filter and CO ₂ capacity (GROHE Blue Home) configuration cleaning mode on/off thermal disinfection (infrared faucets) detection range shut off delay (infrared faucets) auto flush (infrared faucets) filter capacity (GROHE Blue Home) service send and save profile reset to factory or user settings filter capacity (GROHE Blue Home) demo mode error codes (GROHE Blue Home) 3 x 1.5 V AAA DC battery supply	chrome	299.00
 	36 340 000 Power extension cable length 3.00 m 36 341 000 ditto, length 10 m	chrome	57.00 105.00
	42 393 000 Battery housing including 6 V lithium-battery, type CR-P2 to replace transformer	chrome	43.00
	42 388 000 Mains adaptor with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC to replace battery	chrome	45.00
	42 464 000 Plug transformer for 1 eye infra-red faucets 120 V, 60 Hz AC, 6 V DC UL approved	chrome	*

GROHE EUROSMART COSMOPOLITAN E

Ref. No.

Colour

Price netto (€)



36 338 000

chrome

98.00

Switch-mode power supply

for one eye infra-red wash basin mixer
switch-mode power supply with operating
voltage 100-230 V AC, 50 - 60 Hz
for concealed socket with cover and strain relief




42 408 000

chrome

14.50

Cap



34 507 000

chrome

195.00

Grotherm Micro

Thermostatic scalding protection

temperature adjustment 15-43° C (± 2° C)
thermal disinfection without re-adjustment of temperature
GROHE TurboStat thermoelement
built-in non return valves
dirt strainers
with connection set and T piece
GROHE StarLight chrome finish
max. pressure differential 5:1
min. recommended pressure 1.0 bar

SPECIAL FITTINGS

GROHE EUROECO COSMOPOLITAN E



GROHE EUROECO COSMOPOLITAN E

Ref. No.


Colour

Price netto (€)

36 271 000

chrome

264.00



Euroeco Cosmopolitan E

Infra-red electronic basin tap without mixing device
with infrared sensor for bi-directional communication for monitoring, configuration and service purpose for cold or premixed water

6 V lithium-battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

GROHE EcoJoy mousseur 5.7 l/min

dirt strainers

external solenoid valve

external battery

rapid installation system

multistage battery status display

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407

CE approved


acoustic group I in accordance with DIN 4109

type of protection faucet IP 59K

36 269 000

chrome

300.00



Euroeco Cosmopolitan E

Infra-red electronic basin tap 1/2" without mixing device

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose for cold or premixed water

with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC

GROHE EcoJoy mousseur 5.7 l/min

dirt strainers

external solenoid valve

rapid installation system

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407

CE approved

acoustic group I in accordance with DIN 4109


type of protection faucet IP 59K

min. recommended pressure 1.0 bar

36 270 000

chrome

*



Euroeco Cosmopolitan E

Infra-red electronic basin tap 1/2" without mixing device

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose for cold or premixed water

with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC

GROHE EcoJoy mousseur 5.7 l/min

dirt strainer

external solenoid valve

rapid installation system

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407

CE approved

GROHE EUROECO COSMOPOLITAN E

Ref. No.


Colour

Price netto (€)

36 272 000

chrome

*



Euroeco Cosmopolitan E

Infra-red electronic basin tap 1/2" without mixing device

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose for cold or premixed water

6 V lithium-battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

GROHE EcoJoy mousseur 5.7 l/min

dirt strainer

external solenoid valve

external battery

rapid installation system

multistage battery status display

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings


by remote control 36 407

CE approved

36 384 000

chrome

616.00



Euroeco Cosmopolitan E

Powerbox

infra-red electronic basin tap 1/2"

without mixing device

with infrared sensor for bi-directional communication

for monitoring, configuration and service purpose

including Powerbox self-generating power system

GROHE EcoJoy 6.0 l/min mousseur

flexible connection hose

dirt strainer

rapid installation system

Powerbox

power generator with water turbine

internal energy saving unit

with use of 60 s/24 h stand-by, 260 s/100 h stand-by

with additional backup power

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings


by remote control 36 407

min. recommended pressure 1.0 bar

36 274 000

chrome

325.00



Euroeco Cosmopolitan E

Infra-red electronic wall basin tap without mixing device

with infrared sensor for bi-directional communication

for monitoring, configuration and service purpose

for cold or premixed water

6 V lithium-battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

metal body

multistage battery status display

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407


CE approved

GROHE EUROECO COSMOPOLITAN E

Ref. No.

Colour

Price netto (€)



36 273 000

chrome

367.00

Euroeco Cosmopolitan E

Infra-red electronic wall basin tap without mixing device

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose for cold or premixed water

with transformer 100-230 V AC, 50-60 Hz, 6 V DC

chrome spout

projection 172 mm

7 pre-set programs:

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407


set for final installation for concealed

fitting box

36 336 000/36 337 000

CE approved

acoustic group I in accordance with DIN 4109



36 337 000

chrome

109.00

Euroeco Cosmopolitan E

Concealed mounting box

wall installation

for installation with pre-mixed or cold water


suitable for IR-sets for final installation

stop valve

connection housing for power supply

suitable for

36 273 000, 36 335 SD0, 36 334 SD0, 36 411 000



36 336 000

chrome

307.00

Eurosmart Cosmopolitan E

Concealed mounting box

with integrated pre-adjustable

thermostatic mixer

wall installation


suitable for IR-sets for final installation

2 stop valves

non-return valve

connection housing for power supply

suitable for



36 407 001

chrome

299.00

Remote control

for all GROHE one eye infra-red products as of 06/2015

and GROHE Blue Home

monitoring

consumption and usage data

thermal disinfection cycles (infrared faucets)

auto flush cycles (infrared faucets)

cleaning mode cycles (GROHE Blue Home)

filter and CO₂ capacity (GROHE Blue Home)

configuration

cleaning mode on/off

thermal disinfection (infrared faucets)

detection range

shut off delay (infrared faucets)

auto flush (infrared faucets)

filter capacity (GROHE Blue Home)

service

send and save profile

reset to factory or user settings

filter capacity (GROHE Blue Home)

demo mode

error codes (GROHE Blue Home)

3 x 1.5 V AAA DC battery supply

GROHE EUROECO COSMOPOLITAN E


	Ref. No.	Colour	Price netto (€)
 	36 340 000	chrome	57.00
	Power extension cable length 3.00 m		
	36 341 000	chrome	105.00
	ditto, length 10 m		
	42 393 000	chrome	43.00
	Battery housing including 6 V lithium-battery, type CR-P2 to replace transformer		
	42 388 000	chrome	45.00
	Mains adaptor with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC to replace battery		
	42 464 000	chrome	*
	Plug transformer for 1 eye infra-red faucets 120 V, 60 Hz AC, 6 V DC UL approved		
 	36 338 000	chrome	98.00
	Switch-mode power supply for one eye infra-red wash basin mixer switch-mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief		
	34 507 000	chrome	195.00
	Grontherm Micro Thermostatic scalding protection temperature adjustment 15-43° C (\pm 2° C) thermal disinfection without re-adjustment of temperature GROHE TurboStat thermoelement built-in non return valves dirt strainers with connection set and T piece GROHE StarLight chrome finish max. pressure differential 5:1 min. recommended pressure 1.0 bar		

GROHE EUROECO COSMOPOLITAN E

Ref. No.

Colour

Price netto (€)



45 704 000

chrome

32.00

Flexible connection hose
300 mm
3/8" x 3/8"

GROHE GROHTHERM ERGOMIX



GROHE GROHTHERM ERGOMIX

Ref. No.


Colour

Price netto (€)

34 018 000

chrome

945.00




Grotherm Ergomix
Thermostatic basin mixer 1/2"
for elbow lever action
wall mounted
metal lever 250 mm
swivel area 100°
metal stop
Ceramic headpart 1/2"
wax thermoelement
temperature scale handle with
pre-adjustable safety stop between
35°C and 45°C
arrangement to make the thermal
disinfection easier
swivel cast spout
laminar flow straightener 9 l/min.
lockable stop ring
built-in non return valves
dirt strainers
projection 238 mm
covered S-unions
GROHE StarLight chrome finish

34 019 000

chrome

945.00




Grotherm Ergomix
Thermostatic basin mixer 1/2"
for elbow lever action
wall mounted
metal lever 170 mm
swivel area 100°
metal stop
Ceramic headpart 1/2"
wax thermoelement
temperature scale handle with
pre-adjustable safety stop between
35°C and 45°C
arrangement to make the thermal
disinfection easier
swivel cast spout
laminar flow straightener 9 l/min.
lockable stop ring
built-in non return valves
dirt strainers
projection 178 mm
covered S-unions
GROHE StarLight chrome finish

34 020 000

chrome

945.00




Grotherm Ergomix
Thermostatic basin mixer 1/2"
for elbow lever action
wall mounted
metal lever 250 mm
swivel area 100°
metal stop
Ceramic headpart 1/2"
wax thermoelement
temperature scale handle with
pre-adjustable safety stop between
35°C and 45°C
arrangement to make the thermal
disinfection easier
swivel cast spout
laminar flow straightener 9 l/min.
lockable stop ring
built-in non return valves
dirt strainers
projection 255 mm
covered S-unions
lockable
GROHE StarLight chrome finish

GROHE GROHTHERM ERGOMIX


Ref. No. Colour Price netto (€)

34 021 000 chrome 945.00



Grohtherm Ergomix
Thermostatic basin mixer 1/2"
 for elbow lever action
 wall mounted
 metal lever 170 mm
 swivel area 100°
 metal stop
 Ceramic headpart 1/2"
 wax thermoelement
 temperature scale handle with
 pre-adjustable safety stop between
 35°C and 45°C
 arrangement to make the thermal
 disinfection easier
 swivel cast spout
 laminar flow straightener 9 l/min.
 lockable stop ring
 built-in non return valves
 dirt strainers
 projection 195 mm
covered S-unions
 lockable
GROHE StarLight chrome finish

13 080 000 chrome 165.00



Spout
 length
 77 mm
GROHE StarLight chrome finish

13 137 000 chrome 186.00
Length 115 mm

13 138 000 chrome 233.00
Length 175 mm

SPECIAL FITTINGS

GROHE GROHTHERM MICRO




GROHE GROHTHERM MICRO

Ref. No.

Colour

Price netto (€)





34 487 000

chrome

160.00

Grotherm Micro
Thermostatic scalding protection
 temperature adjustment 15-43° C (± 2° C)
 thermal disinfection without re-adjustment of temperature
 connection 3/8" below with cap nut
 above 3/8" male thread
 GROHE TurboStat thermoelement
GROHE StarLight chrome finish
 built-in non return valves
 dirt strainer
 without connection set
 max. pressure differential 5:1
 min. recommended pressure 1.0 bar





34 507 000

chrome

195.00

Grotherm Micro
Thermostatic scalding protection
 temperature adjustment 15-43° C (± 2° C)
 thermal disinfection without re-adjustment of temperature
 GROHE TurboStat thermoelement
 built-in non return valves
 dirt strainers
 with connection set and T piece
GROHE StarLight chrome finish
 max. pressure differential 5:1
 min. recommended pressure 1.0 bar




47 533 000

chrome

39.00

Grotherm Micro
Connection set
 for Grotherm Micro
 consisting of:
 union nut 3/8"
 T-unit
 2 outlets 3/8" male thread
 flexible connection hose
 union nuts
GROHE StarLight chrome finish




45 704 000

chrome

32.00

Flexible connection hose
 300 mm
 3/8" x 3/8"



45 120 000

chrome

19.00

Connection hose, 300 mm
 connector set 3/8"
 for copper pipe Ø 10 mm
 coupling nut 3/8"
 300 mm

GROHE GROHTHERM SPECIAL



GROHE GROHTHERM SPECIAL

Ref. No.


Colour

Price netto (€)

34 667 000

chrome

303.00




Grohtherm Special
Thermostatic shower mixer 1/2"
wall mounted
ergonomic handles
ceramic headparts 1/2", 90°
GROHE TurboStat compact cartridge
with wax thermoelement
Temperature scale handle with
pre-adjustable safety stop between
35°C and 43°C
easy thermal disinfection via optional key 47 994 000
integrated mixed water shut off
shower bottom outlet 1/2"
with integrated non return-valve
metal temperature safety stop
dirt strainers
with S-unions and with covers
GROHE Quickfix for fast exchange of
non return valves in connections
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE SafetyPlus

34 665 000

chrome

380.00




Grohtherm Special
Thermostatic bath mixer 1/2"
wall mounted
ergonomic handles
Aquadimmer handle with multiple function
flow control
integrated mixed water shut off
diverter bath/shower
GROHE TurboStat compact cartridge
with wax thermoelement
Temperature scale handle with
pre-adjustable safety stop between
35°C and 43°C
easy thermal disinfection via optional key 47 994 000
shower bottom outlet 1/2"
with integrated non return-valve
metal temperature safety stop
laminar mousseur
dirt strainers
with S-unions and with covers
GROHE Quickfix for fast exchange of
non return valves in connections
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE SafetyPlus

34 681 000

chrome

338.00




Grohtherm Special
Thermostatic shower mixer 1/2"
wall mounted
ergonomic handles
ceramic headparts 1/2", 90°
GROHE TurboStat compact cartridge
with wax thermoelement
Temperature scale handle with
pre-adjustable safety stop between
35°C and 43°C
easy thermal disinfection via optional key 47 994 000
integrated mixed water shut off
shower bottom outlet 1/2"
with integrated non return-valve
metal temperature safety stop
dirt strainers
without S-unions and covers
GROHE Quickfix for fast exchange of
non return valves in connections
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE SafetyPlus

GROHE GROHTHERM SPECIAL


Ref. No. Colour Price netto (€)

34 671 000 chrome 386.00




Grohtherm Special
Thermostatic bath mixer 1/2"
wall mounted
ergonomic handles
Aquadimmer handle with multiple function
flow control
integrated mixed water shut off
diverter bath/shower
GROHE TurboStat compact cartridge
with wax thermoelement
Temperature scale handle with
pre-adjustable safety stop between
35°C and 43°C
easy thermal disinfection via optional key 47 994 000
shower bottom outlet 1/2"
with integrated non return-valve
metal temperature safety stop
laminar mousseur
dirt strainers
without S-unions and covers
GROHE Quickfix for fast exchange of
non return valves in connections
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE SafetyPlus

34 666 000 chrome 336.00



Grohtherm Special
Thermostatic basin mixer 1/2"
wall mounted
ergonomic handles
ceramic headparts 1/2", 90°
GROHE TurboStat compact cartridge
with wax thermoelement
Temperature scale handle with
pre-adjustable safety stop between
35°C and 43°C
easy thermal disinfection via optional key 47 994 000
integrated mixed water shut off
bottom outlet for spouts 13 378 or 13 380
metal temperature safety stop
dirt strainers
with S-unions and with covers
GROHE Quickfix for fast exchange of
non return valves in connections
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE SafetyPlus

13 378 000 chrome 89.00










Cast swivel spout
length 115 mm
swivelling (180 or 90°) and lockable
laminar flow straightener 9 l/min.
GROHE StarLight finish

13 380 000 chrome 100.00
ditto, length 175 mm

SPECIAL FITTINGS

GROHE GROHTHERM SPECIAL

	Ref. No.	Colour	Price netto (€)
 	29 094 000 Grotherm Special Thermostatic shower mixer set for final installation for GROHE Rapido T 35 500 000 without concealed body escutcheon- and shaft-sealing covered connections ergonomic handles Temperature scale handle with pre-adjustable safety stop between 35°C and 43°C integrated mixed water shut off metal temperature safety stop easy thermal disinfection via optional key 47 994 000 GROHE StarLight chrome finish GROHE SafetyPlus	chrome	232.00
	35 500 000 GROHE Rapido T Universal thermostatic mixer for concealed installation	chrome	239.00
 	29 095 000 Grotherm Special Thermostatic bath mixer set for final installation for GROHE Rapido T 35 500 000 without concealed body escutcheon- and shaft-sealing covered connections ergonomic handles Aquadimmer handle with multiple function flow control integrated mixed water shut off diverter bath/shower Temperature scale handle with pre-adjustable safety stop between 35°C and 43°C integrated mixed water shut off metal temperature safety stop easy thermal disinfection via optional key 47 994 000 GROHE StarLight chrome finish GROHE SafetyPlus	chrome	236.00
	35 500 000 GROHE Rapido T Universal thermostatic mixer for concealed installation	chrome	239.00
 	29 096 000 Grotherm Special Central thermostatic mixer set for final installation for GROHE Rapido T 35 500 000 without concealed body escutcheon- and shaft-sealing covered connections ergonomic metal wing handle Temperature scale handle with pre-adjustable safety stop between 35°C and 43°C metal temperature safety stop easy thermal disinfection via optional key 47 994 000 GROHE StarLight chrome finish GROHE SafetyPlus	chrome	190.00
	35 500 000 GROHE Rapido T Universal thermostatic mixer for concealed installation	chrome	239.00
	47 979 000 Non-return valves including screws and O-rings for GROHE QuickFix packaging unit: 2 pieces	chrome	10.00

GROHE GROHTHERM SPECIAL


Ref. No. Colour Price netto (€)

47 994 000 chrome 6.10




**Grotherm Special
Temperature unlocking handle**
unlocking of temperature handle for thermal disinfection

12 051 000 chrome 53.00




S-union, lockable
1/2" x 3/4"
screw socket to cover the union nut and the rosette
sealing towards wall
adjustment range 12.5 mm
lockable for service
suitable for 1/2" connections
GROHE StarLight chrome finish

28 874 000 chrome 52.00



T connection, 1/2"
for connection to shower and bath/shower- mixer
union nut 1/2"
2 connections 1/2" for the shower hose or drain valves
GROHE StarLight chrome finish

28 988 000 chrome 59.00













Drain down valve
for fitting between shut-off valve and shower
acc. to hospital guide rules
female thread 1/2"
GROHE StarLight chrome finish

SPECIAL FITTINGS











GROHE AUTOMATIC 2000



GROHE AUTOMATIC 2000

	Ref. No.	Colour	Price netto (€)
 	34 361 000	chrome	652.00
<p>Automatic 2000 Compact Thermostatic mixer 1/2" wall mounted wax thermoelement outlet 3/4" threaded connector 3/4" temperature scale handle with GROHE SafeStop at 38°C built-in non return valves dirt strainers without connection unions without elbow union GROHE StarLight chrome finish</p>			
 	34 364 000	chrome	662.00
<p>Automatic 2000 Compact Thermostatic mixer 1/2" wall mounted wax thermoelement with outlet 3/4" threaded connector 3/4" integrated mixed water shut off Carborundum ceramic headpart 1/2", 180° volume handle with individually adjustable economy stop temperature scale handle with GROHE SafeStop at 38°C built-in non return valves dirt strainers without connection unions, without elbow union GROHE StarLight chrome finish</p>			
 	34 365 000	chrome	601.00
<p>Automatic 2000 Compact Thermostatic mixer 3/4" wall mounted wax thermoelement 1" threaded outlet, fitted above or below temperature scale handle with GROHE SafeStop at 38°C removable temperature end stop 45°C built-in non return valves dirt strainers without connection unions without elbow union GROHE StarLight chrome finish</p>			
 	12 419 000	chrome	33.00
<p>Elbow union nut 3/4" x 3/4" male thread for thermostatic 34 361/34 364 GROHE StarLight chrome finish</p>			
 	12 400 00M 12 400 000	chrome chrome	58.00 45.00
<p>S-union, lockable 1/2" x 3/4" adjustment range 10 mm sliding escutcheon lockable for service in dispense of 2 piece at 00M GROHE StarLight chrome finish</p>			

GROHE AUTOMATIC 2000

	Ref. No.	Colour	Price netto (€)
 	12 003 000	chrome	81.00
<p>S-union 3/4" x 1" adjustment range 15 mm screw escutcheon GROHE StarLight chrome finish</p>			
 	12 407 000	chrome	129.00
<p>Wall union, male 1/2" without thermometer connection pipe Ø 18 mm connector set 3/4" male thread 1/2" sliding escutcheon GROHE StarLight chrome finish</p>			
 	45 058 000	chrome	70.00
<p>Set for wall union 200 mm with compression coupling 3/4" to outlet elbow 12 407 ,1/2" GROHE StarLight chrome finish</p>			
 	12 408 000	chrome	267.00
<p>Wall union, male 3/4" without thermometer connection pipe Ø 22 mm connector set 1" male thread 3/4" sliding escutcheon GROHE StarLight chrome finish</p>			
	47 095 000	chrome	67.00
<p>Handle for shut-off valve pre-adjustable flow volume</p>			
	47 203 000	chrome	14.00
<p>Mounting set Ø 10 mm</p>			

GROHE AUTOMATIC 2000

Ref. No.	Colour	Price netto (€)
----------	--------	-----------------















47 350 000	chrome	198.00
------------	--------	--------

Loose key and shield
for all Automatic 2000 variants
GROHE StarLight chrome finish










GROHE GROHTHERM XL



GROHE GROHTHERM XL

	Ref. No.	Colour	Price netto (€)
 	35 085 000	chrome	1,130.00
<p>Grotherm XL Thermostatic mixer 1" wall mounted range of use 9l/min to 140l/min wax thermoelement temperature scale handles with pre-adjustable safety stop between 33°C and 43°C arrangement to make the thermal disinfection easier built-in non return valves and dirt strainers as compact service units connecting thread 1 1/4" outlet thread 1 1/2" changeable top/bottom outlet without connection unions GROHE StarLight chrome finish min. recommended pressure 1.0 bar</p>			
 	35 087 000	chrome	1,250.00
<p>Grotherm XL Thermostatic mixer 1 1/4" wall mounted range of use 9l/min to 140l/min wax thermoelement temperature scale handles with pre-adjustable safety stop between 33°C and 43°C arrangement to make the thermal disinfection easier built-in non return valves and dirt strainers as compact service units connecting thread 1 1/2" outlet thread 2" changeable top/bottom outlet without connection unions GROHE StarLight chrome finish min. recommended pressure 1.0 bar</p>			
 	12 411 000	chrome	164.00
<p>S-union nut 1 1/4" x 1" male thread adjustment range 50 mm screw escutcheon (for Grotherm XL 1", 35 085/35 086) GROHE StarLight chrome finish in units of 1</p>			
 	12 417 000	chrome	89.00
<p>Straight union nut 1 1/4" x 1" male thread screw escutcheon (for Grotherm XL 1", 35 085/35 086) GROHE StarLight chrome finish</p>			
 	12 420 000	chrome	100.00
<p>ditto, nut, 1 1/2" x 1 1/4", male thread (for Grotherm XL 1 1/4", 35 087/35 088)</p>			
 	12 424 000	chrome	84.00
<p>Straight union nut 1 1/2" x 1 1/4" male thread (for Grotherm XL 1", 35 085/35 086) GROHE StarLight chrome finish</p>			

GROHE GROHTHERM XL

	Ref. No.	Colour	Price netto (€)
	12 428 000 Elbow union nut 1 1/4" x 1" male thread (for Grohtherm XL 1", 35 085/35 086) GROHE StarLight chrome finish in units of 2	chrome	178.00
	12 430 000 Elbow union nut, 1 1/2" x 1 1/4", male thread (for Grohtherm XL 1 1/4", 35 087/35 088)	chrome	176.00
	12 432 000 Wall union, male 1 1/4" nut 1 1/2" x 1 1/4" male thread projection 125 mm screw escutcheon (for Grohtherm XL 1", 35 085/35 086) GROHE StarLight chrome finish	chrome	184.00
	12 434 000 Wall union, male 1 1/2" nut, 2" x 1 1/2", male thread 125 mm projection (for Grohtherm XL 1 1/4", 35 087/35 088)	chrome	455.00
	12 444 000 Wall union, male 1 1/4" with thermometer nut 1 1/2" x 1 1/4" male thread projection 90 mm screw escutcheon (for Grohtherm XL 1", 35 085/35 086) GROHE StarLight chrome finish	chrome	257.00
	12 448 000 Wall union, male 1 1/2" with thermometer nut 2" x 1 1/2" male thread projection 90 mm screw escutcheon GROHE StarLight chrome finish	chrome	468.00
	12 436 000 Wall union, male 1 1/4" without thermometer nut 1 1/2" x 1 1/4" male thread projection 90 mm screw escutcheon (for Grohtherm XL 1", 35 085/35 086) GROHE StarLight chrome finish	chrome	140.00
	47 569 000 Loose key and shield	chrome	569.00
			

GROHE GROHTHERM XL

Ref. No. Colour Price netto (€)








12 124 000 chrome 83.00

Mixed water circulation connection
consisting of:
flexible connection hose
3/4" x 3/4", 90° angle
connecting nipple M45 x 1.5 x 3/4"
for connection to existing circulation pipe
double nipple 1" male thread x 3/4"
for connection to Grotherm XL
GROHE StarLight chrome finish

GROHE EUROECO SPECIAL




GROHE EUROECO SPECIAL

	Ref. No.	Colour	Price netto (€)
	32 762 000	chrome	117.00
	<p>Euroeco Special Single-lever basin mixer 1/2" single hole installation smooth body GROHE StarLight chrome finish GROHE SilkMove 35 mm ceramic cartridge GROHE EcoJoy technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate approx. 2.5 l/min laminar flow straightener 9 l/min. metal lever, lever length 120 mm rapid installation system flexible connection hoses</p>		
	32 763 000	chrome	117.00
	<p>ditto, with pop-up waste set 1 1/4"</p>		
	32 765 000	chrome	234.00
	<p>Euroeco Special Single-lever basin mixer 1/2" single hole installation smooth body, high version GROHE StarLight chrome finish GROHE SilkMove 46 mm ceramic cartridge GROHE EcoJoy technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate approx. 2.5 l/min laminar flow straightener 9 l/min. metal lever, lever length 120 mm rapid installation system flexible connection hoses</p>		
	32 766 000	chrome	243.00
	<p>ditto, with pop-up waste set 1 1/4"</p>		
	23 294 000	chrome	*
	<p>Euroeco Special Single-lever basin mixer 1/2" single hole installation pop-up waste set 1 1/4" GROHE StarLight chrome finish GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate approx. 2.5 l/min laminar flow straightener 5 l/min metal lever lever length 160 mm rapid installation system flexible connection hoses</p>		
	23 293 000	chrome	*
	<p>Euroeco Special Single-lever basin mixer 1/2" single hole installation smooth body high version GROHE StarLight chrome finish GROHE SilkMove 46 mm ceramic cartridge GROHE EcoJoy technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate approx. 2.5 l/min laminar flow straightener 5 l/min loop metal lever lever length 160 mm flexible connection hoses rapid installation system</p>		


GROHE EUROECO SPECIAL

Ref. No. Colour Price netto (€)




30 208 000 chrome 243.00

Euroeco Special
Single-lever basin mixer 1/2"
single hole installation
high spout
302 mm
smooth body
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 5.7 l/min.
swivel tubular spout
swivel area 140°
metal lever
lever length 170 mm
rapid installation system
flexible connection hoses
min. recommended pressure 1.0 bar



32 776 000 chrome 241.00


Euroeco Special
Single-lever basin mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate
approx. 2.5 l/min
laminar flow straightener 9 l/min.
cast spout
projection 157 mm
metal lever, lever length 120 mm
S-unions



32 778 000 chrome 242.00

Euroeco Special
Single-lever basin mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate
approx. 2.5 l/min
laminar flow straightener 9 l/min.
cast spout, projection 205 mm
metal lever, lever length 170 mm
S-unions

32 779 000 chrome 278.00
ditto, with lockable S unions, projection 221 mm



32 770 000 chrome 229.00













Euroeco Special
Single-lever basin mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate
approx. 2.5 l/min
laminar flow straightener 9 l/min.
cast swivel spout, lockable
projection 157 mm
metal lever, lever length 120 mm
S-unions

32 768 000 chrome 273.00
ditto, with lockable S unions, projection 174 mm

SPECIAL FITTINGS

GROHE EUROECO SPECIAL

Ref. No. Colour Price netto (€)

		<p>32 767 000</p> <p>chrome</p> <p>259.00</p> <p>Euroeco Special Single-lever basin mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE SilkMove 46 mm ceramic cartridge GROHE EcoJoy technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate approx. 2.5 l/min laminar flow straightener 9 l/min. cast swivel spout, lockable projection 197 mm metal lever, lever length 120 mm S-unions</p>
		<p>32 771 000</p> <p>chrome</p> <p>295.00</p> <p>ditto, with lockable S unions, projection 214 mm</p>
		<p>32 773 000</p> <p>chrome</p> <p>278.00</p> <p>Euroeco Special Single-lever basin mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE SilkMove 46 mm ceramic cartridge GROHE EcoJoy technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate approx. 2.5 l/min cast swivel spout, lockable laminar flow straightener 9 l/min. projection 257 mm metal lever, lever length 170 mm S-unions</p>
		<p>32 775 000</p> <p>chrome</p> <p>320.00</p> <p>ditto, with lockable S unions, projection 342 mm</p>
		<p>32 774 000</p> <p>chrome</p> <p>306.00</p> <p>Euroeco Special Single-lever basin mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE SilkMove 46 mm ceramic cartridge GROHE EcoJoy technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate approx. 2.5 l/min laminar flow straightener 9 l/min. cast swivel spout, lockable projection 274 mm metal lever, lever length 170 mm with lockable S-unions</p>
		<p>32 772 000</p> <p>chrome</p> <p>277.00</p> <p>Euroeco Special Single-lever basin mixer wall mounted GROHE StarLight chrome finish GROHE SilkMove 46 mm ceramic cartridge GROHE EcoJoy technology for less water and perfect flow adjustable minimum flow rate approx. 2.5 l/min adjustable temperature limiter adjustable flow rate limiter laminar flow straightener 9 l/min. cast swivel spout, lockable projection 222 mm metal lever lever length 170 mm without S-unions water saving</p>

GROHE EUROECO SPECIAL

	Ref. No.	Colour	Price netto (€)
 	32 780 000	chrome	123.00
	<p>Euroeco Special Single-lever shower mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE SilkMove 46 mm ceramic cartridge GROHE EcoJoy technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate approx. 2.5 l/min shower bottom outlet 1/2" integrated non-return valve metal lever, lever length 120 mm S-unions protected against backflow without shower set</p>		
	32 781 000	chrome	154.00
	ditto, with lockable S-unions		
 	32 783 000	chrome	145.00
	<p>Euroeco Special Single-lever bath mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE SilkMove 46 mm ceramic cartridge GROHE EcoJoy technology for less water and perfect flow adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve metal lever, lever length 120 mm temperature limiter, S-unions protected against backflow without shower set</p>		
	32 784 000	chrome	122.00
 	32 784 000	chrome	122.00
	<p>Euroeco Special Single-lever shower mixer set for final installation for 35 501 000 without concealed body GROHE StarLight chrome finish metal lever lever length 120 mm escutcheon- and shaft-sealing metal escutcheon screwed temperature limiter</p>		
	35 501 000	chrome	100.00
	GROHE Rapido E Universal single-lever mixer for concealed installation		
 	33 912 000	chrome	277.00
	<p>Euroeco Special Single-lever sink mixer 1/2" single hole installation GROHE StarLight chrome finish ceramic cartridge adjustable flow rate limiter adjustable temperature limiter laminar flow straightener 9 l/min. swivel tubular spout metal lever lever length 120 mm temperature limiter Attention: old product</p>		









GROHE EUROECO SPECIAL

	Ref. No.	Colour	Price netto (€)
	32 870 000 Euroeco Special Lever 115 mm for Euroeco Special single-lever mixer GROHE StarLight chrome finish	chrome	15.50
	32 871 000 ditto, length 160 mm	chrome	23.00
	46 259 000 Lever 120 mm GROHE StarLight chrome finish	chrome	34.00
	46 257 000 Lever 170 mm GROHE StarLight chrome finish	chrome	50.00
	46 688 000 Lever 120 mm for Euroeco Special single lever basin mixer metal, 120 mm GROHE StarLight chrome finish	chrome	21.00
	46 689 000 length 170 mm	chrome	18.00





GROHE EUROECO SINGLE SEQUENTIAL



GROHE EUROECO SINGLE SEQUENTIAL

	Ref. No.	Colour	Price netto (€)
		32 789 000 Euroeco Single Sequential Single-lever basin mixer 1/2" single hole installation smooth body GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. laminar flow straightener 9 l/min. metal lever, lever length 120 mm rapid installation system flexible connection hoses,	chrome 215.00
	32 788 000 ditto, with pop-up waste set 1 1/4"	chrome	219.00
		32 790 000 Euroeco Single Sequential Single-lever basin mixer 1/2" single hole installation smooth body, high version GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. laminar flow straightener 9 l/min. metal lever, lever length 120 mm rapid installation system flexible connection hoses min. recommended pressure 1.0 bar	chrome 297.00
		32 823 000 Euroeco Special Single-lever basin mixer 1/2", wall mounted ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. cast spout with flow straightener 9 l/min. projection 170 mm metal lever lever length 170 mm without connection unions	chrome 366.00
		32 795 000 Euroeco Single Sequential Single-lever basin mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. cast spout with flow straightener 9 l/min. projection 204 mm metal lever, lever length 170 mm S-unions	chrome 369.00

GROHE EUROECO SINGLE SEQUENTIAL

	Ref. No.	Colour	Price netto (€)
 	32 792 000	chrome	373.00
	Euroeco Single Sequential Single-lever basin mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. cast swivel spout, lockable with flow straightener 9 l/min. projection 197 mm metal lever, lever length 120 mm S-unions min. recommended pressure 1.0 bar		
	32 793 000	chrome	388.00
	ditto, projection 256 mm		
	46 277 000	chrome	8.20
	Temperature limiter for cartridge 46 278 for Euroeco safety mixer batteries		
	46 278 000	chrome	73.00
	Cartridge with ceramic sealing system for Euroeco safety mixer batteries		
	46 686 000	chrome	27.00
	Lever 120 mm for Euroeco Special single sequential basin mixer metal, 120 mm GROHE StarLight chrome finish		
	46 687 000	chrome	31.00
	Lever 170 mm for Euroeco Special single sequential basin mixer metal, 170 mm GROHE StarLight chrome finish		

GROHE EURODISC SE



GROHE EURODISC SE

Ref. No.


Colour

Price netto (€)

36 233 000

chrome

638.00




Eurodisc SE
Self-closing basin mixer with mixing device and adjustable temperature limiter
6 V lithium-battery, type CR-P2
GROHE StarLight chrome finish
 flexible connection hoses
 non-return valves with integrated dirt strainers
 rapid installation system
 start-stop function
 electronic control of operating time
 safety stop after 180 sec.
 functions to activate with tip code
 flow time infinitely adjustable from 2-180 sec.
 automatic flushing: 5 min after 3 days without use
 thermal disinfection for 3.5 or 11 min
 CE approved
 type of protection faucet IP 59K
 min. recommended pressure 1.0 bar

36 249 000

chrome

598.00




Eurodisc SE
Self-closing basin tap 1/2" without mixing device
6 V lithium-battery, type CR-P2
 for cold or premixed water
 marking: blue
GROHE StarLight chrome finish
 flexible connection hose
 dirt strainer
 rapid installation system
 start-stop function
 electronic control of operating time
 safety stop after 180 sec.
 functions to activate with tip code
 flow time infinitely adjustable from 2-180 sec.
 automatic flushing: 5 min after 3 days without use
 CE approved
 type of protection faucet IP 59K

36 244 000

chrome

1,080.00




Eurodisc SE
Self-closing shower thermostat, 1/2"
 wall mounted
6 V lithium-battery, type CR-P2
GROHE StarLight chrome finish
GROHE TurboStat compact cartridge with wax thermoelement
GROHE CoolTouch metal housing
 temperature scale handle with safety stop between 35°C and 45°C
 non-return valve
 dirt strainers
 top outlet 3/4"
 start-stop function
 electronic control of operating time
 functions to activate with tip code
flow time adjustable from 2 sec. to 30 min.
 automatic flushing: 5 min after 3 days without use
 thermal disinfection for 3.5 or 11 min
 CE approved
 type of protection IP 69K
 min. recommended pressure 1.0 bar

GROHE EURODISC SE


Ref. No. Colour Price netto (€)

36 245 000 chrome 1,030.00





Eurodisc SE
Self-closing shower thermostat , 1/2"
wall mounted
6 V lithium-battery, type CR-P2
GROHE StarLight chrome finish
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE CoolTouch metal housing
temperature scale handle with safety stop
between 35°C and 45°C
non-return valve
dirt strainers
bottom outlet 1/2"
start-stop function
electronic control of operating time
functions to activate with tip code
flow time adjustable from 2 sec. to 30 min.
automatic flushing: 5 min after 3 days
without use
thermal disinfection for 3.5 or 11 min
CE approved
type of protection IP 69K
min. recommended pressure 1.0 bar

36 247 000 chrome 1,010.00



Eurodisc SE
Self-closing shower thermostat , 1/2"
6 V lithium-battery, type CR-P2
GROHE StarLight chrome finish
GROHE TurboStat compact cartridge
with wax thermoelement
temperature scale handle with safety stop
between 35°C and 45°C
non-return valve
dirt strainers
start-stop function
electronic control of operating time
functions to activate with tip code
flow time adjustable from 2 sec. to 30 min.
automatic flushing: 5 min after 3 days
without use
thermal disinfection for 3.5 or 11 min
set for final installation for
36 014 (integrated elastomer fitting box)
or 36 246
CE approved
acoustic group I in accordance with DIN 4109
type of protection IP 55

36 014 000 chrome 186.00



Eurodisc SE
Concealed mounting box 1/2"
wall installation
suitable for final installation set
36 247
elastomere installation box
installation depth adjustable
2 stop valves
type of protection IP 69K
GROHE EcoJoy technology for less water and perfect flow
(in connection with 36 247)








36 209 000 chrome 116.00



Hidden mixing device
vandal-proof, covered and pre-adjustable
mixer
suitable for single hole mixers
Essence E, Allure E, Europlus E and Eurodisc SE
consisting of:
special mixing device, adjustment by
screwdriver
metallic cap
GROHE StarLight chrome finish

SPECIAL FITTINGS

GROHE EURODISC SE

	Ref. No.	Colour	Price netto (€)
 	12 407 000	chrome	129.00
<p>Wall union, male 1/2" without thermometer connection pipe Ø 18 mm connector set 3/4" male thread 1/2" sliding escutcheon GROHE StarLight chrome finish</p>			
 	43 957 000	chrome	181.00
<p>Spout for Europlus E thermostat 90 mm</p>			
	42 133 000	chrome	157.00
<p>ditto, projection 160 mm</p>			
	42 132 000	chrome	260.00
<p>ditto, projection 192 mm</p>			
	42 886 000	chrome	21.00
<p>Battery</p>			
 	45 704 000	chrome	32.00
<p>Flexible connection hose 300 mm 3/8" x 3/8"</p>			

GROHE EUROSMART COSMOPOLITAN T




GROHE EUROSMART COSMOPOLITAN T

Ref. No.

Colour

Price netto (€)



36 317 000

chrome

274.00

Eurosmart Cosmopolitan T
Self-closing basin mixer with mixing device
and adjustable temperature limiter


GROHE StarLight chrome finish
3 adjustable flow times: short - medium - long
(factory setting: short), approx. 7, 15, 30 sec
(pressure dependent)
pressure range 0.5 to 6 bar
2 flexible hoses
non-return valve
dirt strainers,

36 318 000

chrome

298.00

ditto, with pop-up waste set 1 1/4"




36 319 000

chrome

492.00

Eurosmart Cosmopolitan T
Self-closing basin mixer with mixing device
and adjustable temperature limiter

wall mounted
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
laminar flow straightener 9 l/min., swivel cast spout 200 mm
swivel range stop at 130°, lockable
3 adjustable flow times: short - medium - long
(factory setting: medium), approx. 7, 15, 30 sec
(pressure dependent)
pressure range 0.5 to 6 bar
S-unions, non-return valve
dirt strainers




36 320 000

chrome

430.00

Eurosmart Cosmopolitan T
Self-closing shower mixer 1/2" with mixing device
and adjustable temperature limiter

wall mounted
GROHE StarLight chrome finish
mixing device with hot water stop-valve
hose connection G 1/2"
3 adjustable flow times: short - medium - long
(factory setting: medium), approx. 7, 15, 30 sec
(pressure dependent)
pressure range 0.5 to 6 bar
S-unions, non-return valve
dirt strainers




36 321 000

chrome

308.00

Eurosmart Cosmopolitan T
Self-closing shower mixer 1/2" with mixing device
and adjustable temperature limiter

GROHE StarLight chrome finish
chrome escutcheon
3 adjustable flow times: short - medium - long
(factory setting: medium), approx. 7, 15, 30 sec
(pressure dependent)
pressure range 0.5 to 6 bar
dirt strainers
for use with 36 322 000
without concealed body



36 322 000

chrome

140.00

Eurosmart Cosmopolitan T
Concealed mounting box
with mixture


wall installation
suitable for self-closing final installation sets
with adhesive flange for sealing the wall
2 stop valves
housing with mixing device
non-return valve
for use with 36 321 000

GROHE EUROECO COSMOPOLITAN T




GROHE EUROECO COSMOPOLITAN T

Ref. No. Colour Price netto (€)




36 265 000 chrome 126.00

**Euroeco Cosmopolitan T
Self-closing pillar tap 1/2"**
for cold or premixed water
marking: blue/red
GROHE StarLight chrome finish
3 adjustable flow times: short - medium - long
(factory setting: short), approx. 7, 15, 30 sec
(pressure dependent)
min. recommended pressure 1.0 bar




36 266 000 chrome 97.00

**Euroeco Cosmopolitan T
Self-closing pillar tap 1/2"**
wall mounted
marking: blue/red
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flow limiter 5.7 l/min
escutcheon




36 316 000 chrome 40.00

**Euroeco Cosmopolitan T
Extension, 42 mm**
for self-closing pillar tap 1/2" (36 266 000)
GROHE StarLight chrome finish



36 268 000 chrome 97.00

**Euroeco Cosmopolitan T
Self-closing gate valve 1/2"**
for concealed installation
for cold or premixed water
marking: blue/red
GROHE StarLight chrome finish
3 adjustable flow times: short - medium - long
(factory setting: short), approx. 7, 15, 30 sec
(pressure dependent)
min. recommended pressure 1.0 bar



36 267 000 chrome 91.00


**Euroeco Cosmopolitan T
Self-closing shower valve 1/2"**
exposed installation
for cold or premixed water
marking: blue/red
GROHE StarLight chrome finish
3 adjustable flow times: short - medium - long
(factory setting: short), approx. 7, 15, 30 sec
(pressure dependent)
escutcheon
min. recommended pressure 1.0 bar

GROHE CONTROMIX




GROHE CONTROMIX

Ref. No. Colour Price netto (€)




36 109 000 chrome 483.00

Contromix Public
Self-closing basin mixer 1/2"
with mixing device
GROHE StarLight chrome finish
economy stop function
temperature limiter
flow time adjustable
5-40 sec.
flexible connection hoses
non-return valve
dirt strainer
min. recommended pressure 1.2 bar




36 121 000 chrome 546.00

Contromix Surf
Self-closing shower mixer 1/2"
with mixture
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
economy stop function
temperature limiter
flow time adjustable
5-40 sec.
escutcheon, plastic chromed
escutcheon- and shaft-sealing
non-return valve
dirt strainers
set for final installation for 36 122
without concealed body
min. recommended pressure 1.5 bar



36 122 000 chrome 238.00

Contromix Surf
Concealed mounting box
(for 36 121/36 123)
without finishing trim set
wall mounting box with adhesive
flange for sealing the wall
installation from top or at the sides
stop valve and flush elbow



45 704 000 chrome 32.00

Flexible connection hose
300 mm
3/8" x 3/8"



43 813 000 chrome 152.00

Cartridge
for Contromix Surf/Public

GROHE CONTROMIX

Ref. No. Colour Price netto (€)

43 959 000 **chrome** 54.00
Socket Spanner
for Contromix Surf/Public



SPECIAL FITTINGS

* price upon request

GROHE SENSIA SHOWER TOILETS





CONTENTS

Shower toilet	Sensia IGS	585
	Sensia Arena	591

GROHE SENSIA IGS



GROHE SENSIA IGS

Ref. No. Colour Price netto (€)

39 111 SH0	alpine white	4,960.00
39 111 LP0	alpine white/alpine white	5,180.00
39 111 LD0	alpine white/red	5,180.00
39 111 LK0	alpine white/black	5,180.00

GROHE Sensia IGS

Shower toilet complete system for concealed flushing cisterns, wall-hung

GROHE Hygiene decalcification program, unique 70°C hot water cleaning for entire water system, automatic shower cleaning before and after every use

GROHE DreamSpray technology

separate water way for lady spray

aerated shower spray

oscillating spray (automatic forward and reverse motion of the spray)

pulsating spray for massage

adjustable spray intensity

automatic pre- and post-rinsing of spray nozzle with fresh water

warm water with adjustable temperature

Other function

warm air dryer with adjustable temperature

odor extraction with filter

Duroplast WC seat and lid with soft close function

push and turn seat control operation

4 programmable user profiles for remote controller

power switch

inside night lighting

hidden water supply and power supply connections

includes:

touchscreen remote control with wall-mounted holder

batteries for remote controller

active carbon filter

fixing and connecting material

flush pipe

installation guide, manual

cable with system plug on device

pressure 0.1 - 1.0 MPa (1 - 10 bar)

nominal voltage 220-240 V AC 1400 W

main frequency 50-60 Hz

type of protection IPX4

complying with EN 1717/13077

CE approved

SH0:

alpine white ceramic, housing, front, seat and lid

LP0:

alpine white ceramic, front, seat and lid

matt chrome housing

LD0:

alpine white ceramic, seat and lid

matt chrome housing


red front

LK0:


alpine white ceramic, seat and lid

matt chrome housing

black front



39 112 001 chrome 260.00



Rapid SL for GROHE Sensia shower WCs
flushing cistern GD 2 with connections for GROHE Sensia shower toilets (Sensia IGS/Sensia Arena)

1.13 m installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable

fixing material
TUV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
PP outlet bend Ø 90 mm

depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l

adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from back
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union

no tools required for the installation
of the inspection shaft incl. protection during construction phase
for vertical or horizontal use
2 wall brackets with fixing material
universal water connection for shower toilets Sensia Arena and Sensia IGS
concealed socket for mains supply
positioning help for electrical connection
for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

46 884 000 chrome 91.00



Care set for GROHE Sensia IGS shower WC
consisting of:
1 odor filter
descaling agent for 2 applications

46 882 00M chrome 60.00



Descaling agent for GROHE Sensia IGS shower WC
for 4 applications
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

46 883 00M chrome 111.00



Odor filter for GROHE Sensia IGS shower WC
contains 2 odor filters

GROHE SENSIA IGS

	Ref. No.	Colour	Price netto (€)
	42 459 000 Connection set for Sensia IGS shower WC system	chrome	*
	40 899 000 Retrofit kit for shower toilets Sensia Arena and IGS retrofit of existing Rapid SL and Uniset installations to shower toilets Sensia Arena or IGS including: conduit pipe with locking ring and flat seal cable ties WC connecting pipe Ø 45 mm waste sleeve Ø 90 mm	chrome	35.00
	14 911 LD0 14 911 LK0 14 911 LP0 14 911 SH0 Panel set for Sensia IGS shower WC system complete set LD0: matt chrome housing red front LK0: matt chrome housing black front LP0: matt chrome housing alpine white front SH0: Alpine white housing and front	alpine white/red alpine white/black alpine white/alpine white alpine white	* * * *
	14 912 000 Spray for Sensia IGS shower WC system Including cover and disassembling tool	chrome	*
	14 913 000 WC seat and lid for Sensia IGS shower WC system including hinges without operating unit	chrome	*

GROHE SENSIA IGS

	Ref. No.	Colour	Price netto (€)
	14 914 000 Splash protection for Sensia IGS shower WC system	chrome	*
	14 915 000 Remote control for Sensia IGS shower WC system with wall holder including fixation including batteries	chrome	*
	14 916 000 Operating unit for Sensia IGS shower WC system with adjusting knob including battery	chrome	*
	14 917 000 Connecting pipe for Sensia IGS shower WC system flush- and waste pipe	chrome	95.00

GROHE SENSIA ARENA



GROHE SENSIA ARENA

Ref. No.

Colour

Price netto (€)

39 354 SH0

alpine white

1,949.00

GROHE Sensia Arena

Shower toilet complete system for concealed flushing cisterns, wall-hung

GROHE Hygiene GROHE antibacterial glazing (SIAA Kokin Japanese standard compliant) and anti stick coating ceramic appliance with Aquaceramics technology

GROHE power flush: rimless wash down jet WC with **GROHE Triple Vortex** flushing technology

GROHE Skin Clean:

2 dedicated adjustable spray arms (1 for rear spray, 1 for lady spray)

separate water way for lady spray

oscillating spray (automatic forward and reverse motion of the spray)

pulsating spray for massage

adjustable spray intensity

automatic pre- and post-rinsing of spray nozzle with fresh water

integrated instant heater provides unlimited warm water

adjustable temperature

Other function

warm air dryer with adjustable temperature

odor extraction with filter

Duroplast WC seat and lid with automatic opening/close function

infra-red user detection

seat control panel operation

power switch

inside bowl night light

hidden water supply and power supply connections

remote control

smart phone app for iOS

includes:

noise protection sheet, mounting bases and washers

manual remote controller with wall-mounted holder

active carbon filter for odour absorption

water supply connection set for concealed cistern

nozzle guard

cable with system plug on device

pressure 0.05 - 1 MPa (0.5 - 10 bar)

nominal voltage 220-240 V AC


main frequency 50-60 Hz

type of protection IPX4

complies with

EN 1717


CE approved



GROHE SENSIA ARENA


Ref. No. Colour Price netto (€)

39 112 001 chrome 260.00



Rapid SL for GROHE Sensia shower WCs
flushing cistern GD 2 with connections for GROHE Sensia shower toilets (Sensia IGS/Sensia Arena)
1.13 m installation height
for on-the-wall installations or studed walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TUV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
PP outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
flushing cistern GD 2, 6 - 9 l
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from back
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation
of the inspection shaft incl. protection during construction phase
for vertical or horizontal use
2 wall brackets with fixing material
universal water connection for shower toilets Sensia Arena and Sensia IGS
concealed socket for mains supply
positioning help for electrical connection
for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

46 944 000 chrome 195.00



GROHE Sensia Arena Installation kit for automatic flush
consisting of:
servo motor for GD 2
actuation rod for flushing valve
cable + blind cap
flexible hose
WC actuation plate not included
CE approved

40 899 000 chrome 35.00



Retrofit kit for shower toilets Sensia Arena and IGS
retrofit of existing Rapid SL and Uniset installations to shower toilets Sensia Arena or IGS
including:
conduit pipe with locking ring and flat seal
cable ties
WC connecting pipe Ø 45 mm
waste sleeve Ø 90 mm






14 924 SH0 alpine white *



WC seat
for Sensia Arena shower toilet system, wall hung
automatic opening/close function
suitable WC lid: 14 925 SH0

SHOWER TOILET

GROHE SENSIA ARENA

	Ref. No.	Colour	Price netto (€)
	14 925 SH0 WC lid for Sensia Arena shower toilet system, wall hung automatic opening/close function suitable WC seat: 14 924 SH0	alpine white	*
 	14 926 000 Remote control for Sensia Arena shower toilet system, wall hung including wall holder including batteries	chrome	293.00
	14 928 000 Spray for Sensia Arena shower toilet system, wall hung and floor standing standard shower	chrome	*
	14 929 000 Spray for Sensia Arena shower toilet system, wall hung and floor standing lady shower	chrome	*
	14 930 000 Nozzle guard for Sensia Arena shower toilet system, wall hung and floor standing	chrome	*
	14 933 000 Air filter for Sensia Arena shower toilet system, wall hung	chrome	*

GROHE SENSIA ARENA

	Ref. No.	Colour	Price netto (€)
	14 936 000 Splash protection for Sensia Arena shower toilet system, wall hung and floor standing	chrome	*
	46 977 00M GROHE Sensia Arena Descaler packaging unit 4 x 80 g bag This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/	chrome	*
	46 978 000 GROHE Sensia Arena Care set 80 g bag descaler splash protection bottle adapter	chrome	*
	46 979 000 GROHE Sensia Arena Descaler bottle bottle adapter	chrome	*

GROHE
CERAMICS





CONTENTS

Bau Ceramic

599

Euro Ceramic

607

Cube Ceramic

615

GROHE BAU CERAMIC




GROHE BAU CERAMIC

Ref. No.

Colour

Price netto (€)

new




39 420 000

alpine white

42.49

**Bau Ceramic
Wash basin 65**
wall hung
1 hole punched
with overflow
646 x 468 mm
vitreous china
18 pieces per pallet

new




39 421 000

alpine white

36.99

**Bau Ceramic
Wash basin 60**
wall hung
1 hole punched
with overflow
609 x 442 mm
vitreous china
18 pieces per pallet

new




39 440 000

alpine white

35.99

**Bau Ceramic
Wash basin 55**
wall hung
1 hole punched
with overflow
553 x 386 mm
vitreous china
21 pieces per pallet

new




39 422 000

alpine white

66.49

**Bau Ceramic
Counter basin 55**
built-in
1 hole punched
with overflow
560 x 400 mm
vitreous china
21 pieces per pallet

new




39 423 000

alpine white

66.49

**Universal tap
Undercounter wash basin 55**
installation from below
with overflow
560 x 420 mm
vitreous china
18 pieces per pallet

new



39 424 000

alpine white

35.99













**Bau Ceramic
Hand rinse basin 45**
wall hung
1 hole punched
with overflow
453 x 354 mm
vitreous china
27 pieces per pallet

GROHE BAU CERAMIC

Ref. No.

Colour

Price netto (€)

new			39 426 000	alpine white	40.99
			<p>Bau Ceramic Half pedestal including fixation set vitreous china 30 pieces per pallet</p>		
new			39 425 000	alpine white	35.99
			<p>Bau Ceramic Full pedestal including fixation set vitreous china 30 pieces per pallet</p>		
new			39 427 000	alpine white	67.99
			<p>Bau Ceramic Wall hung WC for concealed cistern wash down rimless horizontal outlet flush volume 6/3 l vitreous china 16 pieces per pallet</p>		
new			39 491 000	alpine white	*
			<p>Bau Ceramic Wall hung WC for concealed cistern wash down open rim horizontal outlet flush volume 6/3 l including fixation set vitreous china 16 pieces per pallet</p>		
new			39 428 000	alpine white	*
			<p>Bau Ceramic Floor standing WC for close coupled combination wash down boxed rim horizontal outlet flush volume 6/3 l including fixation set cistern to be ordered separately vitreous china 9 pieces per pallet</p>		
new			39 349 000	alpine white	*
			<p>Bau Ceramic Floor standing WC for close coupled combination wash down rimless horizontal outlet flush volume 6/3 l including fixation set cistern to be ordered separately vitreous china 9 pieces per pallet</p>		

CERAMICS


GROHE BAU CERAMIC

Ref. No.

Colour

Price netto (€)

new




39 429 000

alpine white

*

Bau Ceramic
Floor standing WC for close coupled combination
wash down
rimless
vertical outlet, concealed
flush volume 6/3 l
including fixation set
cistern to be ordered separately
vitreous china
9 pieces per pallet

new




39 437 000

alpine white

*

Bau Ceramic
Exposed flushing cistern
side inlet
including flushing set
vitreous china
24 pieces per pallet

new




39 494 000

alpine white

*

Bau Ceramic
Exposed flushing cistern
side inlet
including flushing set
vitreous china
24 pieces per pallet

new




39 430 000

alpine white

*

Bauline
Floor standing WC
wash down
rimless
horizontal outlet
flush volume 6/3 l
including fixation set
vitreous china
12 pieces per pallet

new




39 431 000

alpine white

*

Bau Ceramic
Floor standing WC
wash down
rimless
vertical outlet
flush volume 6/3 l
including fixation set
vitreous china
12 pieces per pallet

new



39 492 000













alpine white

29.49

Bau Ceramic
WC seat
with lid
quick release function
detachable
material: Duroplast
including fixation set
126 pieces per pallet


GROHE BAU CERAMIC

Ref. No. Colour Price netto (€)

new		39 493 000	alpine white	52.49
		<p>Bau Ceramic WC seat with lid soft close quick release function detachable material: Duroplast including fixation set 126 pieces per pallet</p>		
		<p>Bau Ceramic Wall hung bidet 1 hole punched with overflow vitreous china 16 pieces per pallet</p>	alpine white	114.99
		<p>Bau Ceramic Floor standing bidet 1 hole punched with overflow including fixation set vitreous china 12 pieces per pallet</p>	alpine white	*
		<p>Bau Ceramic Urinal concealed inlet flush volume 1 l vitreous china 16 pieces per pallet</p>	alpine white	129.99
		<p>Bau Ceramic Urinal top inlet flush volume 1 l vitreous china 16 pieces per pallet</p>	alpine white	129.99
		<p>Bau Ceramic Wall hung WC set WC seat and lid with soft close feature for concealed cistern wash down rimless horizontal outlet flush volume 6/3 l vitreous china 12 pieces per pallet</p>	alpine white	114.99

CERAMICS

new




39 497 000

alpine white

*

**Bau Ceramic
Wall hung WC set**
WC seat and lid
for concealed cistern
wash down
open rim
horizontal outlet
flush volume 6/3 l
vitreous china
12 pieces per pallet

new



39 347 000

alpine white


*

**Bau Ceramic
Bundle close coupled WC**
consisting of:
Bau Ceramic floor standing toilet with horizontal outlet (39 428 000)
wash down
boxed rim
horizontal outlet, concealed
flush volume 6/3 l
including fixation set
vitreous china

Bau Ceramic exposed flushing cistern (39 437 000)
side inlet
including flushing set
vitreous china

Bau Ceramic WC seat (39 493 000)
with lid
soft close
quick release function
detachable
material: Duroplast
including fixation set
4 pieces per pallet

new



39 495 000

alpine white

*

**Bau Ceramic
Bundle close coupled WC**
consisting of:
Bau Ceramic floor standing toilet with horizontal outlet (39 428 000)
wash down
boxed rim
horizontal outlet, concealed
flush volume 6/3 l
including fixation set
vitreous china

Bau Ceramic exposed flushing cistern (39 494 000)
side inlet
including flushing set
vitreous china

Bau Ceramic WC seat (39 492 000)
with lid
quick release function
detachable
material: Duroplast
including fixation set
4 pieces per pallet


GROHE BAU CERAMIC

Ref. No.

Colour

Price netto (€)

new



39 346 000

alpine white

*

Bau Ceramic
Bundle close coupled WC

consisting of:

Bau Ceramic floor standing toilet with vertical outlet (39 429 000)

wash down

rimless

vertical outlet

flush volume 6/3 l

including fixation set

vitreous china

Bau Ceramic exposed flushing cistern (39 437 000)

side inlet

including flushing set

vitreous china

Bau Ceramic WC seat (39 493 000)

with lid

soft close

quick release function


detachable

material: Duroplast

including fixation set

4 pieces per pallet

new



39 496 000

alpine white

*

Bau Ceramic
Bundle close coupled WC

consisting of:

Bau Ceramic floor standing toilet with horizontal outlet (39 349 000)

wash down

rimless

horizontal outlet

flush volume 6/3 l

including fixation set

vitreous china

Bau Ceramic exposed flushing cistern (39 494 000)

side inlet

including flushing set

vitreous china

Bau Ceramic WC seat (39 493 000)

with lid

soft close


quick release function

detachable

material: Duroplast

including fixation set

4 pieces per pallet



39 435 000

alpine white

51.99

Bau Ceramic
WC seat

with lid

soft close

quick release function

detachable

material: Duroplast

including fixation set

48 pieces per pallet


CERAMICS

GROHE BAU CERAMIC

Ref. No.

Colour

Price netto (€)




39 453 000

WC connection outlet
horizontal
320 mm from wall

chrome

*




39 454 000

WC connection outlet
horizontal and vertical
length adjustable
60 to 105 mm from wall

chrome

*




39 457 000

WC connection outlet
vertical
length adjustable
93.5 to 137 mm from wall

chrome

*



39 551 000

WC connection outlet
vertical
length adjustable
200 to 250 mm from wall





chrome

*

GROHE EURO CERAMIC













GROHE EURO CERAMIC

	Ref. No.	Colour	Price netto (€)
<div data-bbox="121 264 228 300" style="background-color: #0056b3; color: white; padding: 2px;">new</div> 	39 323 000	alpine white	60.49
	39 323 00H	alpine white	91.49
	Euro Ceramic Wash basin 65 wall hung 1 hole punched with overflow 650 x 515 mm vitreous china optional: PureGuard anti stick coating and anti bacterial glazing (00H) 18 pieces per pallet		
<div data-bbox="121 568 228 604" style="background-color: #0056b3; color: white; padding: 2px;">new</div> 	39 335 000	alpine white	54.49
	39 335 00H	alpine white	85.49
	Euro Ceramic Wash basin 60 wall hung 1 hole punched with overflow 600 x 480 mm vitreous china optional: PureGuard anti stick coating and anti bacterial glazing (00H) 18 pieces per pallet		
<div data-bbox="121 869 228 904" style="background-color: #0056b3; color: white; padding: 2px;">new</div> 	39 337 000	alpine white	59.99
	39 337 00H	alpine white	90.49
	Euro Ceramic Counter top basin 60 1 hole punched with overflow 600 x 480 mm including fixation set vitreous china optional: PureGuard anti stick coating and anti bacterial glazing (00H) 18 pieces per pallet		
<div data-bbox="121 1173 228 1209" style="background-color: #0056b3; color: white; padding: 2px;">new</div> 	39 336 000	alpine white	51.49
	39 336 00H	alpine white	81.99
	Euro Ceramic Wash basin 55 wall hung 1 hole punched with overflow 550 x 450 mm vitreous china optional: PureGuard anti stick coating and anti bacterial glazing (00H) 21 pieces per pallet		
<div data-bbox="121 1469 228 1505" style="background-color: #0056b3; color: white; padding: 2px;">new</div> 	39 423 000	alpine white	66.49
	Universal tap Undercounter wash basin 55 installation from below with overflow 560 x 420 mm vitreous china 18 pieces per pallet		
<div data-bbox="121 1774 228 1809" style="background-color: #0056b3; color: white; padding: 2px;">new</div> 	39 324 000	alpine white	39.49
	39 324 00H	alpine white	70.49
	Euro Ceramic Hand rinse basin 45 wall hung 1 hole punched with overflow 450 x 400 mm vitreous china optional: PureGuard anti stick coating and anti bacterial glazing (00H) 27 pieces per pallet		










GROHE EURO CERAMIC

Ref. No. Colour Price netto (€)











new	 	<p>39 327 000 39 327 00H</p> <p>Euro Ceramic Mini hand rinse basin wall hung 1 hole punched with overflow 370 x 180 mm vitreous china no pedestals recommended optional: PureGuard anti stick coating and anti bacterial glazing (00H) 36 pieces per pallet</p>	<p>alpine white alpine white</p> <p>49.49 80.49</p>
new	 	<p>39 201 000</p> <p>Euro Ceramic Semi pedestal for wash basin invisible fixation set vitreous china suitable for all GROHE wash basins except 39 324 000, 39 324 00H, 39 327000, 39 327 00H 30 pieces per pallet</p>	<p>alpine white</p> <p>42.99</p>
new	 	<p>39 325 000</p> <p>Euro Ceramic Semi pedestal for hand rinse basin invisible fixation set vitreous china suitable for hand rinse basins 39 324 000/39 324 00H 30 pieces per pallet</p>	<p>alpine white</p> <p>42.99</p>
new	 	<p>39 202 000</p> <p>Euro Ceramic Full pedestal for wash basin invisible fixation set vitreous china suitable for all GROHE wash basins except 39 324 000, 39 324 00H, 39 327000, 39 327 00H 30 pieces per pallet</p>	<p>alpine white</p> <p>47.99</p>
new	 	<p>39 328 000 39 328 00H</p> <p>Euro Ceramic Wall hung WC for concealed cistern horizontal outlet GROHE Triple Vortex flushing technology wash down rimless flush volume 3/5 l including fixation set vitreous china fully skirted with invisible fixation optional: PureGuard anti stick coating and anti bacterial glazing (00H) 16 pieces per pallet</p>	<p>alpine white alpine white</p> <p>169.99 199.00</p>

GROHE EURO CERAMIC

Ref. No. Colour Price netto (€)

new		Ref. No.	Colour	Price netto (€)
		<p>39 206 000 39 206 00H</p> <p>Euro Ceramic Wall hung compact WC for concealed cistern horizontal outlet GROHE Triple Vortex flushing technology wash down rimless flush volume 3/5 l 49 cm width including fixation set vitreous china fully skirted with invisible fixation optional: PureGuard anti stick coating and anti bacterial glazing (00H) 16 pieces per pallet</p>	<p>alpine white alpine white</p>	<p>154.99 184.99</p>
		<p>39 338 000 39 338 00H</p> <p>Euro Ceramic Floor standing 2 piece WC close coupled universal trap for horizontal and vertical outlet GROHE Triple Vortex flushing technology wash down rimless flush volume 3/5 l including fixation set cistern to be ordered separately vitreous china fully skirted with invisible fixation optional: PureGuard anti stick coating and anti bacterial glazing (00H) 9 pieces per pallet</p>	<p>alpine white alpine white</p>	<p>* *</p>
		<p>39 462 000 39 462 00H</p> <p>Euro Ceramic Floor standing 2 piece WC close coupled universal trap for horizontal and vertical outlet GROHE Triple Vortex flushing technology rimless flush volume 6/3 l including cistern, seat and cover soft close and fixation set vitreous china optional: PureGuard anti stick coating and anti bacterial glazing (00H)</p>	<p>alpine white alpine white</p>	<p>* *</p>
		<p>39 332 000</p> <p>Euro Ceramic Exposed flushing cistern bottom inlet inlet and outlet concealed including flushing set with dual flush including fixation set vitreous china 18 pieces per pallet</p>	<p>alpine white</p>	<p>*</p>
		<p>39 333 000</p> <p>Euro Ceramic Exposed flushing cistern side or back inlet for back inlet please order mounting set 49 522 000 (sold separately) including flushing set with dual flush including fixation set vitreous china 18 pieces per pallet</p>	<p>alpine white</p>	<p>*</p>


GROHE EURO CERAMIC

	Ref. No.	Colour	Price netto (€)
new	39 329 000 39 329 00H	alpine white alpine white	* *
		Euro Ceramic Floor standing WC universal trap for horizontal and vertical outlet wash down rimless flush volume 3/5 l including fixation set vitreous china fully skirted with invisible fixation optional: PureGuard anti stick coating and anti bacterial glazing (00H) 12 pieces per pallet	
new	39 339 000 39 339 00H	alpine white alpine white	* *
		Euro Ceramic Floor standing back to wall WC horizontal outlet back to wall GROHE Triple Vortex flushing technology wash down rimless flush volume 3/5 l including fixation set vitreous china fully skirted with invisible fixation optional: PureGuard anti stick coating and anti bacterial glazing (00H) 12 pieces per pallet	
new	39 330 000	alpine white	61.49
		Euro Ceramic WC seat with lid soft close quick release function detachable material: Duroplast including fixation set suitable for all GROHE WCs except 39 206 000/39 206 00H 48 pieces per pallet	
new	39 331 000	alpine white	*
		Euro Ceramic WC seat with lid quick release function detachable material: Duroplast including fixation set suitable for all GROHE WCs except 39 206 000/39 206 00H 48 pieces per pallet	
new	39 458 000	alpine white	61.49
		Euro Ceramic Compact WC seat with lid soft close quick release function detachable quick release function material: Duroplast including fixation set suitable for 39 206 000, 39 206 00H 48 pieces per pallet	

GROHE EURO CERAMIC

Ref. No. Colour Price netto (€)

new




39 459 000

alpine white

38.99

**Euro Ceramic
Compact WC seat**
with lid
quick release function
detachable
material: Duroplast
including fixation set
suitable for
39 206 000, 39 206 00H
48 pieces per pallet

new



39 208 000

alpine white

154.99


39 208 00H

alpine white

184.99

**Euro Ceramic
Wall hung bidet**
1 hole punched
with overflow
including fixation set
vitreous china
fully skirted with invisible fixation
optional: **PureGuard** anti stick coating and
anti bacterial glazing (00H)
16 pieces per pallet

new



39 340 000

alpine white

*

39 340 00H

alpine white

*


**Euro Ceramic
Floor standing bidet**
1 hole punched
with overflow
including fixation set
vitreous china
fully skirted with invisible fixation
optional: **PureGuard** anti stick coating and
anti bacterial glazing (00H)
12 pieces per pallet

GROHE EURO CERAMIC

Ref. No.

Colour

Price netto (€)




39 453 000

WC connection outlet
horizontal
320 mm from wall

chrome

*




39 454 000

WC connection outlet
horizontal and vertical
length adjustable
60 to 105 mm from wall

chrome

*




39 457 000

WC connection outlet
vertical
length adjustable
93.5 to 137 mm from wall

chrome

*



39 551 000

WC connection outlet
vertical
length adjustable
200 to 250 mm from wall

chrome

*

GROHE CUBE CERAMIC




GROHE CUBE CERAMIC

Ref. No.

Colour

Price netto (€)

new



39 386 00H

alpine white


*

Cube Ceramic Wash basin 100

wall hung
1 hole punched, 2 holes pre-punched
with overflow
1010 x 490 mm
fine fire clay

PureGuard anti stick coating and anti bacterial glazing

new



39 469 00H

alpine white


*

Cube Ceramic Wash basin 80

wall hung
1 hole punched, 2 holes pre-punched
with overflow
800 x 490 mm
fine fire clay

PureGuard anti stick coating and anti bacterial glazing

new



39 473 00H

alpine white


*

Cube Ceramic Wash basin 60

wall hung
1 hole punched, 2 holes pre-punched
with overflow
600 x 490 mm
fine fire clay

PureGuard anti stick coating and anti bacterial glazing

new



39 474 00H

alpine white


*

Cube Ceramic Wash basin 50

wall hung
1 hole punched, 2 holes pre-punched
with overflow
500 x 490 mm
fine fire clay

PureGuard anti stick coating and anti bacterial glazing

new



39 475 00H

alpine white


*

Cube Ceramic Counter top basin 100

flat back side glazed
1 hole punched, 2 holes pre-punched
with overflow
1000 x 490 mm
including fixation set
fine fire clay

PureGuard anti stick coating and anti bacterial glazing

new



39 476 00H

alpine white

*

Cube Ceramic Counter top basin 80

flat back side glazed
1 hole punched, 2 holes pre-punched
with overflow
800 x 490 mm
including fixation set
fine fire clay

PureGuard anti stick coating and anti bacterial glazing


GROHE CUBE CERAMIC

Ref. No.

Colour

Price netto (€)

new




39 477 00H

alpine white

*

Cube Ceramic Counter top basin 60
flat back side glazed
1 hole punched, 2 holes pre-punched
with overflow
600 x 490 mm
including fixation set
fine fire clay
PureGuard anti stick coating and anti bacterial glazing

new




39 478 00H

alpine white

*

Cube Ceramic Counter top basin 50
flat back side glazed
1 hole punched, 2 holes pre-punched
with overflow
500 x 490 mm
including fixation set
fine fire clay
PureGuard anti stick coating and anti bacterial glazing

new




39 481 00H

alpine white

*

Cube Ceramic Vessel basin 50
without overflow
500 x 470 mm
including fixation set
fine fire clay
PureGuard anti stick coating and anti bacterial glazing

new




39 482 00H

alpine white

*

Cube Ceramic Vessel basin 40
without overflow
400 x 400 mm
including fixation set
fine fire clay
PureGuard anti stick coating and anti bacterial glazing

new




39 480 00H

alpine white

*

Cube Ceramic Under-counter wash basin 50
installation from below
with overflow
492 x 370 mm
including fixation set
fine fire clay
PureGuard anti stick coating and anti bacterial glazing

new



39 479 00H

alpine white

*

Cube Ceramic Counter basin 60
built-in
1 hole punched, 2 holes pre-punched
with overflow
605 x 490 mm
including fixation set
fine fire clay
PureGuard anti stick coating and anti bacterial glazing


GROHE CUBE CERAMIC

Ref. No.

Colour

Price netto (€)

new



39 483 00H


alpine white

*

**Cube Ceramic
Hand rinse basin 45**

wall hung
1 hole punched
with overflow
455 x 350 mm
fine fire clay
PureGuard anti stick coating and anti bacterial glazing

new



39 244 00H


alpine white

*

**Cube Ceramic
Wall hung WC**

for concealed cistern
horizontal outlet
GROHE Triple Vortex flushing technology
wash down
rimless
flush volume 3/4.5 l
including fixation set
vitreous china
fully skirted with invisible fixation
PureGuard anti stick coating and anti bacterial glazing

new



39 485 00H


alpine white

*

**Cube Ceramic
Floor standing back to wall WC**

for concealed cistern
universal trap for horizontal and vertical outlet
back to wall
wash down
rimless
flush volume 3/4.5 l
including fixation set
vitreous china
PureGuard anti stick coating and anti bacterial glazing

new



39 484 00H


alpine white

*

**Cube Ceramic
Floor standing 2 piece WC**

close coupled
universal trap for horizontal and vertical outlet
rimless
flush volume 3/4.5 l
including fixation set
cistern to be ordered separately
vitreous china
fully skirted with invisible fixation
PureGuard anti stick coating and anti bacterial glazing

new



39 489 000


alpine white

*

**Cube Ceramic
Exposed flushing cistern for close coupled combination**

side inlet
including flushing set
including fixation set
vitreous china

new



39 490 000

alpine white

*

**Cube Ceramic
Exposed flushing cistern for close coupled combination**

bottom inlet
inlet and outlet concealed
including flushing set
including fixation set
vitreous china


GROHE CUBE CERAMIC

Ref. No.

Colour

Price netto (€)

new




39 488 000

alpine white

*

**Cube Ceramic
WC seat soft close**
with lid
soft close
quick release function
detachable
material: Duroplast
including fixation set

new




39 486 00H

alpine white

*

**Cube Ceramic
Wall hung bidet**
1 hole punched
with overflow
including fixation set
fine fire clay
PureGuard anti stick coating and anti bacterial glazing

new



39 487 00H

alpine white

*

**Cube Ceramic
Floor standing bidet**
1 hole punched
with overflow
including fixation set
fine fire clay
fully skirted with invisible fixation
PureGuard anti stick coating and anti bacterial glazing

GROHE
INSTALLATION SYSTEMS





CONTENTS

Rapid SL	Rapid SL for WC	623
	Rapid SL for urinal	639
	Rapid SL for wash basin and bidet	643
	Rapid SL for the disabled	649
	Rapid SL free-standing installation	653
	Rapid SL fitting supports	657
	Rapid SL accessories	659
Uniset	Uniset frames and accessories	665

GROHE RAPID SL FOR WC




GROHE RAPID SL FOR WC

Ref. No.

Colour

Price netto (€)



39 374 KS0

velvet black

748.00

Rapid SL with glass module

for Rapid SL / Uniset

with flushing cistern GD 2

for connecting shower toilet Sensia Arena

or common wall-hung WCs

for tiled/plastered walls

two-piece glass cover made of tempered safety glass (8 mm)

upper part removable for maintenance

flush plate Skate Cosmopolitan, chrome, flush plate

is kept flush with glass cover

HPL mounting plate with hole pattern for all connections


mounting plate with concealed water connection

for shower toilet Sensia Arena

mounting plate with with quality edges in silver finish

set for noise protection

including accessory for mounting glass plate and WC ceramic



39 374 LS0

moon white

748.00

Rapid SL with glass module

for Rapid SL / Uniset

with flushing cistern GD 2

for connecting shower toilet Sensia Arena

or common wall-hung WCs

for tiled/plastered walls

two-piece glass cover made of tempered safety glass (8 mm)

upper part removable for maintenance

flush plate Skate Cosmopolitan, chrome, flush plate

is kept flush with glass cover

HPL mounting plate with hole pattern for all connections


mounting plate with concealed water connection

for shower toilet Sensia Arena

mounting plate with with quality edges in silver finish

set for noise protection

including accessory for mounting glass plate and WC ceramic



38 827 000

chrome

378.00

Rapid SL 5-in-1 set for WC

flushing cistern GD 2

1.13 m installation height

for on-the-wall installations or studded walls

powder coated steel frame, self-supporting

for dry-cladding, completely pre-assembled

with fixed connections

quick adjustment, lockable

fixing material

TÜV approved

2 WC fixing bolts

fixing device for ceramic

WC ceramics with small bearing area (less than 205 mm)

require additional accessory 38 779 000

distance of fixing bolts 180/230 mm

outlet bend Ø 90 mm

depth adjustable

reducer Ø 90/110 mm

inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 I

adjustment ex factory 6 l and 3 l

pneumatic discharge valve offering 3 modes of

operation: dual flush or start/stop or single flush

water supply from left/right or back

low noise (group I acc. to

German Noise Specification)

insulated against condensation

1/2" water supply connection including

integrated angle valve and push fit

flexible hose union

no tools required for the installation

of the inspection shaft incl. protection

during construction phase

for vertical or horizontal use

accessories for on-the-wall installation

with **GROHE Fresh** retrofit set

for chlorine-free tabs only

including wall plate Skate Cosmopolitan

vertical and horizontal installation

156 x 197 mm, chrome

made of ABS

GROHE StarLight chrome finish

WC set for noise protection

GROHE RAPID SL FOR WC

Ref. No.


Colour

Price netto (€)

38 750 001

chrome

322.00



Rapid SL 4-in-1 set for WC flushing cistern GD 2

1.13 m installation height

for on-the-wall installations or studded walls powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled with fixed connections quick adjustment, lockable, fixing material TÜV approved

2 WC fixing bolts, fixing device for ceramic WC ceramics with small bearing area (less than 205 mm) require additional accessory 38 779 000

distance of fixing bolts 180/230 mm outlet bend Ø 90 mm, depth adjustable reducer Ø 90/110 mm

inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l

adjustment ex factory 6 l and 3 l

pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush water supply from left/right or back

low noise (group I acc. to

German Noise Specification) insulated against condensation

1/2" water supply connection including integrated angle valve and push fit flexible hose union

no tools required for the installation of the inspection shaft incl. protection during construction phase

for vertical or horizontal use accessories for on-the-wall installation

including wall plate Skate Air

vertical installation

156 x 197 mm, chrome, made of ABS


GROHE StarLight chrome finish

WC set for noise protection

38 775 001

chrome

333.00



Rapid SL 4-in-1 set for WC flushing cistern GD 2

1.13 m installation height

for on-the-wall installations or studded walls powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled with fixed connections quick adjustment, lockable, fixing material TÜV approved

2 WC fixing bolts, fixing device for ceramic WC ceramics with small bearing area (less than 205 mm) require additional accessory 38 779 000

distance of fixing bolts 180/230 mm outlet bend Ø 90 mm, depth adjustable reducer Ø 90/110 mm

inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l

adjustment ex factory 6 l and 3 l

pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush water supply from left/right or back

low noise (group I acc. to

German Noise Specification) insulated against condensation

1/2" water supply connection including integrated angle valve and push fit flexible hose union

no tools required for the installation of the inspection shaft incl. protection during construction phase

for vertical or horizontal use accessories for on-the-wall installation

including wall plate Skate Cosmopolitan

vertical and horizontal installation

156 x 197 mm, chrome, made of ABS

GROHE StarLight chrome finish

WC set for noise protection

GROHE RAPID SL FOR WC

Ref. No.


Colour

Price netto (€)

38 813 001

chrome

321.00



**Rapid SL 4-in-1 set for WC
flushing cistern GD 2**

1.13 m installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable, fixing material
TÜV approved

2 WC fixing bolts, fixing device for ceramic
WC ceramics with small bearing area (less than 205 mm)
require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm, depth adjustable
reducer Ø 90/110 mm

**inlet and outlet connecting set
flushing cistern GD 2, 6 - 9 I**

adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to
German Noise Specification)
insulated against condensation

1/2" water supply connection including
integrated angle valve and push fit
flexible hose union
no tools required for the installation
of the inspection shaft incl. protection
during construction phase
for vertical or horizontal use
accessories for on-the-wall installation

including wall plate Nova Cosmopolitan

vertical and horizontal installation
156 x 197 mm, made of ABS


GROHE StarLight chrome finish

GROHE EcoJoy technology for less water and perfect flow
WC set for noise protection

38 929 000

chrome

289.00



**Rapid SL 4-in-1 set for WC
flushing cistern GD 2**

1.13 m installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable, fixing material
TÜV approved

2 WC fixing bolts, fixing device for ceramic
WC ceramics with small bearing area (less than 205 mm)
require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm, depth adjustable
reducer Ø 90/110 mm

**inlet and outlet connecting set
flushing cistern GD 2, 6 - 9 I**

adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to
German Noise Specification)
insulated against condensation

1/2" water supply connection including
integrated angle valve and push fit
flexible hose union
no tools required for the installation
of the inspection shaft incl. protection
during construction phase
for vertical or horizontal use
accessories for on-the-wall installation

including wall plate Arena Cosmopolitan

vertical and horizontal installation
156 x 197 mm, chrome, made of ABS

GROHE StarLight chrome finish

WC set for noise protection

GROHE RAPID SL FOR WC

Ref. No.


Colour

Price netto (€)

38 719 001

alpine white

249.00




**Rapid SL for WC
flushing cistern GD 2
1.13 m installation height**

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
spacer Ø 90 mm
PP outlet bend Ø 90/110 mm
inlet and outlet connecting set
flushing cistern GD 2, 6 - 9 l
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right/back
or top
low noise (group I acc. to
German Noise Specification)
insulated against condensation
angle valve 1/2"
water inlet with pipe fixation
with push fit flexible hose union
no tools required for the installation
of the inspection shaft incl. protection
during construction phase
for vertical use
2 wall brackets with fixing material
including wall plate Skate Air
for vertical application, 156 x 197 mm
alpine white, made of ABS

38 722 001

alpine white

270.00



**Rapid SL 3-in-1 set for WC
flushing cistern GD 2
1.13 m installation height**

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (less than 205 mm)
require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm, depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
flushing cistern GD 2, 6 - 9 l
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to
German Noise Specification)
insulated against condensation
1/2" water supply connection including
integrated angle valve and push fit
flexible hose union
no tools required for the installation
of the inspection shaft incl. protection
during construction phase
for vertical or horizontal use
accessories for on-the-wall installation
including wall plate Skate Air
vertical installation, 156 x 197 mm
alpine white, made of ABS

INSTALLATION
SYSTEMS

GROHE RAPID SL FOR WC

Ref. No.


Colour

Price netto (€)

38 772 001

chrome

313.00



Rapid SL 3-in-1 set for WC flushing cistern GD 2

1.13 m installation height

for on-the-wall installations or studed walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections, quick adjustment, lockable
fixing material
TÜV approved

2 WC fixing bolts, fixing device for ceramic
WC ceramics with small bearing area (less than 205 mm)
require additional accessory 38 779 000

distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm, depth adjustable
reducer Ø 90/110 mm

inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l

adjustment ex factory 6 l and 3 l

pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right or back

low noise (group I acc. to

German Noise Specification)

insulated against condensation

1/2" water supply connection including

integrated angle valve and push fit

flexible hose union

no tools required for the installation

of the inspection shaft incl. protection

during construction phase

for vertical or horizontal use

accessories for on-the-wall installation

including wall plate Skate Cosmopolitan

vertical and horizontal installation

vertical installation, 156 x 197 mm

chrome, made of ABS

GROHE StarLight chrome finish

GROHE RAPID SL FOR WC

Ref. No.


Colour

Price netto (€)

38 528 001

chrome

242.00




**Rapid SL for WC
flushing cistern GD 2
1.13 m installation height**

for on-the-wall installations or studed walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (less than 205 mm)
require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
flushing cistern GD 2, 6 - 9 I
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to
German Noise Specification)
insulated against condensation
1/2" water supply connection including
integrated angle valve and push fit
flexible hose union
no tools required for the installation
of the inspection shaft incl. protection
during construction phase
for vertical or horizontal use
without accessories for on-the-wall installation
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)

38 536 001

chrome

*



**Rapid SL for WC
flushing cistern GD 2
1.13 m installation height**

for on-the-wall installations or studed walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (less than 205 mm)
require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
flushing cistern GD 2, 6 - 9 I
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to
German Noise Specification)
insulated against condensation
1/2" water supply connection including
integrated angle valve and push fit
flexible hose union
no tools required for the installation
of the inspection shaft incl. protection
during construction phase
for vertical or horizontal use
accessories for on-the-wall installation
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)

INSTALLATION
SYSTEMS

GROHE RAPID SL FOR WC

Ref. No.


Colour

Price netto (€)

38 539 001

chrome

223.00




**Rapid SL for WC
flushing cistern GD 2
1.13 m installation height**

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (less than 205 mm)
require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
flushing cistern GD 2, 6 - 9 I
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to
German Noise Specification)
insulated against condensation
1/2" water supply connection including
integrated angle valve and push fit
flexible hose union
no tools required for the installation
of the inspection shaft incl. protection
during construction phase
for vertical or horizontal use
accessories for on-the-wall installation
WC set for noise protection
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)

38 624 001

chrome

274.00



**Rapid SL for WC
flushing cistern GD 2
1.13 m installation height**

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (less than 205 mm)
require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
flushing cistern GD 2, 6 - 9 I
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to
German Noise Specification)
insulated against condensation
angle valve 1/2"
water inlet with pipe fixation
no tools required for the installation
of the inspection shaft incl. protection
during construction phase
for vertical or horizontal use
accessories for on-the-wall installation
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)

GROHE RAPID SL FOR WC

Ref. No.


Colour

Price netto (€)

39 002 000

chrome

335.00




Rapid SL for WC flushing cistern GD 2
with flush pipe for external odour extraction
1.13 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (less than 205 mm)
require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
flushing cistern GD 2, 6 - 9 l
adjustment ex factory 6 l and 3 l
flush pipe with connection for odour extraction 50 mm
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to
German Noise Specification)
insulated against condensation
1/2" water supply connection including
integrated angle valve and push fit
flexible hose union
no tools required for the installation
of the inspection shaft incl. protection
during construction phase
for vertical or horizontal use
without accessories for on-the-wall installation
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)

38 897 000

chrome

338.00



Rapid SL for WC
with vertical support for WC bowls
with a bearing area of less than 20 cm
flushing cistern GD 2
1.13 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
flushing cistern GD 2, 6 - 9 l
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to
German Noise Specification)
insulated against condensation
1/2" water supply connection including
integrated angle valve and push fit
flexible hose union
no tools required for the installation
of the inspection shaft incl. protection
during construction phase
for vertical or horizontal use
without accessories for on-the-wall installation
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)

INSTALLATION
SYSTEMS

GROHE RAPID SL FOR WC

Ref. No.


Colour

Price netto (€)

39 112 001

chrome

260.00



Rapid SL for GROHE Sensia shower WCs

flushing cistern GD 2 with connections for GROHE Sensia shower toilets (Sensia IGS/Sensia Arena)

1.13 m installation height

for on-the-wall installations or studed walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable

fixing material

TÜV approved

2 WC fixing bolts

fixing device for ceramic

distance of fixing bolts 180/230 mm

PP outlet bend Ø 90 mm

depth adjustable

reducer Ø 90/110 mm

inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l

adjustment ex factory 6 l and 3 l

pneumatic discharge valve offering 3 modes of

operation: dual flush or start/stop or single flush

water supply from back

low noise (group I acc. to

German Noise Specification)

insulated against condensation

1/2" water supply connection including

integrated angle valve and push fit

flexible hose union

no tools required for the installation

of the inspection shaft incl. protection

during construction phase

for vertical or horizontal use

2 wall brackets with fixing material

universal water connection for shower toilets

Sensia Arena and Sensia IGS

concealed socket for mains supply

positioning help for electrical connection


for mounting of small flush plates please order

revision shaft 40 911 000 (sold separately)

39 062 000

chrome

394.00



Rapid SL for wall mounted WC

flushing cistern GD 2

1.13 m installation height

for on-the-wall installations or studed walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections

quick adjustment, lockable

fixing material

2 WC fixing bolts

fixing device for ceramic

distance of fixing bolts 180/230 mm

outlet bend Ø 90 mm

depth adjustable

reducer Ø 90/110 mm

inlet and outlet connecting set

leakage box

collection body with wastewater lead-through

and connection for spill, black

leakage / slash water protection

flushing cistern GD 2, 6 - 9 l

adjustment ex factory 6 l and 3 l

pneumatic discharge valve offering 3 modes of

operation: dual flush or start/stop or single flush

water supply from left/right or back

low noise (group I acc. to

German Noise Specification)

insulated against condensation

angle valve 1/2"

water inlet with pipe fixation

no tools required for the installation

of the inspection shaft incl. protection

during construction phase

for vertical or horizontal use

accessories for on-the-wall installation

for mounting of small flush plates please order

revision shaft 40 911 000 (sold separately)

GROHE RAPID SL FOR WC

Ref. No.


Colour

Price netto (€)

38 675 001

chrome

345.00




Rapid SL for WC
flushing cistern 6 l
1.13 m installation height
for the disabled
for WC bowls 70 cm projection
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
fixing material
TUV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
low noise (group I acc. to
German Noise Specification)
insulated against condensation
1/2" water supply connection including
integrated angle valve and push fit
flexible hose union
without accessories for on-the-wall installation

38 588 001

chrome

*



Rapid SL for WC
flushing cistern GD 2
1.13 m installation height
for **shaft installation** 800 - 1100 mm width
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
flushing cistern GD 2, 6 - 9 l
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to
German Noise Specification)
insulated against condensation
1/2" water supply connection including
integrated angle valve and push fit
flexible hose union
no tools required for the installation
of the inspection shaft incl. protection
during construction phase
for vertical or horizontal use
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)

GROHE RAPID SL FOR WC

Ref. No.


Colour

Price netto (€)

38 994 000

chrome

318.00



Rapid SL for WC

for small, narrow bathrooms
flushing cistern 80 mm

1.13 m installation height

element width 0.62 m

for on-the-wall installations or studed walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections

quick adjustment, lockable

fixing material

TÜV approved

2 WC fixing bolts

fixing device for ceramic

distance of fixing bolts 180/230 mm

outlet bend Ø 90 mm

depth adjustable

reducer Ø 90/110 mm

inlet and outlet connecting set

flushing cistern 80 mm, 6 - 9 l

adjustment ex factory 6 l and 3 l

pneumatic discharge valve offering 3 modes of

operation: dual flush or start/stop or single flush

water supply from top or back

low noise (group I acc. to

German Noise Specification)

insulated against condensation

water supply 1/2" and push fit flexible hose union

no tools required for the installation

of the inspection shaft incl. protection

during construction phase

for vertical use


accessories for on-the-wall installation

GROHE EcoJoy technology for less water and perfect flow

38 995 000

chrome

397.00



Rapid SL for WC

for small, narrow bathrooms
flushing cistern 80 mm

1.13 m installation height

variable element width 0.70 – 1.20 m

for on-the-wall installation

powder coated steel frame, self-supporting

for dry-cladding, completely pre-assembled

with fixed connections

quick adjustment, lockable

fixing material

TÜV approved

2 WC fixing bolts

fixing device for ceramic

distance of fixing bolts 180/230 mm

outlet bend Ø 90 mm

depth adjustable

reducer Ø 90/110 mm

inlet and outlet connecting set

flushing cistern 80 mm, 6 - 9 l

adjustment ex factory 6 l and 3 l

pneumatic discharge valve offering 3 modes of

operation: dual flush or start/stop or single flush

water supply from top

low noise (group I acc. to

German Noise Specification)

insulated against condensation

water supply 1/2" and push fit flexible hose union

no tools required for the installation

of the inspection shaft incl. protection

during construction phase

for vertical use

accessories for on-the-wall installation

GROHE EcoJoy technology for less water and perfect flow

remember Scandinavian adapter 38 338 000

GROHE RAPID SL FOR WC

Ref. No.


Colour

Price netto (€)

38 525 001

chrome

304.00



Rapid SL for WC


with flushing cistern 6 - 9 l 1.00 m installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (less than 205 mm)
require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
flushing cistern 6 - 9 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
front or top actuation
water supply from left/right or back
low noise (group I acc. to
German Noise Specification)
insulated against condensation
1/2" water supply connection including
integrated angle valve and push fit
flexible hose union
Shortable inspection shaft incl. protection
during construction phase
without accessories for on-the-wall installation
without wall plate/actuation
GROHE EcoJoy technology for less water and perfect flow

38 622 001

chrome

*



Rapid SL for WC

with flushing cistern 6 - 9 l 1.00 m installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (less than 205 mm)
require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
inlet and outlet connecting set
depth adjustable
reducer Ø 90/110 mm
flushing cistern 6 - 9 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
front or top actuation
water supply from left/right or back
low noise (group I acc. to
German Noise Specification)
angle valve 1/2"
insulated against condensation
water inlet with pipe fixation
Shortable inspection shaft incl. protection
during construction phase
accessories for on-the-wall installation
without wall plate/actuation
GROHE EcoJoy technology for less water and perfect flow

GROHE RAPID SL FOR WC

Ref. No.


Colour

Price netto (€)

38 526 000

chrome

327.00



**Rapid SL for WC
with flushing cistern 6 - 9 I
0.82 m installation height**

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material

TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern 6 - 9 I

pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush

front or top actuation

water supply from left/right or back
low noise (group I acc. to
German Noise Specification)

insulated against condensation
1/2" water supply connection including
integrated angle valve and push fit
flexible hose union

Shortable inspection shaft incl. protection
during construction phase

without accessories for on-the-wall installation


without wall plate/actuation

GROHE EcoJoy technology for less water and perfect flow

38 618 000

chrome

299.00



**Rapid SL for WC
with flushing cistern 6 - 9 I
0.82 m installation height**

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material

TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern 6 - 9 I

pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush

front or top actuation

water supply from left/right or back
low noise (group I acc. to
German Noise Specification)

insulated against condensation
angle valve 1/2"

water inlet with pipe fixation
Shortable inspection shaft incl. protection
during construction phase

accessories for on-the-wall installation

without wall plate/actuation


GROHE EcoJoy technology for less water and perfect flow

remember Scandinavian adapter 38 338 000

GROHE RAPID SL FOR WC

Ref. No. Colour Price netto (€)

38 519 001 chrome 398.00




Rapid SL for WC
flush valve 6 - 9 l
for manual / electronic actuation
1.13 m installation height
for on-the-wall installations or studded walls
steel frame with foil coating/hot galvanized,
self-supporting
for dry-cladding, completely pre-assembled
quick adjustment, lockable
fixing material
TUV approved
2 WC fixing bolts
distance of fixing bolts 180/230 mm
WC ceramics with small bearing area (less than 205 mm)
require additional accessory 38 779 000
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
manual/electronic actuation
adjustable
low noise (group I acc. to German Noise Specification)
¾"
stop valve
6 l flush
flush bend
flow rate adjustment
without accessories for on-the-wall installation

40 899 000 chrome 35.00




Retrofit kit for shower toilets Sensia Arena and IGS
retrofit of existing Rapid SL and Uniset installations to
shower toilets Sensia Arena or IGS
including:
conduit pipe with locking ring and flat seal
cable ties
WC connecting pipe Ø 45 mm
waste sleeve Ø 90 mm

42 333 000 chrome 18.50



4,5 l Adapter for GD2

42 327 000 chrome 15.50



PP-outlet bend Ø 90 mm
variable depth adjustment

GROHE RAPID SL FOR WC

Ref. No.


Colour

Price netto (€)

42 946 000

chrome

20.00



Elbow
made of PE
Ø 80/100 mm

GROHE RAPID SL FOR URINAL



GROHE RAPID SL FOR URINAL

Ref. No.


Colour

Price netto (€)

38 786 001

chrome

277.00




Rapid SL for urinal
with GROHE Rapido U
for manual actuation or Tectron
infra-red electronic 6 V or 230 V
1.13 and 1.30 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
height adjustable fitting connections
quick adjustment, lockable
fixing material
TÜV approved
HT-outlet bend Ø 50 mm
fixing bolts M8, with fixing device for the ceramic
inlet connection and inlet connecting set
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
connecting box for mains supply 230 V
installation box with gasket
Shortable inspection shaft incl. protection
during construction phase for sets for final
installation with dimensions 116 x 144 mm
without accessories for on-the-wall installation

38 803 001

chrome

317.00




Rapid SL for urinal
with GROHE Rapido U
for manual actuation or Tectron
infra-red electronic 6 V or 230 V
1.13 and 1.30 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
height adjustable fitting connections
quick adjustment, lockable
fixing material
TÜV approved
HT-outlet bend Ø 50 mm
inlet connection and inlet connecting set
fixing bolts M8, with fixing device for the ceramic
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
connecting box for mains supply 230 V
installation box with gasket
Shortable inspection shaft incl. protection
during construction phase for sets for final
installation with dimensions 116 x 144 mm
accessories for on-the-wall installation

39 376 000

chrome

282.00




Rapid SL for urinal
with roughing-in set for T sensor
1.13 and 1.30 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
height adjustable fitting connections
quick adjustment, lockable
fixing material
TÜV approved
HT-outlet bend Ø 50 mm
fixing bolts M8, with fixing device for the ceramic
inlet connection and inlet connecting set
box for concealed installation
including roughing-in box
water group with stop valve and flush elbow
without tiling set
without installation set for T sensor electronic
(39 368 000 or 39 369 000)
without accessories for on-the-wall installation

GROHE RAPID SL FOR URINAL

Ref. No.

Colour

Price netto (€)



38 517 001

chrome

214.00

**Rapid SL for urinal
without fitting**

1.13 and 1.30 m installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
height adjustable fitting connections
quick adjustment, lockable
fixing material
TÜV approved
HT-outlet bend Ø 50 mm
fixing bolts M8, with fixing device for the ceramic
inlet connection and inlet connecting set
without accessories for on-the-wall installation

42 824 000

chrome

389.00

Pull-off device for urinal

for 505.00.200, 508.00.200 and 809.00.200



GROHE RAPID SL FOR WASH BASIN AND BIDET




GROHE RAPID SL FOR WASH BASIN AND BIDET

Ref. No.

Colour

Price netto (€)




38 554 001

chrome

144.00

Rapid SL for wash basin
for single hole installation
1.13 m installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
wash basin fixing bolts M10 with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 noise protected fitting connections 1/2"
without accessories for on-the-wall installation




39 052 000

chrome

165.00

Rapid SL
for wash basin
height adjustable

for single hole installation
1.13 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
fixing and connecting traverse, height adjustable
wash basin fixing bolts M10 with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 noise protected fitting connections 1/2"
without accessories for on-the-wall installation



38 557 001

chrome

110.00

Rapid SL for wash basin
for single hole installation
1.13 m installation height


for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
wash basin fixing bolts M10 with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
without accessories for on-the-wall installation

GROHE RAPID SL FOR WASH BASIN AND BIDET

Ref. No.

Colour

Price netto (€)




38 625 001

chrome

282.00

Rapid SL for wash basin
for single hole installation or
wall mounted fittings
1.13 m installation height
with concealed trap
Ø 50 mm

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
single installation or fitting to a rail
quick adjustment, lockable
fixing material
TÜV approved
wash basin fixing bolts M10 with
fixing device for ceramic
variable distance of fixing bolts
2 noise protected fitting connections 1/2"
concealed syphon
for concealed wall installation
including wall plate, stainless steel
including adjustable brass outlet bend
chrome plated
height adjustable
without accessories for on-the-wall installation



38 748 002

chrome


437.00

Rapid SL for wash basin

for wall mounted fittings
with roughing-in set for infra-red electronic
Europlus E 36 042 SD0, Essence E 36 447 000
and Eurocube E 36 442 000

1.13 m installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
quick adjustment, lockable
fixing material
wash basin fixing bolts M10 with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
pre-mounted roughing-in set
with protecting block
fire-proof pipe for laying electronic cables
installation box with water group, stop valve and flush elbow
connection with noise protected fitting holder 1/2"
connecting box for mains supply 230 V
CE approved
for installation with pre-mixed or cold water
without accessories for on-the-wall installation



38 546 000

chrome

134.00

Rapid SL for wash basin

for wall mounted fittings
1.30 m installation height


for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
wash basin fixing bolts M10 with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 noise protected fitting connections 1/2"
without accessories for on-the-wall installation

GROHE RAPID SL FOR WASH BASIN AND BIDET

Ref. No.

Colour

Price netto (€)



38 541 000


chrome

142.00

Rapid SL for wash basin
for single hole installation
1.00 m installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
wash basin fixing bolts M10 with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm

2 noise protected fitting connections 1/2"
without accessories for on-the-wall installation



38 544 000


chrome

267.00

Rapid SL for sink
for wall mounted fittings
1.30 m installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
waterproof plywood
HT-outlet bend Ø 50 mm

2 noise protected fitting connections 1/2"
without accessories for on-the-wall installation



38 553 001


chrome

253.00

Rapid SL for bidet
1.13 m installation height

powder coated steel frame, self-supporting
for on-the-wall installations or studded walls
pre-assembled
height adjustable fitting connections
quick adjustment, lockable
fixing material
TÜV approved
bidet fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm

2 noise protected fitting connections 1/2"
fixing material for bidet
without accessories for on-the-wall installation



38 597 001

chrome

*

Rapid SL for bidet
1.13 m installation height

powder coated steel frame, self-supporting
for on-the-wall installations or studded walls
pre-assembled
height adjustable fitting connections
fixing material
TÜV approved
bidet fixing bolts
seal Ø 32 mm
HT-outlet bend Ø 50 mm


2 noise protected fitting connections 1/2"
fixing material for bidet
without accessories for on-the-wall installation

GROHE RAPID SL FOR WASH BASIN AND BIDET

Ref. No.

Colour

Price netto (€)



38 545 000

chrome


301.00

Rapid SL for bidet

1.00 m installation height

powder coated steel frame, self-supporting
for on-the-wall installations or studed walls
pre-assembled
height adjustable fitting connections
quick adjustment, lockable
fixing material
TÜV approved
bidet fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 noise protected fitting connections 1/2"
fixing material for bidet

without accessories for on-the-wall installation



38 543 000

chrome

279.00

Rapid SL for bidet

0.82 m installation height

powder coated steel frame, self-supporting
for on-the-wall installations or studed walls
pre-assembled
height adjustable fitting connections
quick adjustment, lockable
fixing material
TÜV approved
bidet fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 noise protected fitting connections 1/2"
fixing material for bidet

without accessories for on-the-wall installation

GROHE RAPID SL FOR THE DISABLED



GROHE RAPID SL FOR THE DISABLED

Ref. No.


Colour

Price netto (€)

38 675 001

chrome

345.00




Rapid SL for WC
flushing cistern 6 l
1.13 m installation height
for the disabled
for WC bowls 70 cm projection
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
low noise (group I acc. to
German Noise Specification)
insulated against condensation
1/2" water supply connection including
integrated angle valve and push fit
flexible hose union
without accessories for on-the-wall installation

39 140 000

chrome

632.00



A	1130	1080
B	290	230
C	340	310
D	1000	950
E	1060	1010
F	460	410


Rapid SL for WC
flushing cistern GD 2
1.13 m installation height
with fixing element for back support and bars
for the disabled
for WC bowls 70 cm projection
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
4 wall brackets
fixing device for ceramic
distance of fixing bolts 180/230 mm
PP outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
flushing cistern GD 2, 6 - 9 l
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right or back
low noise (group I acc. to
German Noise Specification)
insulated against condensation
1/2" water supply connection including
integrated angle valve and push fit
flexible hose union
no tools required for the installation
of the inspection shaft incl. protection
during construction phase
for vertical or horizontal use
accessories for on-the-wall installation
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)

GROHE RAPID SL FOR THE DISABLED

Ref. No.

Colour

Price netto (€)



38 599 001

chrome

*

Rapid SL for WC

flushing cistern 6 l

1.13 m installation height

0.42 m wide

for installation **in front of studed walls**
or **free-standing installation**

powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
height adjustable fitting connections

fixing material

TÜV approved

2 WC fixing bolts

fixing device for ceramic

distance of fixing bolts 180/230 mm

PVC outlet bend 100 mm


inlet and outlet connecting set

pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush

low noise (group I acc. to
German Noise Specification)

insulated against condensation

without accessories for on-the-wall installation



38 759 SD0

stainless steel

837.00

Radio electronic

for WC

receiver modul 868,4 MHz

for support rails for the disabled with radio

transmitter of HEWI, Keuco, Normbau, (more on request)

for flushing cistern GD 2, for flushing cistern 6 l

concealed installation, front plate 156 x 197 mm

servo motor

with transformer 100-230 V AC, 50-60 Hz, 6 V DC

adjustable flush volume

adjustable flow time


72 h flushing can be activated

with extension cable, 3.00 m length,

for connecting transformer and

electronic

CE approved



38 934 SD0

stainless steel

544.00

WC control

for manual remote actuation for concealed flushing cisterns, 6 - 9 l

suitable for support rails for the disabled with integrated actuation button

from Hewi, Keuco, Lehnen, Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB

stainless steel wall plate 156 x 197 mm

transformer for external installation

operating voltage 230 V AC, 50/60 Hz, 4.0 VA

servo motor


3 m connecting cable

for the connection of transformer and electronic

3 m connection cable with plug

CE approved

delivery range without actuation button/support rails



39 141 000

chrome

570.00

Radio electronic

for WC with flushing cistern GD2

receiver modul 868,4 MHz

for wall sender 39 142 000 or radio transmitter 38 758 000

for support rails for the disabled with radio transmitter of Hewi, Keuco, Lehnen,

Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB

servo motor

integrated battery box for 4 x 1.5 V Mono D (LR20)

adjustable flush volume

72 h flushing can be activated

Dual Flush possible (6/3 or 9/4.5 l)

WC actuation plate and batteries are not included


CE approved

GROHE RAPID SL FOR THE DISABLED

Ref. No.

Colour

Price netto (€)




39 142 000

chrome

229.00

Radio transmitter

for WC receiver module 39 141 000, 38 759 SD0
frequency 868.4 MHz
with option for Dual Flush
can be integrated into a standard electricity box
(measurements according to DIN 49073)
CE approved



38 625 001

chrome

282.00

Rapid SL for wash basin

for single hole installation or
wall mounted fittings

1.13 m installation height

with concealed trap
Ø 50 mm

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections

single installation or fitting to a rail
quick adjustment, lockable
fixing material

TÜV approved
wash basin fixing bolts M10 with
fixing device for ceramic
variable distance of fixing bolts



2 noise protected fitting connections 1/2"
concealed syphon

for concealed wall installation
including wall plate, stainless steel
including adjustable brass outlet bend

chrome plated

height adjustable

without accessories for on-the-wall installation



38 541 000

chrome

142.00

Rapid SL for wash basin

for single hole installation

1.00 m installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections


quick adjustment, lockable
fixing material

TÜV approved
wash basin fixing bolts M10 with
fixing device for ceramic

variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm

2 noise protected fitting connections 1/2"

without accessories for on-the-wall installation



38 559 001

chrome

188.00

Rapid SL Fixing element

to fix **support** for the disabled in
lightweight studded wall partitions
or on-the-wall installations

1.13 m installation height

0.31 m wide

powder coated steel frame
waterproof plywood
fixing material

without accessories for on-the-wall installation

GROHE RAPID SL FREE-STANDING INSTALLATION



GROHE RAPID SL FREE-STANDING INSTALLATION

Ref. No.

Colour

Price netto (€)

38 584 001

chrome

408.00

**Rapid SL for WC
flushing cistern GD 2
1.13 m installation height**

for free-standing installation, for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
lockable

fixing material

2 WC fixing bolts

fixing device for ceramic

WC ceramics with small bearing area (less than 205 mm)

require additional accessory 38 779 000

distance of fixing bolts 180/230 mm

outlet bend Ø 90 mm

depth adjustable

reducer Ø 90/110 mm

inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l

adjustment ex factory 6 l and 3 l

pneumatic discharge valve offering 3 modes of

operation: dual flush or start/stop or single flush

water supply from left/right or back

low noise (group I acc. to

German Noise Specification)

insulated against condensation

1/2" water supply connection including

integrated angle valve and push fit

flexible hose union

no tools required for the installation

of the inspection shaft incl. protection


during construction phase

for vertical or horizontal use

without accessories for on-the-wall installation

for mounting of small flush plates please order

revision shaft 40 911 000 (sold separately)



38 340 001

chrome

266.00

**Rapid SL for WC
flushing cistern GD 2
1.13 m installation height**

for free-standing installation, for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
lockable

fixing material

NF approved

2 WC fixing bolts

fixing device for ceramic

distance of fixing bolts 180/230 mm

PVC outlet bend 100 mm

spacer Ø 80 mm

inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l

adjustment ex factory 6 l and 3 l

pneumatic discharge valve offering 3 modes of

operation: dual flush or start/stop or single flush

water supply from left/right or back

low noise (group I acc. to

German Noise Specification)

insulated against condensation

1/2" water supply connection including

integrated angle valve and push fit

flexible hose union

no tools required for the installation

of the inspection shaft incl. protection


during construction phase

for vertical or horizontal use

accessories for on-the-wall installation

for mounting of small flush plates please order

revision shaft 40 911 000 (sold separately)



GROHE RAPID SL FREE-STANDING INSTALLATION

Ref. No.


Colour

Price netto (€)

38 586 001

chrome

600.00



**Rapid SL for WC
with flushing cistern 6 - 9 l
1.00 m installation height**

for free-standing installation, for on-the-wall installations or studded walls
powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled with fixed connections
lockable

fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern 6 - 9 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush

front or top actuation
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union


Shortable inspection shaft incl. protection during construction phase

**without accessories for on-the-wall installation
without wall plate/actuation**

38 587 000

chrome

479.00



**Rapid SL for WC
with flushing cistern 6 - 9 l
0.82 m installation height**

for free-standing installation, for on-the-wall installations or studded walls
powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled with fixed connections
lockable

TÜV approved
fixing material
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern 6 - 9 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush

front or top actuation
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union

Shortable inspection shaft incl. protection during construction phase

**without accessories for on-the-wall installation
GROHE EcoJoy technology for less water and perfect flow
without wall plate/actuation**


INSTALLATION
SYSTEMS

GROHE RAPID SL FREE-STANDING INSTALLATION

Ref. No.

Colour

Price netto (€)



38 581 001


chrome

463.00

Rapid SL for bidet
1.13 m installation height

for free-standing installation, for on-the-wall installations or studed walls
powder coated steel frame, self-supporting
pre-assembled
height adjustable fitting connections
lockable
TÜV approved
fixing material
bidet fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 noise protected fitting connections 1/2"
fixing material for bidet

without accessories for on-the-wall installation



38 548 001

chrome

121.00

Rapid SL empty element
1.13 m installation height







for the installation of fitting holders
or to cover the distance between
two elements (60 - 170 cm)
for installation back to back with free-standing
elements
TÜV approved

without accessories for on-the-wall installation

GROHE RAPID SL FITTING SUPPORTS



GROHE RAPID SL FITTING SUPPORTS

	Ref. No.	Colour	Price netto (€)
 	37 998 000	chrome	99.00
<p>Rapid SL fitting support for exposed fittings for studded walls for empty frames 2 noise protected fitting connections 1/2" fixing material</p>			
 	38 652 000	chrome	123.00
<p>Rapid SL mounting plate for fixing concealed fittings and room ventilation for studded walls for empty frames for GROHE Rapido 500 x 240 x 77 mm variable depth adjustment 75-115 mm with waterproof plywood board for fixation fixing material</p>			
 	38 437 000	chrome	108.00
<p>Rapid SL fitting support for sink for studded walls 2 noise protected fitting connections 1/2" HT-outlet bend Ø 50 mm seal Ø 40 mm fixing material</p>			
 	38 548 001	chrome	121.00
<p>Rapid SL empty element 1.13 m installation height for the installation of fitting holders or to cover the distance between two elements (60 - 170 cm) for installation back to back with free-standing elements TÜV approved without accessories for on-the-wall installation</p>			

GROHE RAPID SL ACCESSORIES




GROHE RAPID SL ACCESSORIES

Ref. No.

Colour

Price netto (€)




38 636 001

chrome

75.00

Rapid SL Cladding
for wall mounted WC
1.13 m installation height
gypsum fibre boards 1190 x 480 x 12.5 mm
with all cut-outs
self-tapping screws
2 zinc coated support angles with
fixing screws




38 630 001

chrome

64.00

Rapid SL Cladding
for bidet, urinal elements or between
elements
1.13 m installation height
gypsum fibre boards 1190 x 480 x 12.5 mm
without cut-outs
self-tapping screws
2 zinc coated support angles with
fixing screws




38 548 001

chrome

121.00

Rapid SL empty element
1.13 m installation height
for the installation of fitting holders
or to cover the distance between
two elements (60 - 170 cm)
for installation back to back with free-standing
elements
TÜV approved
without accessories for on-the-wall installation




38 629 000

chrome

52.00

Rapid SL extension
for floor constructions from 200 up to 350 mm
fixing material
not suitable for project elements



37 310 000

chrome

80.00

Installation rail
for row installation
fixing material
1 piece
2600 x 36 x 20 mm
mounting set for 3 Rapid or
Uniset elements
not available for Uniset WC

GROHE RAPID SL ACCESSORIES

	Ref. No.	Colour	Price netto (€)
 	37 220 001	chrome	21.00
<p>Rapid SL Wall bracket for Rapid SL, to fix claddings to side walls and intermediate plates to the masonry 1.13 m, 1.00 m and 0.82 m installation height dimension 50 x 25 mm</p>			
 	38 733 000	chrome	28.00
<p>Rapid SL mounting angle for additional fixation of WC elements or installation without floor fixing mounting angles including wall bracket and fixing material 2 pieces</p>			
 	38 562 001	chrome	96.00
<p>Rapid SL Set for corner installation for WC, bidet, wash basin and urinal single installation or fitting to a rail fitting maximum 625 mm from the corner fixing material for corner installation 2 wall brackets 1.13 m 135°</p>			
 	38 563 000	chrome	9.40
<p>Extension set for Rapid SL for max. distance to the wall 330 mm 2 threaded bolts with sleeves</p>			
 	38 779 000	chrome	101.00
<p>Rapid SL Accessory for WC bowls with a bearing area of less than 20 cm vertical traverse for ceramics with small bearing area (< 205 mm)</p>			
 	37 131 000	chrome	12.50
<p>Set for noise protection for WC sound insulation 2 rubber pipes</p>			

GROHE RAPID SL ACCESSORIES

	Ref. No.	Colour	Price netto (€)
	42 397 000 Tube	chrome	8.30
	42 766 000 Distance pipe 3"	chrome	6.80
 	38 338 000 Connecting box	chrome	23.00
 	40 911 000 Revision shaft for small flush plates for combination with Rapid SL and Uniset GD 2 cisterns	chrome	12.50
	66 791 000 Inspection shaft	chrome	9.70
 	43 617 000 Motor support device for Rapid SL 38 675 for the disabled as of mid 2008 for installation of infra-red electronic	chrome	86.00

GROHE RAPID SL ACCESSORIES

Ref. No. Colour Price netto (€)



42 216 000
PVC waste bend
diameter 90/100 mm

chrome *

* price upon request

GROHE UNISSET FRAMES AND ACCESSORIES



GROHE UNISSET FRAMES AND ACCESSORIES

Ref. No.

Colour


Price netto (€)

38 643 001

chrome

199.00

**Uniset for WC
flushing cistern GD 2**
sound-insulating EPS module for
masonry-in
830 x 470 x 130 mm
rail adaptors for modular fixing
for single or rail installation
wall rail with fixing accessories for
single installation
2 WC fixing bolts
distance of fixing bolts 180/230 mm
fixing device for ceramic
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
flushing cistern GD 2, 6 - 9 I
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right/back or top
low noise (group I acc. to
German Noise Specification)
insulated against condensation
1/2" water supply connection including
integrated angle valve and push fit
flexible hose union
for vertical or horizontal use
no tools required for the installation
of the inspection shaft incl. protection
during construction phase
preparation for shower toilets with additional
accessory 40 899 000 (sold separately)
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)




38 642 001

chrome

198.00

**Uniset for WC
flushing cistern GD 2**
sound-insulating EPS module for
masonry-in
830 x 470 x 130 mm
rail adaptors for modular fixing
wall rail with fixing accessories for
single installation
2 WC fixing bolts
distance of fixing bolts 180/230 mm
fixing device for ceramic
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
flushing cistern GD 2, 6 - 9 I
inlet and outlet connecting set
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of
operation: dual flush or start/stop or single flush
water supply from left/right/back or top
low noise (group I acc. to
German Noise Specification)
insulated against condensation
1/2" water supply connection including
integrated angle valve and push fit
flexible hose union
no tools required for the installation
of the inspection shaft incl. protection
during construction phase
for vertical or horizontal use
with support feet
preparation for shower toilets with additional
accessory 40 899 000 (sold separately)
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)



GROHE UNISSET FRAMES AND ACCESSORIES

Ref. No.


Colour

Price netto (€)

39 165 000

chrome

115.00




Uniset for WC flushing cistern GD 2
778 x 440 x 116 mm
for single installation
2 WC fixing bolts
distance of fixing bolts 180/230 mm
fixing device for ceramic
outlet bend Ø 90 mm
reducer Ø 90/110 mm
inlet and outlet connecting set
flushing cistern GD 2, 6 - 9 l
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from left/right/back or top
low noise (group I acc. to German Noise Specification)
cistern insulated against condensation
1/2" angle valve with push fit flexible hose union
no tools required for the installation of the inspection shaft incl. protection during construction phase
for vertical or horizontal use
preparation for shower toilets with additional accessory 40 899 000 (sold separately)
for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

38 723 001

chrome

195.00



Uniset 2-in-1 set for WC flushing cistern GD 2
sound-insulating EPS module for masonry-in
830 x 470 x 130 mm
rail adaptors for modular fixing for single or rail installation
wall rail with fixing accessories for single installation
2 WC fixing bolts
distance of fixing bolts 180/230 mm
fixing device for ceramic
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
flushing cistern GD 2, 6 - 9 l
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from left/right/back or top
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation of the inspection shaft incl. protection during construction phase
for vertical or horizontal use
preparation for shower toilets with additional accessory 40 899 000 (sold separately)
including wall plate Skate Air
vertical installation
156 x 197 mm
chrome
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow

INSTALLATION SYSTEMS

GROHE UNISSET FRAMES AND ACCESSORIES

Ref. No.


Colour

Price netto (€)

38 415 001

chrome

285.00




Uniset for WC
0.82 m installation height
with flushing cistern 6 - 9 l
front or top actuation
 sound-insulating EPS module for masonry-in
 rail adaptors for modular fixing for single or rail installation
 wall rail with fixing accessories for single installation
 2 WC fixing bolts
 distance of fixing bolts 180/230 mm
 fixing device for ceramic
 outlet bend Ø 90 mm
 depth adjustable
 inlet and outlet connecting set
flushing cistern 6 - 9 l
 pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
 water supply from left/right or top
 low noise (group I acc. to German Noise Specification)
 insulated against condensation
 1/2" water supply connection
 angle valve 1/2"
 Shortable inspection shaft incl. protection during construction phase
without wall plate/actuation
 preparation for shower toilets with additional accessory 40 899 000 (sold separately)

38 785 000

chrome

228.00




Uniset for urinal
 with GROHE Rapido U
 roughing-in set for urinal
for manual actuation or Tectron infra-red electronic 6 V or 230 V
 sound-insulating EPS module for masonry-in with closed surface
 rail adaptors for modular fixing for single or series installation
 fixing accessories for single installation
 height adjustable fitting connections
 inlet connection and inlet connecting set
 HT-outlet bend Ø 50 mm
 threaded bolts M8
 fixing material for urinal bowl
 water group with stop valve
 flow pressure min 0.5 bar
 operating pressure max 10 bar
 flush aid
 functional unit checked ex factory
 water supply connections 1/2" outer thread
 connecting box for mains supply 230 V
 installation box with gasket
 Shortable inspection shaft incl. protection during construction phase for sets for final installation with dimensions 116 x 144 mm

37 576 000






chrome

142.00



Uniset for wash basin
 for single hole installation
 sound-insulating EPS module for masonry-in with closed surface
 rail adaptors for modular fixing for single or series installation
 fixing accessories for single installation
 height adjustable fitting and outlet connections
 wash basin fixing bolts
 distance of fixing bolts 280 mm
 HT-outlet bend Ø 50 mm
 seal Ø 32 mm
 2 fitting connections 1/2"
 fixing material for wash basin
without support feet

GROHE UNISSET FRAMES AND ACCESSORIES

	Ref. No.	Colour	Price netto (€)
	37 578 001	chrome	193.00
	<p>Uniset for bidet sound-insulating EPS module for masonry-in with closed surface rail adaptors for modular fixing for single or series installation wall rail with fixing accessories for single installation bidet fixing bolts height adjustabel fitting and outlet connections HT-outlet bend Ø 50 mm seal Ø 32 mm 2 variable fitting connections fixing material for bidet without support feet</p>		
	38 703 000	chrome	*
	<p>Uniset for bidet steel frame, hot galvanized, with 4 fixing brackets 2 bidet fixing bolts height adjustabel fitting and outlet connections HT-outlet bend Ø 50 mm seal Ø 32 mm 2 variable fitting connections 1/2" fixing material for bidet</p>		
	37 304 000	chrome	39.00
	<p>Uniset support feet matching Uniset for WC and bidet made of hot galvanized steel fixing material for on-the-wall installations</p>		
	37 310 000	chrome	80.00
	<p>Installation rail for row installation fixing material 1 piece 2600 x 36 x 20 mm mounting set for 3 Rapid or Uniset elements not available for Uniset WC</p>		
	40 899 000	chrome	35.00
	<p>Retrofit kit for shower toilets Sensia Arena and IGS retrofit of existing Rapid SL and Uniset installations to shower toilets Sensia Arena or IGS including: conduit pipe with locking ring and flat seal cable ties WC connecting pipe Ø 45 mm waste sleeve Ø 90 mm</p>		

GROHE
FLUSHING SYSTEMS





CONTENTS

WC	Flushing cisterns	673
	Accessories for flushing cisterns	677
	WC flush valves	687
	Electronic actuations for WC	693
Urinal	Electronic actuations for urinal	699
	Urinal flush valves	707

GROHE FLUSHING CISTERNS




GROHE FLUSHING CISTERNS

Ref. No.

Colour

Price netto (€)




37 355 SH0

alpine white

88.00

Flushing cistern for WC

6 l flush
exposed installation
interruptible flush cycle
servo actuation
low level
made of ABS
low noise (group I acc. to German Noise Specification)
insulated against condensation
angle valve 1/2"
copper pipe
mounting template
flush pipe bend
WC inlet connector




38 895 000

chrome

216.00

GD2 set

6 l flush
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from left/right/back or top
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation of the inspection shaft incl. protection during construction phase for vertical or horizontal use
flush pipe insulated against condensation
fixing brackets
inlet and outlet connecting set
fixing device for ceramic
Skate Air wall plate
vertical installation
156 x 197 mm
chrome
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow



38 661 000

chrome

157.00

Flushing cistern GD 2


6 l flush
adjustment ex factory 6 l and 3 l
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or single flush
water supply from left/right/back or top
low noise (group I acc. to German Noise Specification)
insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation of the inspection shaft incl. protection during construction phase for vertical or horizontal use
flush pipe insulated against condensation
fixing brackets
without wall plate/actuation
GROHE EcoJoy technology for less water and perfect flow
for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

GROHE FLUSHING CISTERNS

Ref. No.

Colour

Price netto (€)



38 987 000

chrome

*

Flushing cistern GD 2

6 l flush

adjustment ex factory 6 l and 3 l

pneumatic discharge valve offering 3 modes of

operation: dual flush or start/stop or single flush

water supply from left/right/back or top

low noise (group I acc. to

German Noise Specification)

insulated against condensation

1/2" water supply connection including

integrated angle valve and push fit

flexible hose union

no tools required for the installation

of the inspection shaft incl. protection

during construction phase

for vertical or horizontal use

flush pipe insulated against condensation

fixing brackets


without wall plate/actuation

GROHE EcoJoy technology for less water and perfect flow

with inlet pipe and connector

for mounting of small flush plates please order

revision shaft 40 911 000 (sold separately)



38 422 000

chrome

196.00

Flushing cistern for WC

6 l flush

concealed installation

0.82 m installation height

dual flush discharge valve, pneumatic

front or top actuation

water supply from left/right or top

low noise (group I acc. to

German Noise Specification)

insulated against condensation

415 x 410 x 360 mm

1/2" water supply connection

fixing brackets


flush pipe

Shortable inspection shaft incl. protection

during construction phase

without wall plate/actuation

GROHE EcoJoy technology for less water and perfect flow



38 691 000

chrome

168.00

Eau2

WC flushing cistern 0.82 m

6l / 3l

Dual Flush

low noise filling valve

6 l flush

concealed installation

0.82 m installation height

water supply from left/right or back

connection from left / right or back

non-interruptible flush cycle

front or top single 6 l only flush

water supply from left/right or top

low noise (group I acc. to

German Noise Specification)

insulated against condensation

415 x 410 x 360 mm

with angle stop valve 1/2" and flush pipe

1/2" water supply connection

angle valve 1/2"

fixing brackets

flush pipe

without wall plate/actuation

protecting block

min. recommended

static pressure 0.2 bar

air button

front or top actuation

extended hose length for flexibility

when positioning the actuation

sleek and minimal styling allows the button

to be fitted in any 360degree orientation

GROHE EcoJoy technology for less water and perfect flow

GROHE FLUSHING CISTERNS

Ref. No.


Colour

Price netto (€)

38 771 000

chrome

50.00



Pneumatic push button actuation

for dual flush or start & stop actuation
Ø 48 mm

in combination with bath furniture or
removable claddings for cistern
inspection












for material thickness from 18 -24 mm
pneumatic hose 600 mm

GROHE StarLight chrome finish










GROHE ACCESSORIES FOR FLUSHING CISTERNS









GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	Price netto (€)
 	37 095 000	chrome	31.00
	Filling valve 3/8" universal application without adapter for the pipe connection cap, restrictor **) max. shortening 100 mm		
 	43 537 000	chrome	21.00
	Filling valve filling valve for concealed flushing cisterns 6 l		
 	37 501 P10	matt chrome/chrome	*
	Eco-discharge valve for close-coupled cisterns dual flush discharge valve AV1 push button actuation with Eco-knob for ceramic lid hole \varnothing 16-50 mm with fixing device for lid fixing set with 100 mm screws and cellular rubber joint 100 mm dia. GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow		
 	42 297 P10	matt chrome/chrome	63.00
	Eco-discharge valve dual flush discharge valve AV1 push button actuation \varnothing 40 mm with Eco-knob with fixing device for lid GROHE EcoJoy technology for less water and perfect flow fixing set with 100 mm screws and cellular rubber joint 100 mm dia.		
	42 253 000	chrome	52.00
	Discharge valve, Dual Flush		
 	37 088 P10	matt chrome/chrome	59.00
	Servo discharge valve interruptible flush cycle with short discharge valve housing decide for maintenance opening and complete before installation escutcheon push button for lid holes \varnothing 16 - 35 mm fixing material GROHE StarLight chrome finish		

GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	Price netto (€)
 	37 497 P10	matt chrome/chrome	*
<p>Servo discharge valve interruptible flush cycle for close-coupled ceramic cisterns push button actuation with escutcheon Ø 38 mm fixing set with 100 mm screws and cellular rubber joint 100 mm dia. GROHE StarLight chrome finish</p>			
 	37 086 P10	matt chrome/chrome	*
<p>Servo discharge valve interruptible flush cycle flush volume 3 l minimum short discharge valve housing push button actuation Ø 40 mm escutcheon fixing set with 100 mm screws and cellular rubber joint 100 mm dia.</p>			
	43 536 000	chrome	3.20
	Valve head		
	43 733 000	chrome	3.90
	Membrane filling valve		
	43 758 00M ditto, 10 pieces per set	chrome	23.00
	42 271 00M	chrome	51.00
	Nipple multi-packaging: 10 pieces		
 	37 099 K00	black	50.00
<p>Flush pipe for low level flushing cistern behind the wall for remote control two-parts 180 x 70 mm 300 mm extension including protecting plug</p>			

GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	Price netto (€)
	38 735 000	chrome	54.00
<p>Retro-fit set for flushing cistern 6 l concealed installation dual flush discharge valve AV1 including valve seat for 6 l or 3 l angle valve 1/2" guiding pipe for screws without wall plate GROHE EcoJoy technology for less water and perfect flow</p>			
	38 736 000	chrome	40.00
<p>Retro-fit set dual flush for flushing cistern GD 2 6 l flush dual flush discharge valve AV1 including valve seat without wall plate/actuation GROHE EcoJoy technology for less water and perfect flow</p>			
	42 320 000	chrome	40.00
<p>Dual Flush discharge valve AV1 AV1 complete with pipe extension 6 l flush without valve seat without actuation</p>			
	42 137 000	chrome	27.00
<p>Servo discharge valve non-interruptible flush cycle for concealed bath furniture cistern without actuation</p>			
	43 486 000	chrome	21.00
<p>Servo discharge valve 50 pieces per carton</p>			
	42 265 000	chrome	*
<p>Discharge Valve, DF for flushing cistern 0.82 m pneumatic actuation for 6 l or 3 l including valve seat</p>			

GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	Price netto (€)
 	42 774 000 Waste pneumatic	chrome	54.00
	42 233 000 Tube	chrome	9.20
 	43 908 000 Flush pipe, concealed complete for concealed cisterns with polystyrene insulation and protective cover length 280 mm	chrome	17.50
 	37 311 K00 WC inlet and outlet connecting set for wall hung WC connecting pipe Ø 45 mm waste sleeve Ø 90 mm 150 mm long cover for WC fixing bolts	black	27.00
 	37 489 000 Extension for concealed flush pipe length 200 mm	chrome	7.30
	43 352 000 ditto, length 300 mm	chrome	9.80
 	37 103 SH0 Inlet set connecting pipe from flush pipe of concealed flush valve 6 to 9l and concealed flushing cistern to pedestal WC connector escutcheon	alpine white	11.50









GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	Price netto (€)
 	37 104 K00	black	31.00
<p>WC inlet and outlet connecting set for wall hung WC connecting pipe Ø 45 mm length 200 mm connector waste sleeve Ø 110 mm 150 mm long cover for WC fixing bolts</p>			
 	37 105 K00	black	30.00
<p>Extension for concealed flush pipe length 300 mm</p>			
 	37 115 P10	matt chrome/chrome	8.20
<p>Push button and escutcheon for servo set for close-coupled ceramic cisterns lid hole Ø 40 mm GROHE StarLight chrome finish</p>			
	37 117 P10	matt chrome/chrome	10.00
<p>Push button and escutcheon for servo set for close-coupled ceramic cisterns lid hole Ø 16 - 35 mm GROHE StarLight chrome finish</p>			
 	37 119 000	chrome	2.70
<p>Connector 55 mm for low level flushing cistern</p>			
 	37 125 000	chrome	6.60
<p>Dummy plug and escutcheon cap for ceramic flushing cisterns lid hole Ø 40 mm GROHE StarLight chrome finish</p>			







GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	Price netto (€)
 	42 327 000 PP-outlet bend Ø 90 mm variable depth adjustment	chrome	15.50
 	42 333 000 4.5 l adapter for GD2	chrome	18.50
 	42 946 000 Elbow made of PE Ø 80/100 mm	chrome	20.00
 	37 131 000 Set for noise protection for WC sound insulation 2 rubber pipes	chrome	12.50
	42 773 000 Valve seat for concealed cisterns, dual flush	chrome	8.60
	42 315 000 Valve seat for GD2	chrome	7.80

GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	Price netto (€)
	43 542 000 Valve seat with o-ring valve seat for concealed flushing cisterns 6 - 91 / 61 0.82 m installation height (from 02.97) for Variella Compact Ø 41 mm	chrome	6.50
	43 545 000 Valve seat with o-ring for concealed flushing cisterns 6 - 91 / 61 0.82 m installation height (until 02.97) for Variella Compact Ø 55 mm	chrome	15.00
 	43 535 000 Push Bar for Servo discharge valve 350 mm	chrome	2.90
 	43 540 000 Pop-up rod for Servo discharge valve 451 mm	chrome	3.50
	43 544 000 Outlet piston for Servo discharge valve	chrome	10.00
	43 722 000 Set of seals	chrome	7.10

GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	Price netto (€)
	43 734 000 Lever	chrome	3.10
	43 735 000 Screw cap	chrome	2.50
	43 745 000 Seal	chrome	4.10
	43 770 00M Seal multi-packaging: 10 pieces	chrome	7.80
	43 976 000 Lever	chrome	2.40
	42 242 000 4" outlet adaptor for Rapid SL	chrome	9.60

FLUSHING
SYSTEMS

GROHE ACCESSORIES FOR FLUSHING CISTERNS


	Ref. No.	Colour	Price netto (€)
	42 075 000 Flow restrictor reduces flow rate for exposed flushing cisterns installation in flush pipe shorten if necessary	chrome	5.30
 	42 300 000 Flow restrictor reduces flow rate for flushing cistern GD 2 installation in valve seat	chrome	16.50
 	38 714 000 Extension set 70 mm for wall plates/actuators for flushing cistern GD 2, 6 - 9 l with pneumatic discharge valve	chrome	17.50

GROHE WC FLUSH VALVES




GROHE WC FLUSH VALVES

Ref. No. Colour Price netto (€)




37 347 000 chrome 213.00

Rondo A.S.
Flush valve for WC
¾"
brass
GROHE StarLight chrome finish
for wash-down and wash-out bowls
control cap and connection to
plastic flush pipe
with flow rate adjustment
6 l flush
with escutcheon
flow pressure min 1.2 bar
operating pressure max 5 bar
low noise (group I acc. to
German Noise Specification)




37 349 000 chrome 233.00

Rondo A.S.
Flush valve for WC
¾"
brass
integrated stop valve
GROHE StarLight chrome finish
for wash-down and wash-out bowls
control cap and connection to
plastic flush pipe
with flow rate adjustment
6 l flush
with escutcheon
flow pressure min 1.2 bar
operating pressure max 5 bar
low noise (group I acc. to
German Noise Specification)




37 141 000 chrome 90.00

DAL-Full-automatic flush valve for WC
¾"
brass
GROHE StarLight chrome finish
for wash-down and wash-out bowls
with automatic flow rate
flow pressure range from 1.2 - 5.0 bar
low noise (group II according to
German noise specification)



37 139 000 chrome 95.00









DAL-Automatic flush valve for WC
¾"
brass
GROHE StarLight chrome finish
for wash-down and wash-out bowls
with flow rate adjustment









37 144 000 chrome 241.00

Dalflux
Flush valve for WC
1"
brass
heavy duty
for low pressure
GROHE StarLight chrome finish
for wash-down and wash-out bowls
with flow rate adjustment
flow pressure range from 0.5 - 4.0 bar
(min. static pressure 1.5 bar)

GROHE WC FLUSH VALVES

	Ref. No.	Colour	Price netto (€)
 	37 636 000	chrome	76.00
	Stop valve 3/4" exposed installation with inside lying spindle escutcheon for roughing-in set for concealed installation GROHE StarLight chrome finish		
 	37 132 000	chrome	17.50
	Fixing device hidden fixing screws for flush pipes Ø 28 mm for distance to the wall from 15 - 85 mm		
 	37 133 000	chrome	50.00
	Inlet adaptor for corner installation 3/4"		
 	37 107 000	chrome	42.00
	Flush pipe for WC flush valve Ø 28 x 26 mm 600 x 200 mm brass flush pipe fixing device for distance to the wall from 15 - 85 mm connector		
 	38 251 000	chrome	56.00
	ditto, 750 x 250 mm		
 	37 112 000	chrome	69.00
	Flush pipe for flush valves Ø 28 x 26 mm adjustable, 500 - 750 mm brass		
 	37 108 000	chrome	51.00
	Flush pipe for WC flush valve Ø 28 x 26 mm 1000 x 200 mm straight brass without flush pipe fixing device for distance to the wall from 15 - 85 mm connector		

GROHE WC FLUSH VALVES


	Ref. No.	Colour	Price netto (€)
 	<p>37 114 000</p> <p>Flush pipe extension Ø 28 x 26 mm 260 mm brass</p>	<p>chrome</p>	<p>22.00</p>
 	<p>42 041 000</p> <p>Flush pipe set for WC flush valve Rondo A.S. for squatting WC flush pipe 850 mm distributor for the flush pipe flush pipe fixing device</p>	<p>chrome</p>	<p>114.00</p>
 	<p>37 135 000</p> <p>Connector 55 mm for flush valve to pedestal WC</p>	<p>chrome</p>	<p>4.20</p>

GROHE WC FLUSH VALVES

Ref. No.

Colour

Price netto (€)



37 153 000


chrome

261.00

Flush valve for WC
concealed installation
3/4"

stop valve
6 l flush

flow pressure range from 1.2 - 5.0 bar
with flow rate adjustment
box for concealed installation with
flush elbow
flush pipe adjustable in length
without wall plate/actuation
low noise (group I acc. to
German Noise Specification)



37 157 000


chrome

228.00

Flush valve for WC
concealed installation
3/4"

stop valve
6 - 14 l adjustable

for low pressure
for wash-down and wash-out bowls
flow pressure range from 0.6 - 3.0 bar
(min. static pressure 1.5 bar)
with flow rate adjustment
box for concealed installation with
flush elbow
flush pipe adjustable in length
without wall plate/actuation
volume needed: 1.6 l/sec



37 048 000


chrome

408.00

Flush valve for WC
concealed installation
3/4"

with **connection** to solenoid valve
stop valve

6 l flush
flow pressure range from 1.2 - 5.0 bar
with flow rate adjustment
2 m connecting cable
box for concealed installation with
flush elbow
concealed flush pipe
without electronic actuation



43 996 000

chrome

180.00

Flush valve for WC
concealed installation
3/4"

retrofit for 677.00.200/677.03.200/680.00.200
without stop valve
without flush pipe



43 997 000

chrome






191.00

Flush valve for WC
3/4"

retrofit for 677.00.500/677.03.500/680.00.500
for low pressure
without stop valve
without flush pipe

reference:
Model 677. with stainless steel actuation is to be replaced
by ref. 43 997 and 43 179 P00 (plastic actuation).

GROHE WC FLUSH VALVES

	Ref. No.	Colour	Price netto (€)
	<p>42 902 000</p> <p>Flush valve for WC concealed installation 3/4" 6 l flush stainless steel wall plate without stop valve without flush pipe to replace against model 663.04.200 (G1)</p>	<p>chrome</p>	<p>316.00</p>
	<p>42 901 000</p> <p>Flush valve for WC 3/4" concealed installation 6 l flush wall plate Classic, 220 x 255 mm GROHE StarLight chrome finish without stop valve without flush pipe retrofit for 623.03.200 (G3/4)</p>	<p>chrome</p>	<p>299.00</p>
	<p>37 134 000</p> <p>Fixing set 50 mm extension for WC flush valve concealed installation</p>	<p>chrome</p>	<p>22.00</p>
	<p>37 102 SH0</p> <p>Inlet set connecting pipe from flush pipe of concealed flush valve 6 to 9l and concealed flushing cistern to pedestal WC connector escutcheon</p>	<p>alpine white</p>	<p>25.00</p>
	<p>37 131 000</p> <p>Set for noise protection for WC sound insulation 2 rubber pipes</p>	<p>chrome</p>	<p>12.50</p>

GROHE ELECTRONIC ACTUATIONS FOR WC




GROHE ELECTRONIC ACTUATIONS FOR WC

Ref. No.

Colour

Price netto (€)



38 698 SD1

stainless steel

597.00


Tectron Skate

Infra-red electronic for WC flushing cistern

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose with transformer 100-230 V AC, 50-60 Hz, 6 V DC for flushing cistern GD 2

servo motor
concealed installation
front plate 156 x 197 mm

infra-red control
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flush (3 - 9 l) by hand and remote
CE approved



38 699 001

chrome

587.00

Tectron Surf


Infra-red electronic for WC flushing cistern

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

GROHE StarLight chrome finish
with transformer 100-230 V AC, 50-60 Hz, 6 V DC for flushing cistern GD 2

servo motor
concealed installation
front plate 156 x 197 mm

infra-red control
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flush (3 - 9 l) by hand and remote
CE approved



37 419 000

chrome

803.00

37 419 SD0

stainless steel

803.00

Tectron Skate


Infra-red electronic for WC flushing cistern

with additional manual actuation with infrared sensor for bi-directional communication for monitoring, configuration and service purpose with transformer 100-230 V AC, 50-60 Hz, 6 V DC

for single flush actuation
for flushing cistern GD 2

servo motor
concealed installation
hidden fixing screws
front plate 156 x 197 mm

7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flush (3 - 9 l) by hand and remote
CE approved



38 393 SD1

stainless steel

597.00

Tectron Skate

Infra-red electronic for WC flush valve

with transformer 100-230 V AC, 50-60 Hz, 6 V DC

concealed installation
front plate 156 x 197 mm

infra-red control
solenoid valve
7 pre-set programs:
CE approved

GROHE ELECTRONIC ACTUATIONS FOR WC


	Ref. No.	Colour	Price netto (€)
	43 617 000 Motor support device for Rapid SL 38 675 for the disabled as of mid 2008 for installation of infra-red electronic	chrome	86.00
	38 759 SD0 Radio electronic for WC receiver modul 868,4 MHz for support rails for the disabled with radio transmitter of HEWI, Keuco, Normbau, (more on request) for flushing cistern GD 2, for flushing cistern 6 l concealed installation, front plate 156 x 197 mm servo motor with transformer 100-230 V AC, 50-60 Hz, 6 V DC adjustable flush volume adjustable flow time 72 h flushing can be activated with extension cable, 3.00 m length, for connecting transformer and electronic CE approved	stainless steel	837.00
	38 778 000 Radio electronic for an additional wall plate for manual actuation for WC receiver modul 868,4 MHz for support rails for the disabled with radio transmitter of HEWI, Keuco, Normbau, (more on request) for flushing cistern GD 2, for flushing cistern 6 l concealed installation servo motor with transformer 100-230 V AC, 50-60 Hz, 6 V DC adjustable flush volume adjustable flow time 72 h flushing can be activated with extension cable, 3.00 m length, for connecting transformer and electronic	chrome	675.00
	39 141 000 Radio electronic for WC with flushing cistern GD2 receiver modul 868,4 MHz for wall sender 39 142 000 or radio transmitter 38 758 000 for support rails for the disabled with radio transmitter of Hewi, Keuco, Lehnen, Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB servo motor integrated battery box for 4 x 1.5 V Mono D (LR20) adjustable flush volume 72 h flushing can be activated Dual Flush possible (6/3 or 9/4.5 l) WC actuation plate and batteries are not included CE approved	chrome	570.00
	39 142 000 Radio transmitter for WC receiver module 39 141 000, 38 759 SD0 frequency 868.4 MHz with option for Dual Flush can be integrated into a standard electricity box (measurements according to DIN 49073) CE approved	chrome	229.00

GROHE ELECTRONIC ACTUATIONS FOR WC

Ref. No.

Colour

Price netto (€)



38 934 SD0

stainless steel

544.00

WC control

for manual remote actuation for concealed flushing cisterns, 6 - 9 l
 suitable for support rails for the disabled with integrated actuation button
 from Hewi, Keuco, Lehen, Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB
 stainless steel wall plate 156 x 197 mm
 transformer for external installation
 operating voltage 230 V AC, 50/60 Hz, 4.0 VA
 servo motor
 3 m connecting cable
 for the connection of transformer and electronic
 3 m connection cable with plug
 CE approved
 delivery range without actuation button/support rails



36 340 000

chrome

57.00

Power extension cable
 length 3.00 m



36 341 000

chrome

105.00

Power extension cable
 length 10.00 m

GROHE ELECTRONIC ACTUATIONS FOR WC

	Ref. No.	Colour	Price netto (€)
 	43 977 000	chrome	210.00
<p>Pneumatic actuation GROHE StarLight chrome finish remote hand-actuation for institutional requirements push button with escutcheon Ø 100 mm for walls of 80 - 240 mm thickness actuation stop pneumatic hose 1.50 m</p>			
  	37 059 000	chrome	176.00
<p>Pneumatic actuation GROHE StarLight chrome finish remote hand actuation push button actuation with escutcheon Ø 100 mm vertical and horizontal installation wall plate Surf 156 x 197 mm pneumatic hose 1.50 m</p>			
 	37 060 000	chrome	109.00
<p>Pneumatic actuation GROHE StarLight chrome finish push button actuation with escutcheon Ø 100 mm pneumatic hose 1.50 m without wall plate</p>			
 	36 407 001	chrome	299.00
<p>Remote control for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home monitoring consumption and usage data thermal disinfection cycles (infrared faucets) auto flush cycles (infrared faucets) cleaning mode cycles (GROHE Blue Home) filter and CO₂ capacity (GROHE Blue Home) configuration cleaning mode on/off thermal disinfection (infrared faucets) detection range shut off delay (infrared faucets) auto flush (infrared faucets) filter capacity (GROHE Blue Home) service send and save profile reset to factory or user settings filter capacity (GROHE Blue Home) demo mode error codes (GROHE Blue Home)</p> <p>3 x 1.5 V AAA DC battery supply</p>			

GROHE ELECTRONIC ACTUATIONS FOR URINAL



GROHE ELECTRONIC ACTUATIONS FOR URINAL

Ref. No.


Colour

Price netto (€)

37 421 000

chrome

456.00



Tectron Rondo

Infra-red electronic for Urinal

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

6 V lithium-battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

metal housing

exposed installation

flow pressure min 0.5 bar

operating pressure max 10 bar

G 1/2

with **integrated stop valve**

flush pipe with rubber connector

multistage battery status display

7 pre-set programs:

auto flush

cleaning mode

pre-flush on/off

additional functions and precise settings

by remote control 36 407


adjustable flow time by hand or remote

CE approved

37 426 000

chrome

456.00



Tectron Rondo

Infra-red electronic for Urinal

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

6 V lithium-battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

metal housing

exposed installation

flow pressure min 0.5 bar

operating pressure max 10 bar

G 1/2

with **integrated stop valve**

flush pipe with rubber connector

multistage battery status display

7 pre-set programs:

auto flush

cleaning mode

pre-flush on/off

additional functions and precise settings


by remote control 36 407

CE approved

37 427 000

chrome

331.00



Tectron retro-fit unit 1/2"

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

6 V lithium-battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

metal housing

exposed installation

for urinal flush valve 37 021 and variants

flow pressure min 0.5 bar

operating pressure max 10 bar

with piston

multistage battery status display

7 pre-set programs:

auto flush

cleaning mode

pre-flush on/off

additional functions and precise settings

by remote control 36 407

adjustable flow time by hand or remote

CE approved

GROHE ELECTRONIC ACTUATIONS FOR URINAL

Ref. No.


Colour

Price netto (€)

37 428 000

chrome

318.00



Tectron retro-fit unit 1/2"

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

6 V lithium-battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

metal housing

exposed installation

for urinal flush valve 37 339 000 and variants

flow pressure min 0.5 bar

operating pressure max 10 bar

with piston

multistage battery status display

7 pre-set programs:

auto flush

cleaning mode

pre-flush on/off

additional functions and precise settings

by remote control 36 407

adjustable flow time by hand or remote

CE approved

GROHE ELECTRONIC ACTUATIONS FOR URINAL

Ref. No.


Colour

Price netto (€)

37 336 001

chrome

531.00



Tectron Surf


Infra-red electronic for Urinal

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose with transformer 100-230 V AC, 50-60 Hz, 6 V DC cartridge with solenoid valve and dirt strainer
front plate 116 x 144 mm
flow pressure min 0.5 bar
operating pressure max 10 bar
infra-red control
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flow time by hand or remote
**set for final installation
for Rapido U**
CE approved

37 337 001

chrome

531.00



Tectron Surf

Infra-red electronic for Urinal

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose
6 V lithium-battery, type CR-P2
battery lifetime: approx. 7 years (150 actuations a day)
cartridge with solenoid valve and dirt strainer
front plate 116 x 144 mm
flow pressure min 0.5 bar
operating pressure max 10 bar
infra-red control
multistage battery status display
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flow time by hand or remote
**set for final installation
for Rapido U or Rapido UMB**
CE approved

37 321 001

chrome

532.00

37 321 SH1


alpine white

532.00

37 321 SD1

stainless steel

532.00



Tectron Skate

Infra-red electronic for Urinal

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose with transformer 100-230 V AC, 50-60 Hz, 6 V DC cartridge with solenoid valve and dirt strainer
front plate 116 x 144 mm
flow pressure min 0.5 bar
operating pressure max 10 bar
7 pre-set programs:
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flow time by hand or remote
**set for final installation
for Rapido U**
CE approved

GROHE ELECTRONIC ACTUATIONS FOR URINAL

Ref. No.


Colour

Price netto (€)

37 324 001
37 324 SD1

chrome
stainless steel

532.00
532.00



Tectron Skate

Infra-red electronic for Urinal

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

6 V lithium-battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

cartridge with solenoid valve and dirt strainer

front plate 116 x 144 mm

flow pressure min 0.5 bar

operating pressure max 10 bar

multistage battery status display

7 pre-set programs:

auto flush

cleaning mode

pre-flush on/off

additional functions and precise settings

by remote control 36 407

adjustable flow time by hand or remote

set for final installation


for Rapido U or Rapido UMB

CE approved

37 751 001

chrome

457.00



Tectron

Retro-fit unit

with infrared sensor for bi-directional communication for monitoring, configuration and service purpose

6 V lithium-battery, type CR-P2

battery lifetime: approx. 7 years (150 actuations a day)

exposed installation

for concealed urinal flush valve 37 017

and DAL 509

metal housing 145 x 90 x 45 mm

solenoid valve with dirt strainer

multistage battery status display

7 pre-set programs:

auto flush

cleaning mode

pre-flush on/off

additional functions and precise settings

by remote control 36 407


adjustable flow time by hand or remote

CE approved

37 338 000

chrome

128.00



GROHE Rapido U

roughing-in set for urinal for manual actuation or Tectron infra-red electronic 6 V or 230 V

water group with stop valve

flow pressure min 0.5 bar

operating pressure max 10 bar

flush aid

functional unit checked ex factory

water supply connections 1/2" outer thread

connecting box for mains supply

installation box with gasket


fixing points for dry cladding and masonry-in

shortable inspection shaft incl. protection

38 787 000

chrome

102.00



GROHE Rapido UMB

roughing-in set for urinal for manual actuation or Tectron infra-red electronic 6 V

water group with stop valve

flow pressure min 0.5 bar

operating pressure max 10 bar

flush aid

functional unit checked ex factory

water supply connections 1/2" outer thread

installation box with gasket

fixing points for dry cladding and masonry-in

GROHE ELECTRONIC ACTUATIONS FOR URINAL

Ref. No.


Colour

Price netto (€)

36 407 001

chrome

299.00



Remote control

for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home

monitoring

consumption and usage data
thermal disinfection cycles (infrared faucets)
auto flush cycles (infrared faucets)
cleaning mode cycles (GROHE Blue Home)
filter and CO₂ capacity (GROHE Blue Home)

configuration

cleaning mode on/off
thermal disinfection (infrared faucets)
detection range
shut off delay (infrared faucets)
auto flush (infrared faucets)
filter capacity (GROHE Blue Home)

service


send and save profile
reset to factory or user settings
filter capacity (GROHE Blue Home)
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V AAA DC battery supply

39 368 000

chrome

614.00



Temperature sensor for urinal

with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC


can be used with 39 376 000
siphon with temperature sensor
cartridge with solenoid valve
and dirt strainer
flow pressure min 0.5 bar
operating pressure max 10 bar
7 pre-set programs:

auto flush
cleaning mode
pre-flush on/off
CE approved

39 367 000

chrome

614.00



**Temperature sensor for urinal
6 V lithium-battery, type CR-P2**

with water connection set and stop valve

siphon with temperature sensor
cartridge with solenoid valve
and dirt strainer
flow pressure min 0.5 bar
operating pressure max 10 bar
7 pre-set programs:

auto flush
cleaning mode
pre-flush on/off
CE approved

only for certain urinal ceramics, check online TPI

GROHE ELECTRONIC ACTUATIONS FOR URINAL

Ref. No.

Colour

Price netto (€)

39 369 000

chrome

816.00

Temperature sensor with Bluetooth for urinal

with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
siphon with temperature sensor
cartridge with solenoid valve
and dirt strainer
flow pressure min 0.5 bar
operating pressure max 10 bar
with Bluetooth module for bi-directional communication
for monitoring, configuration and service purpose
with Bluetooth 4.0* for wireless data communication
bluetooth transmitter frequency: 2.4 GHz
Bluetooth range (max. 10 m) varies depending on used
materials and walls between transmitter and receiver
for Apple** and Android devices

monitoring

password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day / 30 days

configuration

shut-off delay
auto flush
cleaning mode
2 on/off timers
identification by name

service

send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved

System requirements

Apple

iPhone 5/6, iPad 2/3/4/Air/Air 2, iPad mini/2/3

Apple operating system: as of release iOS 8.0 and above (32/64 bit)

System requirements

Android


min 4" display with OS Version 4.3 – 5.x

Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.



GROHE URINAL FLUSH VALVES




GROHE URINAL FLUSH VALVES

Ref. No.

Colour

Price netto (€)




37 339 000

chrome

121.00

Rondo
Flush valve for urinal
1/2"
brass
integrated stop valve
GROHE StarLight chrome finish
with control cap and flush pipe connection
flow rate adjustment
flush volume adjustable 1.0 - 4.0 l
with wall escutcheon
flush pipe 200 mm
rubber connector with escutcheon
flow pressure min 0.5 bar
operating pressure max 5 bar




37 342 000

chrome

146.00

Rondo
Flush valve for urinal
1/2", brass
vandal proof by metal actuation knob
integrated stop valve
GROHE StarLight chrome finish
with control cap and flush pipe connection
flow rate adjustment
flush volume adjustable 1.0 - 4.0 l
with wall escutcheon
flush pipe 200 mm
rubber connector with escutcheon
flow pressure min 0.5 bar
operating pressure max 5 bar




37 345 000

chrome

158.00

Rondo
Flush valve for urinal
1/2"
brass
integrated stop valve
GROHE StarLight chrome finish
with control cap and flush pipe connection
flow rate adjustment
flush volume adjustable 1.0 - 4.0 l
with wall escutcheon
flush pipe 200 mm
rubber connector with escutcheon
flow pressure min 0.5 bar
operating pressure max 5 bar




37 346 000

chrome

94.00

Rondo
Flush valve for urinal
1/2"
brass
without stop valve
GROHE StarLight chrome finish
with control cap and flush pipe connection
flush volume adjustable 1.0 - 4.0 l
with wall escutcheon
flush pipe 200 mm
rubber connector with escutcheon
flow pressure min 0.5 bar
operating pressure max 5 bar



















37 396 000

chrome

*

Press urinal flush valve
1/2"
brass
GROHE StarLight chrome finish
with wall escutcheon

GROHE URINAL FLUSH VALVES


	Ref. No.	Colour	Price netto (€)
 	37 044 000 Inlet connecting set 1/2" for urinal bowls with inlet from back connector Ø 33.5 - 38 mm	chrome	16.50
 	37 035 000 Urinal flush pipe Ø 18 mm 200 mm brass chrome plated straight	chrome	12.50
 	37 036 000 Urinal flush pipe Ø 18 mm 200 mm brass chrome plated offset 10 mm	chrome	17.50
 	37 037 000 Offset 20 mm	chrome	21.00
 	37 038 000 Urinal flush pipe Ø 18 mm 200 mm brass chrome plated offset 30 mm	chrome	23.00
 	37 039 000 ditto, offset 40 mm	chrome	24.00
 	37 040 000 Urinal flush pipe Ø 18 mm 200 mm brass chrome plated offset 50 mm	chrome	26.00
 	37 043 000 Urinal flush pipe Ø 18 mm 400 mm brass straight	chrome	34.00

GROHE URINAL FLUSH VALVES

Ref. No.

Colour

Price netto (€)



37 042 000


chrome

16.50

Flush pipe extension
Ø 16 mm
200 mm
brass


GROHE URINAL FLUSH VALVES

Ref. No. Colour Price netto (€)





37 338 000 chrome 128.00

GROHE Rapido U
roughing-in set for urinal
for manual actuation or Tectron
infra-red electronic 6 V or 230 V
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
connecting box for mains supply
installation box with gasket
fixing points for dry cladding and
masonry-in
shortable inspection shaft incl. protection




38 787 000 chrome 102.00

GROHE Rapido UMB
roughing-in set for urinal
for manual actuation or Tectron
infra-red electronic 6 V
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
installation box with gasket
fixing points for dry cladding and
masonry-in




38 896 000 chrome 59.00

Extension-set, 50 mm
for Rapido U or Rapido UMB
shaft extension with fixing material



43 040 000 chrome 25.00

Converter set
for wall plate Surf
for manual urinal flush valve
concealed installation
for installation on model 509.
without wall plate/actuation



43 310 000 chrome 49.00

Fixing nut



43 818 000 chrome 3.40

Adapter for urinal
with inlet pipe
1/2"
GROHE StarLight chrome finish

GROHE
ACTUATIONS













CONTENTS

WC	Wall plates for WC	715
	GROHE Fresh	723
	Wall plates for WC flush valves	725
Urinal	Wall plates for urinal	727









GROHE WALL PLATES FOR WC













GROHE WALL PLATES FOR WC

	Ref. No.	Colour	Price netto (€)
	37 535 000	chrome	65.00
	37 535 P00	matt chrome	65.00
	37 535 SH0	alpine white	54.00
	37 535 DC0	supersteel	89.00
	Skate Cosmopolitan S Wall plate for dual flush or start & stop actuation for pneumatic discharge valve AV1 GD 2 cistern vertical installation 130 x 172 mm made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow flush plate with magnetic holder and fixing brackets included small shaft 40 911 000 sold separately		
	37 601 000	chrome	80.00
	37 601 P00	matt chrome	80.00
	37 601 SH0	alpine white	65.00
	37 601 DC0	supersteel	108.00
	Nova Cosmopolitan S Wall plate for dual flush or start & stop actuation for pneumatic discharge valve AV1 GD 2 cistern vertical installation 130 x 172 mm made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow flush plate with magnetic holder and fixing brackets included small shaft 40 911 000 sold separately		
	37 624 000	chrome	80.00
	37 624 P00	matt chrome	80.00
	37 624 SH0	alpine white	65.00
	37 624 DC0	supersteel	108.00
	Arena Cosmopolitan S Wall plate for dual flush or start & stop actuation for pneumatic discharge valve AV1 GD 2 cistern vertical installation 130 x 172 mm made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow flush plate with magnetic holder and fixing brackets included small shaft 40 911 000 sold separately		
	40 911 000	chrome	12.50
Revision shaft for small flush plates for combination with Rapid SL and Uniset GD 2 cisterns			

GROHE WALL PLATES FOR WC

	Ref. No.	Colour	Price netto (€)
	38 915 KSO	velvet black	903.00
	38 915 LSO	moon white	903.00
	<p>Veris Light Wall plate for dual flush or start & stop actuation for SoftTouch flushing activation external highlighted outline with LEDs in blue, red, yellow, green light colour individually adjustable on/off timer for individual regulation of illuminating period 3 m connecting cable transformer for external installation servo motor 110 V to 240 V 50/60 Hz broad range power supply 9 VA CE approved with function check lamps for GD 2 cisterns with pneumatic discharge valve AV1 200 x 200 mm made of security glass GROHE EcoJoy technology for less water and perfect flow</p>		
	38 809 000	chrome	580.00
	<p>Nova Cosmopolitan Light Wall plate for dual flush or start & stop actuation external highlighted outline with LEDs in blue, red, yellow, green light colour individually adjustable, on/off button timer for individual regulation of illuminating period 3 m connecting cable transformer for external installation operating voltage 230 V AC 50/60 Hz, 2.0 VA, this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+ CE approved for pneumatic discharge valve AV1 vertical and horizontal installation, 156 x 197 mm, made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow</p>		
			
	38 765 000	chrome	61.00
	38 765 SH0	alpine white	61.00
	38 765 P00	mat chrome	68.00
	<p>Nova Cosmopolitan Wall plate for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical and horizontal installation 156 x 197 mm made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow</p>		
	38 847 K10	black/chrome	98.00
	38 847 L10	white/chrome	98.00
	38 847 XG0	black graphics	98.00
	<p>Nova Cosmopolitan Wall plate with printed graphics for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical and horizontal installation 156 x 197 mm made of ABS GROHE EcoJoy technology for less water and perfect flow</p>		
	38 766 000	chrome	177.00
	<p>GROHE Ondus Wall plate for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical and horizontal installation 156 x 197 mm, made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow</p>		
			

GROHE WALL PLATES FOR WC


	Ref. No.	Colour	Price netto (€)
	38 845 KS0 38 845 LS0 38 845 MF0	velvet black moon white chrome/ daVinci satin	237.00 237.00 237.00
		Skate Cosmopolitan Wall plate with glass surface for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical and horizontal installation 156 x 197 mm made of security glass mounting-set not suitable for flushing cistern 6 l GROHE StarLight finish GROHE EcoJoy technology for less water and perfect flow	
	38 916 0A0	mirror glass	289.00
		Skate Cosmopolitan Wall plate with mirror surface plastic actuation buttons, titanium for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical and horizontal installation 156 x 197 mm made of security glass mounting-set GROHE EcoJoy technology for less water and perfect flow	
	38 957 000	chrome	102.00
		Mounting set for wall-aligned installation of Skate Cosmopolitan with glass surface for GD 2 and flushing cistern 80 mm plastic mounting frame, chrome plated minimum 8 mm tile thickness for vertical or horizontal use protection plate dismantling tool for wall plate fixing material	
	38 958 000	chrome	92.00
		Covering frame for wall-aligned installation of Skate Cosmopolitan with glass surface chrome plated plastic for covering wide tile joints 8 mm frame coverage	
	38 821 000	chrome	237.00
		Skate Cosmopolitan Wall plate for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical installation 156 x 197 mm made of brass GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow	

GROHE WALL PLATES FOR WC

	Ref. No.	Colour	Price netto (€)
 	38 732 SD0	stainless steel	153.00
	Skate Cosmopolitan Wall plate, stainless steel for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical installation 156 x 197 mm plastic fixing frame hidden fixing screws not suitable for GROHE Fresh GROHE StarLight finish GROHE EcoJoy technology for less water and perfect flow		
	38 776 SD0	stainless steel	155.00
	ditto, horizontal installation		
 	38 732 000	chrome	72.00
	38 732 SH0	alpine white	61.00
	38 732 P00	matt chrome	57.00
	38 732 BE0	polished nickel	69.00
	38 732 EN0	brushed nickel	69.00
	38 732 GL0	cool sunrise	69.00
	38 732 GN0	brushed cool sunrise	69.00
	38 732 DA0	warm sunset	69.00
	38 732 DL0	brushed warm sunset	69.00
	38 732 A00	hard graphite	69.00
	38 732 AL0	brushed hard graphite	69.00
	Skate Cosmopolitan Wall plate for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical and horizontal installation 156 x 197 mm made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow		
	38 732 BR0	titanium	118.00
ditto, with anti-fingerprint surface			
 	38 859 XG0	black graphics	100.00
	Skate Cosmopolitan Wall plate with printed graphics for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical and horizontal installation 156 x 197 mm made of ABS GROHE StarLight finish GROHE EcoJoy technology for less water and perfect flow		
 	38 844 000	chrome	68.00
	38 844 SH0	alpine white	60.00
	38 844 P00	matt chrome	68.00
	Arena Cosmopolitan Wall plate for dual flush or start & stop actuation for pneumatic discharge valve AV1 vertical installation 156 x 197 mm made of ABS GROHE EcoJoy technology for less water and perfect flow GROHE StarLight chrome finish		
	38 858 000	chrome	68.00
38 858 SH0	alpine white	60.00	
38 858 P00	matt chrome	68.00	
ditto, horizontal installation			

GROHE WALL PLATES FOR WC

Ref. No. Colour Price netto (€)




38 505 000	chrome	64.00
38 505 SH0	alpine white	58.00
38 505 P00	matt chrome	73.00

Skate Air
Wall plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
vertical installation
156 x 197 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow


38 506 000	chrome	73.00
38 506 SH0	alpine white	67.00
38 506 P00	matt chrome	73.00

ditto, horizontal installation



38 862 000	chrome	65.00
38 862 SH0	alpine white	58.00
38 862 P00	matt chrome	65.00
38 862 SD0	stainless steel	121.00















Skate
Wall plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
vertical and horizontal installation
156 x 197 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow



38 861 000	chrome	71.00
------------	--------	-------

Surf
Wall plate
for dual flush or start & stop actuation
for pneumatic discharge valve AV1
vertical and horizontal installation
156 x 197 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow

GROHE WALL PLATES FOR WC

	Ref. No.	Colour	Price netto (€)
	38 564 000	chrome	73.00
	38 564 SH0	alpine white	65.00
	Skate Air Wall plate for single flush actuation for pneumatic discharge valve vertical installation 156 x 197 mm made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow		
	38 565 000	chrome	68.00
	38 565 SH0	alpine white	65.00
	ditto, horizontal installation		
	38 573 000	chrome	73.00
	38 573 SH0	alpine white	65.00
	38 573 P00	matt chrome	73.00
	Skate Wall plate for single flush actuation for pneumatic discharge valve vertical and horizontal installation 156 x 197 mm made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow		
	38 672 SD0	stainless steel	121.00
		Skate Wall plate, stainless steel for single flush actuation for pneumatic discharge valve vertical installation 156 x 197 mm push button actuation plastic fixing frame hidden fixing screws GROHE EcoJoy technology for less water and perfect flow	
	38 574 000	chrome	73.00
		Surf Wall plate for single flush actuation for pneumatic discharge valve vertical and horizontal installation 156 x 197 mm made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow	
	37 059 000	chrome	176.00
		Pneumatic actuation GROHE StarLight chrome finish remote hand actuation push button actuation with escutcheon Ø 100 mm vertical and horizontal installation wall plate Surf 156 x 197 mm pneumatic hose 1.50 m	
	43 977 000	chrome	210.00
		Pneumatic actuation GROHE StarLight chrome finish remote hand-actuation for institutional requirements push button with escutcheon Ø 100 mm for walls of 80 - 240 mm thickness actuation stop pneumatic hose 1.50 m	

GROHE WALL PLATES FOR WC

Ref. No.


Colour

Price netto (€)

37 060 000

chrome

109.00




Pneumatic actuation
GROHE StarLight chrome finish
push button actuation with
escutcheon Ø 100 mm
pneumatic hose 1.50 m
without wall plate

38 771 000

chrome

50.00





Pneumatic push button actuation
for dual flush or start & stop actuation
Ø 48 mm
in combination with bath furniture or
removable claddings for cistern
inspection
for material thickness from 18 -24 mm
pneumatic hose 600 mm
GROHE StarLight chrome finish

38 714 000

chrome

17.50



Extension set 70 mm
for wall plates/actuators for flushing
cistern GD 2, 6 - 9 l
with pneumatic discharge valve

GROHE FRESH




GROHE FRESH

Ref. No.

Colour

Price netto (€)



38 805 000

chrome

129.00

**Skate Cosmopolitan Set Fresh
Wall plate**

for dual flush or start & stop actuation
with **GROHE Fresh**

fixing frame with opening function
with box for support of aromatic tabs

for chlorine-free tabs only

for pneumatic discharge valve AV1


vertical and horizontal installation

156 x 197 mm

made of ABS

GROHE StarLight chrome finish

GROHE EcoJoy technology for less water and perfect flow



38 796 000

chrome

69.00

GROHE Fresh retro-fit set

for GROHE flushing cisterns with
pneumatic discharge valve and small
inspection shaft

not suitable for Skate Cosmopolitan with
wood or glass or metal surface

fixing frame with opening function

with box for support of aromatic tabs

for chlorine-free tabs only

for all GROHE wall plates

156 x 197 mm



38 882 000

chrome

8.30

GROHE Fresh Tabs

2 x 50 g WC tabs

This product is a hazardous substance. Find more information

in the safety data sheet. You can download the safety data at:

www.grohe.com/safety-data-sheets/

GROHE WALL PLATES FOR WC FLUSH VALVES











GROHE WALL PLATES FOR WC FLUSH VALVES

	Ref. No.	Colour	Price netto (€)
 	37 547 000 37 547 SH0 37 547 P00	chrome alpine white matt chrome	53.00 65.00 67.00
Skate Wall plate vertical installation 156 x 197 mm manual activation push button actuation made of ABS GROHE StarLight chrome finish			
 	38 445 SD0	stainless steel	101.00
Skate Wall plate, stainless steel vertical installation 156 x 197 mm push button actuation plastic fixing frame hidden fixing screws			
 	37 063 000 37 063 SH0	chrome alpine white	35.00 50.00
Surf Wall plate 156 x 197 mm manual activation push button actuation made of ABS GROHE StarLight chrome finish			
 	37 069 000	chrome	165.00
Surf Wall plate vertical installation 156 x 197 mm for concealed flush valve 6 - 9 l brass push button actuation fixing frame hidden fixing screws GROHE StarLight chrome finish			







GROHE WALL PLATES FOR URINAL



GROHE WALL PLATES FOR URINAL

	Ref. No.	Colour	Price netto (€)	
	38 846 MF0 38 846 LS0 38 846 KS0	chrome/ daVinci satin moon white velvet black	301.00 301.00 301.00	
		Skate Cosmopolitan Actuation plate with glass surface made of security glass manual activation for urinal plastic actuation button, chrome plated set for final installation for Rapido U or Rapido UMB fixing frame with mounting-set 116 x 144 mm, mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 l adjustable, low noise (group II according to German noise specification) GROHE StarLight chrome finish		
	38 784 000 38 784 SH0 38 784 P00	chrome alpine white matt chrome	115.00 112.00 115.00	
		Skate Cosmopolitan Actuation plate manual activation for urinal set for final installation for Rapido U or Rapido UMB 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 l adjustable low noise (group II according to German noise specification) GROHE StarLight chrome finish		
	38 784 SD0	stainless steel	178.00	
		Skate Cosmopolitan Wall plate, stainless steel manual activation for urinal set for final installation for Rapido U or Rapido UMB 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 l adjustable low noise (group II according to German noise specification) plastic fixing frame hidden fixing screws		
	38 804 000 38 804 SH0	chrome alpine white	115.00 112.00	
		Nova Cosmopolitan Actuation plate manual activation for urinal set for final installation for Rapido U or Rapido UMB 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 l adjustable low noise (group II according to German noise specification) GROHE StarLight chrome finish		

GROHE WALL PLATES FOR URINAL

	Ref. No.	Colour	Price netto (€)
	38 857 000	chrome	115.00
	38 857 SH0	alpine white	106.00
	38 857 P00	matt chrome	115.00
	Arena Cosmopolitan Actuation plate manual activation for urinal set for final installation for Rapido U or Rapido UMB 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 l adjustable low noise (group II according to German noise specification) GROHE StarLight chrome finish		
	38 808 000	chrome	100.00
	38 808 SH0	alpine white	98.00
	38 808 P00	matt chrome	106.00
	Surf Actuation plate manual activation for urinal set for final installation for Rapido U or Rapido UMB 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 l adjustable low noise (group II according to German noise specification) GROHE StarLight chrome finish		
	38 595 000	chrome	42.00
	38 595 P00	matt chrome	46.00
	38 595 SH0	alpine white	27.00
	Skate Wall plate 116 x 144 mm with push button actuation GROHE StarLight chrome finish		

GROHE
CONNECTION AND SECURITY TECHNOLOGY





CONTENTS

Angle valves

733

WAS valves

735













Safety systems

739

GROHE ANGLE VALVES



GROHE ANGLE VALVES


	Ref. No.	Colour	Price netto (€)
 	22 023 000	chrome	6.80
<p>Angle valve 1/2" self-sealing connection thread wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm GROHE StarLight finish</p>			
 	22 018 000	chrome	5.20
<p>Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm GROHE StarLight finish</p>			
 	22 017 00M	chrome	51.00
<p>Universal angle valve 1/2" with compression coupling 3/8" for copper pipe Ø 10 mm plastic handle marking: neutral screw escutcheon metal 10 pieces GROHE StarLight finish</p>			
 	22 939 000	chrome	24.00
<p>Angle valve 1/2" connector set 3/8" for copper pipe Ø 10 mm TDL handle marking: neutral sliding escutcheon GROHE StarLight finish</p>			
 	41 263 000	chrome	21.00
<p>Eggemann EGAPLUS service valve 1/2" wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10mm Cartridge headpart ergonomic handle marking: neutral metal push-on escutcheon</p>			
 	14 026 000	chrome	*
<p>Wall union 1/2" x 1/2" chrome plated</p>			

GROHE WAS VALVES



GROHE WAS VALVES

Ref. No. Colour Price netto (€)




22 036 000 chrome 28.00

Original WAS combination service valve 1/2"

self-sealing connection thread
wall connection 1/2"
outlet thread 3/8"
with length compensation
with compression nut Ø 10mm
outlet 3/4"
with hose connection
grease chamber headpart
non-return valve
long connecting shaft
ergonomic handles
marking: neutral
metal push-on escutcheon Ø 55 mm


22 035 000 chrome 24.00
ditto, non self-sealing



41 073 000 chrome 27.00

Original WAS combination service valve 1/2"


wall mounted
Cartridge headpart for closable
copper pipe connection
Grease chamber headpart 3/8" for closable
hose connection with non-return valve
protected against backflow
GROHE StarLight finish



41 070 000 chrome 30.00

Original WAS combination service valve 3/8"


wall mounted
Cartridge headpart for closable
copper pipe connection
Grease chamber headpart 3/8" for closable
hose connection with non-return valve
protected against backflow
GROHE StarLight chrome finish



41 030 000 chrome 26.00

Eggemann Original WAS valve „Eckfix“ 3/8"

Installation on service valve
Axis dimension 60 mm
Grease chamber headpart 3/8" for closable
hose connection with non-return valve
protected against backflow
GROHE StarLight chrome finish















41 033 000 chrome 39.00

Eggemann Original WAS valve „Eckfix“ 3/8"

Installation on service valve
Axis dimension 60 mm
Grease chamber headpart 3/8" for closable
hose connection with non-return valve
Pipe-ventilating valve of type HB
construction
protected against backflow
GROHE StarLight chrome finish

GROHE WAS VALVES


	Ref. No.	Colour	Price netto (€)
 	41 010 000	chrome	27.00
<p>Eggemann Original WAS connecting valve 1/2" wall mounted grease chamber headpart 1/2" for closable hose connection with non-return valve protected against backflow GROHE StarLight finish</p>			
	41 015 000	chrome	39.00
<p>ditto, 1/2", with pipe ventilating valve</p>			
 	41 190 000	chrome	33.00
<p>Eggemann Fitting combination 1/2" wall mounted grease chamber headpart 1/2" for closable hose connection with non-return valve Pipe-ventilating valve of type HB construction protected against backflow GROHE StarLight chrome finish</p>			
 	41 154 000	chrome	37.00
<p>Eggemann Fitting combination 1/2" wall mounted grease chamber headpart 1/2" for closable hose connection with non-return valve Pipe-ventilating valve of type HB construction protected against backflow GROHE StarLight chrome finish</p>			
 	41 043 000	chrome	45.00
<p>Eggemann Original WAS valve „Mixer“ 3/4" wall mounted for wall mixers 1/2" right-hand connection grease chamber headpart 1/2" for closable hose connection with non-return valve, Spacer protected against backflow GROHE StarLight chrome finish</p>			
 	41 050 000	chrome	49.00
<p>Eggemann Original WAS under-basin valve 1/2" Sink installation adjustable up to 50 mm grease chamber headpart 1/2" for closable hose connection with non-return valve protected against backflow GROHE StarLight finish</p>			
 	41 130 000	chrome	37.00
<p>Eggemann Original WAS connection adapter 1/2" Sink installation adjustable up to 70 mm coupling nut 3/4" Connecting pipe diameter 12 mm GROHE StarLight chrome finish</p>			

GROHE WAS VALVES

Ref. No.

Colour

Price netto (€)




41 007 000

chrome

16.50

Eggemann
Original WAS T-piece 3/8"
for service valve
connector set 3/8"
GROHE StarLight chrome finish




41 020 000

chrome

67.00

Eggemann
Original WAS double valve „Simple“ 1/2"
wall mounted
grease chamber headparts 1/2" for closable
hose connection with non-return valve
female thread 1/2"
protected against backflow
GROHE StarLight chrome finish



41 022 000

chrome

52.00

Eggemann
Original WAS double valve „Simple“ 1/2"
wall mounted
grease chamber headparts 1/2" for closable
hose connection with non-return valve
protected against backflow
GROHE StarLight chrome finish

GROHE SAFETY SYSTEMS



GROHE SAFETY SYSTEMS

	Ref. No.	Colour	Price netto (€)
 	41 230 000 Eggemann Pipe-ventilating valve 1/2" safety unit type HB vertical installation for intrinsic safety against backflow according to DIN 1988.100 and DIN EN 1717	chrome	32.00
	41 231 000 ditto, 3/4"	chrome	26.00
 	41 238 000 Eggemann Pipe-ventilating valve 1/2" type C construction vertical installation for intrinsic safety against return flow according to DIN 1988.4 and DIN EN 1717 GROHE StarLight chrome finish	chrome	25.00
	41 239 000 ditto, 3/4"	chrome	23.00
 	41 270 000 Eggemann Non-return valve 3/8" for service valve connector set Ø 10 mm (3/8") coupling nut 3/8" safety unit type EB Vertical or horizontal installation for intrinsic safety against backflow according to DIN 1988.100 and DIN EN 1717	chrome	32.00
 	41 126 000 Eggemann Original WAS hose-connecting elbow 1/2" wall mounted Pipe-ventilating valve of type HB construction protected against backflow GROHE StarLight chrome finish	chrome	30.00
	41 125 000 ditto, without pipe ventilating valve	chrome	17.50
 	41 001 000 Eggemann Original WAS hose-burst protection 3/4" for 1/2" hoses female thread 3/4" male thread 3/4" GROHE StarLight chrome finish	chrome	13.50
 	41 275 000 Eggemann Original WAS inclined filter 3/4" suitable for cold and warm water up to + 80° C Transparent cap mesh width 315 µm stainless steel filter insert GROHE StarLight chrome finish	chrome	37.00

GROHE SAFETY SYSTEMS

Ref. No. Colour Price netto (€)



41 827 000 **chrome** **15.00**
Strainer
for original WAS inclined filter
Transparent cap
mesh width 315 µm
stainless steel filter insert

* price upon request

GROHE
SPARE PARTS





CONTENTS

Spare parts and accessories

745

GROHE SPARE PARTS AND ACCESSORIES



GROHE SPARE PARTS AND ACCESSORIES

	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	46 580 000	chrome	40.00		46 907 000	chrome	35.00
Cartridge 28 mm GROHE SilkMove with ceramic sealing system with temperature limiter for single lever mixers				Cartridge 29 mm GROHE SilkMove Joystick cartridge with ceramic sealing system with o-ring for cartridge fixation nut for single lever mixers			
	46 374 000	chrome	42.00		46 048 000	chrome	43.00
Cartridge 35 mm GROHE SilkMove with ceramic sealing system with temperature limiter adjustable flow rate limiter for single lever mixers				Cartridge 46 mm GROHE SilkMove with ceramic sealing system adjustable flow rate limiter for single lever mixers			
	46 278 000	chrome	73.00		46 308 000	chrome	16.00
Cartridge with ceramic sealing system for Euroeco safety mixer batteries				Temperature limiter for cartridge 46 048 000 please see possible utilisation in current Technical Product Information and spare part documentation in print/online media			
	46 375 000	chrome	9.40		46 277 000	chrome	8.20
Temperature limiter for cartridge 46 374 please see possible utilisation in current Technical Product Information and spare part documentation in print/online media				Temperature limiter for cartridge 46 278 for Euroeco safety mixer batteries			
	48 297 000	chrome	48.00		43 813 000	chrome	152.00
Cartridge for Rainshower system SmartControl push button including fixation				Cartridge for Contromix Surf/Public			
	47 450 000	chrome	77.00		47 310 000	chrome	103.00
Thermo-element 1/2" wax element with slider made of stainless steel to avoid corrosion				Thermo-element 3/4" wax element			

GROHE SPARE PARTS AND ACCESSORIES













	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	47 217 000	chrome	59.00	Thermo-element 1/2" wax element with non-rising spindle		47 010 000	chrome 144.00 Thermo-element 1/2" bimetal for Grohmix thermostats
	47 019 000	chrome	467.00	Thermo-element 3/4" bimetal for Grohmix thermostats		47 439 000	chrome 78.00 Thermostatic compact cartridge 1/2" GROHE TurboStat compact cartridge with wax thermoelement
	47 483 000	chrome	46.00	Thermostatic compact cartridge 3/4" GROHE TurboStat compact cartridge with wax thermoelement		47 364 000	chrome 67.00 Aquadimmer for thermostatic mixers
	47 186 000	chrome	93.00	ditto, for inverted waterways, 3/4"			
	12 433 000	chrome	30.00	Aquadimmer for exposed fittings		45 346 000	chrome 26.00 Ceramic headpart, 1/2" with ceramic sealing discs rotation angle 180° stop: right-hand
						45 978 000	chrome 22.00 ditto, packaging unit 20
	45 342 000	chrome	23.00	Ceramic headpart, 1/2" with ceramic sealing discs rotation angle 180° stop: left-hand		45 885 000	chrome 38.00 Ceramic headpart 3/4" with ceramic sealing discs rotation angle 180° stop: right-hand
	45 202 000	chrome	6.90	Extension-set, 80 mm for GROHE concealed valves, 1/2", 3/4", 1"		12 001 000	chrome 14.50 S-union 1/2" x 3/4" adjustment range 7.5 mm screw escutcheon in dispense of 2 piece at 00M GROHE StarLight chrome finish
	45 203 000	chrome	13.50	ditto, 200 mm			

* price upon request

GROHE SPARE PARTS AND ACCESSORIES

	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	12 050 000	chrome	26.00		12 400 000 12 400 00M	chrome chrome	45.00 58.00
	S-union 3/8" x 3/4" adjustment range 17 mm screw escutcheon in dispense of 2 piece at 00M GROHE StarLight chrome finish				S-union, lockable 1/2" x 3/4" adjustment range 10 mm sliding escutcheon lockable for service GROHE StarLight chrome finish		
	12 004 000	chrome	25.00				
	ditto , 1/2" x 1/2", adjustment range 10 mm						
	12 051 000	chrome	53.00		12 465 000	chrome	48.00
	S-union, lockable 1/2" x 3/4" screw socket to cover the union nut and the rosette sealing towards wall adjustment range 12.5 mm lockable for service suitable for 1/2" connections GROHE StarLight chrome finish				S-union male thread screw escutcheon 1/2" x 3/4" adjustment range 55 mm GROHE StarLight chrome finish		
	12 411 000	chrome	164.00		12 013 000	chrome	20.00
	S-union nut 1 1/4" x 1" male thread adjustment range 50 mm screw escutcheon (for Grohtherm XL 1", 35 085/35 086) GROHE StarLight chrome finish in units of 1				Wall union male thread 3/4" x 1/2" GROHE StarLight chrome finish		
	12 015 000	chrome	24.00		12 030 000	chrome	52.00
	Wall unions male thread 3/4" x 1/2" GROHE StarLight chrome finish				Pillar union 1/2" for all series with 3/4" visible nuts angle 3/4" x 1/2" mounting set 1/2" projection 47 mm GROHE StarLight chrome finish		
	18 121 000	chrome	*		12 407 000	chrome	129.00
	Pillar union GROHE StarLight chrome finish				Wall union, male 1/2" without thermometer connection pipe Ø 18 mm connector set 3/4" male thread 1/2" sliding escutcheon GROHE StarLight chrome finish		
	12 901 00M	chrome	9.00		13 005 000	chrome	42.00
	Coupling nut 1/2" drilling 10.5 mm nickel-plated in dispense of 2 piece at 00M GROHE StarLight chrome finish				Swivel tube spout for kitchen wall mixers, 1/2" tubular spout, projection 150 mm mousseur, coupling nut 3/4" DR-brass GROHE StarLight chrome finish		
					13 084 000	chrome	22.00
					ditto , projection 200 mm		
					13 017 000	chrome	28.00
					ditto , projection 300 mm		

GROHE SPARE PARTS AND ACCESSORIES

	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	13 051 000	chrome	23.00		13 028 000	chrome	21.00
	Tubular spout for kitchen wall mixer swivelling mousseur coupling nut M 22 x 1 projection 200 mm DR-brass GROHE StarLight chrome finish				Swivel tube spout for kitchen wall mixers, 1/2" tubular spout mousseur projection 200 mm coupling nut 3/4" DR-brass GROHE StarLight finish		
	13 052 000	chrome	23.00		13 034 000	chrome	35.00
	ditto, projection 150 mm				ditto, projection 300 mm		
	13 076 000	chrome	22.00		13 072 000	chrome	23.00
	Tubular spout swivelling with stop mousseur coupling nut 3/4" projection 140 mm DR-brass GROHE StarLight chrome finish				Tubular spout swivelling mousseur coupling nut M 22 x 1 projection 140 mm DR-brass GROHE StarLight chrome finish		
	13 071 000	chrome	32.00				
	ditto, without stop						
	13 073 000	chrome	23.00		13 070 000	chrome	25.00
	Tubular swivel spout for kitchen pillar mixers, 1/2" tubular spout mousseur projection 185 mm DR-brass GROHE StarLight chrome finish				Tubular spout for kitchen pillar mixers, 1/2" mousseur coupling nut 3/4" projection 185 mm without stop DR-brass GROHE StarLight chrome finish		
					13 077 000	chrome	26.00
					ditto, projection 235 mm		
	48 189 000	chrome	17.50		48 190 000	chrome	17.50
	Watersaving Set includes two supply adapters incl. flow regulator and one mousseur insert connection size G 3/8"				Watersaving Set includes two supply adapters incl. flow regulator and one mousseur insert for combination with M22/24 mousseurs connection size G 3/8"		
	48 191 000	chrome	17.50		36 133 000	chrome	16.00
	Watersaving Set includes two supply adapters incl. flow regulator and one mousseur insert for combination with M22/24 mousseurs connection size G 3/8"				Mousseur external thread M 24 x 1 flow class Z 7.5 - 9.0 l/min at 3 bar including disassembly-key theft proof GROHE StarLight finish		
	28 910 000	chrome	40.00		40 565 000	chrome	80.00
	28 910 L00	white	178.00		Plug incl. cup for wash basins with overflow for standard pop-up waste set 1 1/4" GROHE StarLight chrome finish		
	Waste set 1 1/4" for wash basins with overflow for basin/bidet fittings complete GROHE StarLight chrome finish						

* price upon request

GROHE SPARE PARTS AND ACCESSORIES

	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	65 808 000	chrome	50.00		40 824 000	chrome	18.50
	Waste 1 1/4" for wash basins without overflow removable cover non-closable GROHE StarLight chrome finish				Waste set with push-open plug for wash basins with overflow removable plug closable		
	28 947 000	chrome	31.00		28 961 000	chrome	43.00
	P-trap 1 1/4" for basins wall connection sliding escutcheon GROHE StarLight chrome finish				Trap for bidet sliding escutcheon wall connection GROHE StarLight chrome finish		
	28 946 000	chrome	43.00		28 920 000	chrome	39.00
	P-trap 1 1/4" for bidet wall connection sliding escutcheon wall support 250 - 265 mm GROHE StarLight chrome finish				Trap 1 1/4" for basins with fixed dip tube wall connection sliding escutcheon GROHE StarLight chrome finish		
	40 564 000	chrome	254.00		28 912 000	chrome	221.00
	Bottle trap for wash basin GROHE StarLight chrome finish brass body				Trap 1 1/4" for basins brass (screw-top for cleaning) large sliding escutcheon GROHE StarLight chrome finish		
	14 116 00M	chrome	40.00		42 229 000	chrome	102.00
	Non-return valve 1/2" multi-packaging: 2 pieces				Solenoid valve for Europlus E		
	42 886 000	chrome	21.00		46 710 000	chrome	53.00
	Battery				Pull out spray GROHE StarLight chrome finish		

GROHE SPARE PARTS AND ACCESSORIES

	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	46 731 000	chrome	59.00		46 769 000	chrome	38.00
	Pull out spray professional spray regular flow/shower jet automatic return to mousseur SpeedClean anti-lime system GROHE StarLight chrome finish				Pull out spray GROHE StarLight chrome finish		
	46 956 000 46 956 DC0	chrome supersteel	* *		28 635 XX0	dark grey	5.60
	Pull out spray Laminar spray/shower spray automatic return to laminar spray SpeedClean anti-lime system GROHE StarLight chrome finish including disassembly key for laminar spray for Eurosmart 2015 and Start 2015 sink mixers				Relexa Coupling piece as replacement connector for new hand shower and hose each hand shower is equipped with a coupling piece		
	28 634 XX0	dark grey	18.50		28 785 000	black	12.00
	Relexa Quick coupling for combination with average showers without integrated Grohclick with new system only in connection with coupling piece (28 635/28 637)				Swivel adaptor 1/2" black (to combine Relexa hand showers with shower rails of other manufacturers)		
	18 370 000	chrome	*		48 021 000	chrome	6.20
	Wall mounted brackets 1 pair for exposed 1/2" mixers includes: flush plate, brass olive, fixing nipple, chrome shroud				Disassembling key for Grohtherm 1000 after 2006 (M 22 x 1, M 24 x 1, M 28 x 1) for integrated mousseurs: M 16.5 x 1, M 18.5 x 1, M 21.5 x 1, M 24 x 1 sales unit 10 pieces		
	45 937 000	chrome	8.90		48 166 000	chrome	18.50
	Grohe Special grease 25 g sales unit 15 pieces				Grohclean Detergent for fittings and bathrooms 500 ml spray bottle in display box sales unit 10 pieces		
	37 115 P10	matt chrome/chrome	8.20		37 117 P10	matt chrome/chrome	10.00
	Push button and escutcheon for servo set for close-coupled ceramic cisterns lid hole Ø 40 mm GROHE StarLight chrome finish				Push button and escutcheon for servo set for close-coupled ceramic cisterns lid hole Ø 16 - 35 mm GROHE StarLight chrome finish		

* price upon request

751

GROHE SPARE PARTS AND ACCESSORIES

	Ref. No.	Colour	Price netto (€)		Ref. No.	Colour	Price netto (€)
	43 544 000	chrome	10.00		43 535 000	chrome	2.90
	43 540 000	chrome	3.50		43 745 000	chrome	4.10
	14 912 000	chrome	*		14 914 000	chrome	*
	14 917 000	chrome	95.00		43 722 000	chrome	7.10
	43 758 00M	chrome	23.00				

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
07			13 080 000	543	165.00	14 924 SH0	593	*
07 182 L00		40.00	13 084 000	748	22.00	14 925 SH0	594	*
07 247 000	424	*	13 137 000	543	186.00	14 926 000	594	293.00
07 749 000		*	13 138 000	543	233.00	14 928 000	594	*
11			13 139 000	77, 81	227.00	14 929 000	594	*
11 046 000		268.00	13 139 003	69	*	14 930 000	594	*
11 513 000		*	13 139 AL3	69	*	14 933 000	594	*
11 514 000		*	13 139 DC3	69	*	14 936 000	595	*
11 515 000		*	13 216 001		1,180.00	18		
11 516 000		*	13 218 000	55	1,360.00	18 121 000	748	*
11 550 000		*	13 242 000	39	267.00	18 370 000	751	*
11 551 000		*	13 245 000	39	1,390.00	18 608 001	254	43.00
12			13 255 000		*	18 700 000	258	40.00
12 001 000	747	14.50	13 257 000		*	18 864 000		*
12 003 000	555	81.00	13 261 000	159	96.00	18 978 000		116.00
12 004 000	748	25.00	13 262 000	159	111.00	19		
12 011 000		147.00	13 264 000	56	259.00	19 025 000	195	56.00
12 013 000	748	20.00	13 268 000		170.00	19 069 000	81	113.00
12 015 000	748	24.00	13 269 000		176.00	19 069 003	68	*
12 030 000	748	52.00	13 270 000		196.00	19 069 AL3	68	*
12 036 000		*	13 271 000		319.00	19 069 DC3	68	*
12 037 000		*	13 276 002	146	102.00	19 088 000	78	108.00
12 050 000	748	26.00	13 277 002	146	126.00	19 088 003	68	*
12 051 000	551, 748	53.00	13 278 002	135	96.00	19 088 AL3	68	*
12 124 000	560	83.00	13 279 002	135	114.00	19 088 DC3	68	*
12 400 000	554, 748	45.00	13 280 001	140	99.00	19 134 000	77	157.00
12 400 00M	554, 748	58.00	13 281 001	140	132.00	19 243 001	253	45.00
12 407 000	555, 574	129.00	13 299 000	48	305.00	19 285 001	123	161.00
12 408 000	555	267.00	13 301 000	48	1,450.00	19 285 A01	123	197.00
12 409 000		150.00	13 303 000	108	118.00	19 285 AL1	123	197.00
12 411 000	558, 748	164.00	13 304 000	109	132.00	19 285 BE1	123	197.00
12 417 000	558	89.00	13 315 000		342.00	19 285 DA1	123	197.00
12 419 000	554	33.00	13 317 000	56	717.00	19 285 DC1	123	209.00
12 420 000	558	100.00	13 319 000		779.00	19 285 DL1	123	197.00
12 422 000		*	13 335 000		261.00	19 285 EN1	123	197.00
12 423 000		*	13 341 000	91	230.00	19 285 GL1	123	197.00
12 424 000	558	84.00	13 341 DA0	91	287.00	19 285 GN1	123	197.00
12 428 000	559	178.00	13 341 IGO	91	299.00	19 286 001	123	142.00
12 430 000	559	176.00	13 341 IG0	91	299.00	19 286 A01	123	181.00
12 432 000	559	184.00	13 378 000	549	89.00	19 286 AL1	123	181.00
12 433 000	747	30.00	13 380 000	549	100.00	19 286 BE1	123	181.00
12 434 000	559	455.00	13 383 001	99	*	19 286 DA1	123	181.00
12 436 000	559	140.00	13 383 DC1	99	*	19 286 DC1	123	193.00
12 444 000	559	257.00	13 460 000		146.00	19 286 DL1	123	181.00
12 448 000	559	468.00	13 461 000		289.00	19 286 EN1	123	181.00
12 465 000	748	48.00	13 462 000		223.00	19 286 GL1	123	181.00
12 476 000		*	13 540 000		101.00	19 286 GN1	123	181.00
12 477 000		*	13 951 000		*	19 287 001	74	459.00
12 482 000		111.00	14			19 287 003	62	*
12 901 00M	748	9.00	14 014 000	328	50.00	19 287 AL3	62	*
13			14 015 000	288	*	19 287 DC3	62	*
13 005 000	748	42.00	14 026 000	734	*	19 309 000	54	635.00
13 017 000	748	28.00	14 047 000	329	45.00	19 316 000	55	1,220.00
13 028 000	749	21.00	14 048 000	34, 234	126.00	19 334 000	57	132.00
13 034 000	749	35.00	14 053 00M	34, 234	42.00	19 342 000	37	638.00
13 051 000	749	23.00	14 055 000	34, 195	136.00	19 352 001	252	240.00
13 052 000	749	23.00	14 116 00M	750	40.00	19 354 001	251	253.00
13 070 000	749	25.00	14 911 LDO	588	*	19 355 001	252	291.00
13 071 000	501, 749	32.00	14 911 LK0	588	*	19 364 000	38	650.00
13 072 000	749	23.00	14 911 LPO	588	*	19 369 000	37	543.00
13 073 000	749	23.00	14 911 SHO	588	*	19 373 000	38	1,390.00
13 076 000	749	22.00	14 912 000	588, 752	*	19 380 000	54	571.00
13 077 000	749	26.00	14 913 000	588	*	19 381 000	158	201.00
			14 914 000	589, 752	*	19 384 000	57	132.00
			14 915 000	589	*	19 386 000	54	679.00
			14 916 000	589	*			
			14 917 000	589, 752	95.00			

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
19 388 000	37	696.00	19 792 000	47	819.00	19 959 000	257	301.00
19 394 000	80	515.00	19 792 A00	47	1,040.00	19 965 001	98	595.00
19 395 000	80	560.00	19 792 AL0	47	985.00	19 966 000	108	723.00
19 398 000	77	498.00	19 792 BE0	47	985.00	19 967 001	121	213.00
19 399 000	77	560.00	19 792 DA0	47	1,040.00	19 967 A01	121	273.00
19 408 001	121	199.00	19 792 DLO	47	985.00	19 967 AL1	121	273.00
19 408 A01	121	242.00	19 792 EN0	47	985.00	19 967 BE1	121	273.00
19 408 AL1	121	242.00	19 792 GLO	47	985.00	19 967 DA1	121	273.00
19 408 BE1	121	242.00	19 792 GN0	47	985.00	19 967 DC1	121	290.00
19 408 DA1	121	242.00	19 796 000	48	188.00	19 967 DL1	121	273.00
19 408 DC1	121	258.00	19 798 000	48	262.00	19 967 EN1	121	273.00
19 408 DL1	121	242.00	19 806 001	185	45.00	19 967 GL1	121	273.00
19 408 EN1	121	242.00	19 808 001	185	27.00	19 967 GN1	121	273.00
19 408 GL1	121	242.00	19 809 001	185	27.00	19 968 000	128	218.00
19 408 GN1	121	242.00	19 830 000		*	19 968 LS0	128	285.00
19 409 001	97	215.00	19 831 000		*	19 969 000	128	231.00
19 409 DC1	97	279.00	19 840 000		26.00	19 969 LS0	128	299.00
19 416 000		354.00	19 841 000		29.00	19 970 002	164	51.00
19 417 000		391.00	19 842 000		49.00	19 972 002	164	51.00
19 418 000		319.00	19 895 000	107	260.00	19 974 002	134	212.00
19 444 000	40	131.00	19 910 000	109, 258	50.00	19 976 001	124	502.00
19 446 000	55	650.00	19 918 000	74	516.00	19 981 000	264	42.00
19 448 000	39	260.00	19 918 003	62	*	19 984 000	263	231.00
19 459 003		*	19 918 AL3	62	*	19 985 000	263	259.00
19 467 000	129, 243	348.00	19 918 DC3	62	*	19 986 000	263	259.00
19 467 LS0	129, 243	416.00	19 919 000	90	1,130.00	19 997 000	103	257.00
19 468 000	129, 244	411.00	19 919 DA0	90	1,410.00	19 998 000	103	270.00
19 468 A00	244	520.00	19 919 IG0	90	1,470.00			
19 468 AL0	244	520.00	19 920 000	89	330.00	20		
19 468 BE0	244	520.00	19 920 DA0	89	440.00	20 008 000	79	681.00
19 468 DA0	244	520.00	19 920 IG0	89	430.00	20 008 003	66	*
19 468 DC0	244	559.00	19 922 003	69	*	20 008 AL3	66	*
19 468 DLO	244	520.00	19 922 AL3	69	*	20 008 DC3	66	*
19 468 EN0	244	520.00	19 922 DC3	69	*	20 009 000	76	643.00
19 468 GLO	244	520.00	19 923 003	69	*	20 009 003	66	*
19 468 GN0	244	520.00	19 923 AL3	69	*	20 009 AL3	66	*
19 468 LS0	129, 244	543.00	19 923 DC3	69	*	20 009 DC3	66	*
19 469 000	244	288.00	19 929 000	87	413.00	20 021 003	65	*
19 470 000	246	67.00	19 929 IG0	87	537.00	20 021 AL3	65	*
19 506 002	145	172.00	19 930 000	87	455.00	20 021 DC3	65	*
19 506 LS3	153	183.00	19 930 IG0	87	593.00	20 143 000	53	721.00
19 507 002	145	161.00	19 932 000	88	301.00	20 164 000	79	545.00
19 507 LS3	152	168.00	19 932 IG0	88	392.00	20 164 003	66	*
19 567 000	243	522.00	19 934 000	89	416.00	20 164 AL3	66	*
19 568 000	243	462.00	19 934 IG0	89	541.00	20 164 DC3	66	*
19 571 002	144	225.00	19 936 000	90	1,060.00	20 169 000	76	545.00
19 571 003	151	216.00	19 936 A00	90	1,300.00	20 169 003	66	*
19 571 LS3	151	282.00	19 936 AL0	90	1,300.00	20 169 AL3	66	*
19 573 002	134	201.00	19 936 DA0	90	1,300.00	20 169 DC3	66	*
19 575 001	139	194.00	19 936 GLO	90	1,300.00	20 179 001	188, 496	115.00
19 577 001	98	736.00	19 936 IG0	90	1,380.00	20 181 000	36	638.00
19 577 DC1	98	833.00	19 937 000	89	445.00	20 187 000	157	209.00
19 578 001	123	716.00	19 937 DA0	89	593.00	20 188 000	53	721.00
19 578 A01	123	874.00	19 937 IG0	89	579.00	20 189 000	53	635.00
19 578 AL1	123	874.00	19 942 000	91	144.00	20 190 000	53	635.00
19 578 BE1	123	874.00	19 942 IG0	91	187.00	20 192 000	53	679.00
19 578 DA1	123	874.00	19 944 000	91	103.00	20 193 000	53	679.00
19 578 DC1	123	928.00	19 944 IG0	91	135.00	20 201 000	192	102.00
19 578 DL1	123	874.00	19 948 000	89	445.00	20 202 000	192	111.00
19 578 EN1	123	916.00	19 948 DA0	89	593.00	20 203 000	192	90.00
19 578 GL1	123	874.00	19 948 IG0	89	579.00	20 205 000	192	89.00
19 578 GN1	123	874.00	19 950 003		*	20 208 002	143	262.00
19 590 000	56	195.00	19 950 AL3		*	20 216 001	139	263.00
19 781 000	45	660.00	19 950 DC3		*	20 289 000	171	*
19 783 000	45	740.00	19 952 000	194	169.00	20 296 001	120	253.00
19 785 000	46	478.00	19 954 000	194	17.50	20 299 001	120	278.00
19 789 000	46	436.00	19 958 000	257	328.00	20 301 000	113	311.00

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	
20 304 001	97	277.00	23			23 318 000	90	1,610.00	
20 342 000	45	664.00		23 029 000	44	571.00	23 318 A00	90	1,970.00
20 344 000	45	793.00		23 029 A00	44	675.00	23 318 AL0	90	1,970.00
20 344 A00	45	1,070.00		23 029 AL0	44	688.00	23 318 DA0	90	1,970.00
20 344 AL0	45	1,000.00		23 029 BE0	44	688.00	23 318 GL0	90	1,970.00
20 344 DA0	45	984.00		23 029 DA0	44	675.00	23 318 IG0	90	2,090.00
20 344 GL0	45	984.00		23 029 DL0	44	688.00	23 319 000	88	218.00
20 346 000	45	725.00		23 029 EN0	44	688.00	23 321 000	86	*
20 348 000	45	770.00		23 029 GL0	44	675.00	23 322 001	162	108.00
20 351 000	107	300.00		23 029 GN0	44	688.00	23 324 001	163	101.00
20 387 000	79	549.00		23 033 000	44	571.00	23 325 000	157	124.00
20 389 000	87	537.00		23 037 002	142	128.00	23 327 000	157	118.00
20 389 AL0	87	656.00		23 039 002	142	96.00	23 328 000	166	78.00
20 389 DA0	87	656.00		23 043 002	143	183.00	23 330 000	166	73.00
20 389 GL0	87	656.00		23 049 002	132	160.00	23 331 000	167	78.00
20 389 IG0	87	697.00		23 051 002	132	100.00	23 333 000	168	78.00
20 393 001	184	77.00		23 054 002	133	201.00	23 334 000	168	96.00
20 405 001	188	58.00		23 055 002	134	225.00	23 335 000	170	78.00
20 414 000	87	402.00		23 058 003	318	688.00	23 337 000	170	73.00
20 414 IG0	87	522.00		23 060 001	138	150.00	23 338 000	171	78.00
20 415 000	87	445.00		23 061 002	318	460.00	23 340 000	171	78.00
20 415 DA0	87	555.00		23 064 000	36	526.00	23 341 000	171	96.00
20 415 IG0	87	579.00		23 065 000	36	526.00	23 373 20E	179	120.00
20 417 000	87	484.00		23 076 000	52	485.00	23 374 003	148, 179	115.00
20 417 IG0	87	629.00		23 106 001	96	188.00	23 374 LS3	148, 179	149.00
20 421 000	166	61.00		23 106 DC1	96	245.00	23 376 00E	180	102.00
20 422 000	170	61.00		23 109 000	44	710.00	23 379 001	178	147.00
20 474 000	167	*		23 112 000	44	710.00	23 382 20E	179	153.00
20 575 000	174	46.00		23 114 000	44	879.00	23 385 10E	179	134.00
21				23 117 000	46	648.00	23 390 00E	178	209.00
21 019 000	79	459.00		23 119 000	47	2,560.00	23 392 00E	178	204.00
21 019 003	65	*		23 119 A00	47	3,300.00	23 395 10E	181	101.00
21 019 AL3	65	*		23 119 DA0	47	3,300.00	23 398 00E	157, 180	118.00
21 019 DC3	65	*		23 124 002	162	136.00	23 403 000	52	715.00
21 022 000	76	459.00		23 125 000	156	179.00	23 405 001	97	264.00
21 022 003	65	*		23 127 000	106	209.00	23 405 DC1	97	344.00
21 022 AL3	65	*		23 127 00E	106	209.00	23 406 000	107	293.00
21 022 DC3	65	*		23 132 000	106	204.00	23 409 000		639.00
21 044 000	79	674.00		23 132 00E	106	204.00	23 425 000	128	188.00
21 044 003	65	*		23 135 000	107	239.00	23 425 LS0	128	244.00
21 044 AL3	65	*		23 135 00E	107	239.00	23 427 000	128	200.00
21 107 000	86	413.00		23 137 000	106	166.00	23 427 LS0	128	260.00
21 107 IG0	86	537.00		23 138 000	108	209.00	23 428 000	128	278.00
21 255 001	188	176.00		23 147 001	319	1,090.00	23 428 LS0	128	375.00
21 257 001	188	139.00		23 200 000	46, 107	230.00	23 429 000	63, 103	231.00
21 338 001	188	113.00		23 293 000	562	*	23 432 000	133	275.00
21 374 001	184	88.00		23 294 000	562	*	23 433 000	156	287.00
21 375 001	184	127.00		23 296 001	96	247.00	23 444 001	97	233.00
21 390 001	184	179.00	23 296 DC1	96	322.00	23 444 DC1	97	303.00	
22			23 303 000	86	345.00	23 445 000	106	221.00	
22 017 00M	734	51.00	23 303 A00	86	421.00	23 446 000	106	216.00	
22 018 000	734	5.20	23 303 AL0	86	421.00	23 447 000	107	272.00	
22 023 000	734	6.80	23 303 DA0	86	421.00	23 448 002	133	174.00	
22 035 000	736	24.00	23 303 GL0	86	421.00	23 449 002	133	176.00	
22 036 000	736	28.00	23 303 IG0	86	447.00	23 450 001	138	159.00	
22 047 00M		52.00	23 310 000	86	345.00	23 451 001	139	141.00	
22 051 000		7.50	23 310 DA0	86	430.00	23 456 002	162	*	
22 500 LNO	25	415.83	23 310 IG0	86	447.00	23 462 001	118	181.00	
22 501 000	25	66.66	23 313 000	86	455.00	23 462 A01	118	220.00	
22 502 LNO	24	540.83	23 313 IG0	86	593.00	23 462 AL1	118	220.00	
22 505 LNO	24	49.99	23 315 000	88	387.00	23 462 BE1	118	220.00	
22 506 LNO	24	24.99	23 315 IG0	88	504.00	23 462 DA1	118	220.00	
22 521 LNO	25	*	23 316 000	88	402.00	23 462 DC1	118	235.00	
22 939 000	734	24.00	23 316 IG0	88	522.00	23 462 DL1	118	220.00	
			23 317 000	88	502.00	23 462 EN1	118	220.00	
			23 317 IG0	88	652.00	23 462 GL1	118	220.00	
						23 462 GN1	118	220.00	

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
23 463 001	118	168.00	23 739 001	139	221.00	26 053 000	339	361.00
23 480 001	118	168.00	23 741 001	124	2,020.00	26 053 LS0	339	470.00
23 488 001	119	*	23 741 DC1	124	2,630.00	26 054 000	338	512.00
23 491 001	125	1,230.00	23 743 002	163	144.00	26 055 000	338	506.00
23 491 A01	125	1,380.00	23 751 000	174	74.00	26 056 000	335	499.00
23 491 AL1	125	1,380.00	23 752 000	174	61.00	26 057 000	336	499.00
23 491 BE1	125	1,380.00	23 753 000	174	91.00	26 058 000	336	450.00
23 491 DA1	125	1,380.00	23 754 000	174	74.00	26 059 000	337	450.00
23 491 DC1	125	1,470.00	23 755 000	175	65.00	26 059 LS0	337	607.00
23 491 DL1	125	1,380.00	23 756 000	175	79.00	26 060 000	337	450.00
23 491 EN1	125	1,380.00	23 757 000	166	91.00	26 061 000	338	450.00
23 491 GL1	125	1,380.00	23 758 000	166	80.00	26 064 000	338	512.00
23 491 GN1	125	1,380.00	23 759 000	167	80.00	26 065 000	338	468.00
23 537 002	163	150.00	23 760 000	167	91.00	26 066 000	335	499.00
23 541 001	119	195.00	23 761 000	167	108.00	26 066 A00	335	631.00
23 549 000	143	*	23 762 000	170	80.00	26 066 AL0	335	631.00
23 564 003	148	120.00	23 763 000	170	91.00	26 066 BE0	335	631.00
23 567 003	150	115.00	23 764 000	171	108.00	26 066 DA0	335	631.00
23 569 003	150	180.00	23 790 001	178	177.00	26 066 DC0	335	725.00
23 569 LS3	150	234.00	23 791 001	96	177.00	26 066 DL0	335	631.00
23 570 003	150	225.00	23 791 DC1	96	230.00	26 066 EN0	335	631.00
23 570 LS3	150	291.00	23 792 001	99	1,370.00	26 066 GL0	335	631.00
23 571 000	74, 97	230.00	23 792 DC1	99	1,700.00	26 066 GN0	335	631.00
23 589 001	116	147.00	23 797 001	116	135.00	26 067 000	336	499.00
23 589 A01	116	188.00	23 798 001	118	157.00	26 067 A00	336	631.00
23 589 AL1	116	188.00	23 799 001	119	173.00	26 067 AL0	336	631.00
23 589 BE1	116	188.00	23 801 000	174	*	26 067 BE0	336	631.00
23 589 DA1	116	188.00	23 802 000	166	*	26 067 DA0	336	631.00
23 589 DC1	116	201.00	23 803 000	170	*	26 067 DC0	336	725.00
23 589 DL1	116	188.00	24			26 067 DL0	336	631.00
23 589 EN1	116	188.00	24 026 000	76	459.00	26 067 EN0	336	631.00
23 589 GL1	116	188.00	24 027 000	80	459.00	26 067 GL0	336	631.00
23 589 GN1	116	188.00	24 027 003	67	*	26 067 GN0	336	631.00
23 590 001	116	142.00	24 027 AL3	67	*	26 068 000	336	450.00
23 590 A01	116	182.00	24 027 DC3	67	*	26 069 000	337	450.00
23 590 AL1	116	182.00	24 036 000	129	200.00	26 070 000	337	450.00
23 590 BE1	116	182.00	24 036 LS0	129	260.00	26 071 000	338	450.00
23 590 DA1	116	182.00	24 480 001	184	173.00	26 073 000	340	232.00
23 590 DC1	116	194.00	25			26 075 000	312	827.00
23 590 DL1	116	182.00	25 010 003	67	*	26 075 A00	312	1,020.00
23 590 EN1	116	182.00	25 010 AL3	67	*	26 075 AL0	312	1,020.00
23 590 GL1	116	182.00	25 010 DC3	67	*	26 075 BE0	312	1,020.00
23 590 GN1	116	182.00	25 044 000	80	1,930.00	26 075 DA0	312	1,020.00
23 591 001	116, 178	147.00	25 044 003	68	*	26 075 DC0	312	1,210.00
23 654 000	102	227.00	25 044 AL3	68	*	26 075 DL0	312	1,020.00
23 656 000	102	221.00	25 044 DC3	68	*	26 075 EN0	312	1,020.00
23 657 000	102	238.00	25 450 001	185	125.00	26 075 GL0	312	1,020.00
23 658 000	102	233.00	25 460 001		152.00	26 075 GN0	312	1,020.00
23 661 000	102	314.00	25 483 001	189	156.00	26 076 002	392	*
23 664 000	103	244.00	26			26 082 002	390	18.00
23 707 003	148	110.00	26 003 003	67	*	26 083 002	391	*
23 707 LS3	148	143.00	26 003 AL3	67	*	26 084 002	394	*
23 708 003	148	115.00	26 003 DC3	67	*	26 087 000	313	1,260.00
23 709 003	149, 180	110.00	26 037 000		107.00	26 088 000		61.00
23 709 LS3	149, 180	143.00	26 037 DA0		134.00	26 088 001	341, 401	*
23 710 003	149	*	26 037 IGO		146.00	26 089 000		64.00
23 715 003	149	105.00	26 038 000		220.00	26 090 001	342, 394	*
23 716 003	150	110.00	26 038 IGO		302.00	26 114 001	317	594.00
23 718 003	150	171.00	26 042 000	344	214.00	26 115 DG0	362	78.00
23 718 LS3	150	223.00	26 044 001	351, 402	*	26 115 DP0	362	78.00
23 719 003	151	213.00	26 046 002	390	*	26 115 DU0	362	78.00
23 719 LS3	151	275.00	26 050 001	351, 402	39.00	26 115 TY0	362	78.00
23 720 003	152	110.00	26 051 001	351, 394	*	26 115 YF0	362	78.00
23 720 LS3	152	143.00	26 052 000	339	361.00	26 115 YR0	362	78.00
23 722 LS3	152	157.00				26 145 000	352	83.00
23 725 003	153	142.00				26 146 000	352	83.00
23 726 LS3	152	193.00				26 146 LS0	352	107.00

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
26 161 000		24.00	26 385 000	304, 329	14.00	27 074 GLO	415	38.00
26 161 001	396	21.00	26 404 000	384	64.00	27 074 GNO	415	39.00
26 162 001	398	*	26 405 000	387	83.00	27 074 LSO	415	42.00
26 163 001	399	*	26 406 001	400	*	27 075 000	415	33.00
26 164 000		34.00	26 408 000	351, 401	77.00	27 075 LSO	415	40.00
26 164 001	400	*	26 409 000	351, 401	77.00	27 076 000	418	51.00
26 170 000	336	501.00	26 409 ENO	351, 401	108.00	27 076 LSO	418	62.00
26 170 LSO	336	611.00	26 410 000	351, 401	77.00	27 151 000	417	97.00
26 171 000	338	389.00	26 410 ENO	351, 401	108.00	27 174 001	306	1,260.00
26 171 LSO	339	525.00	26 411 000	341, 400	136.00	27 180 000	329	40.00
26 172 000	339	250.00	26 412 000	341, 400	136.00	27 184 000		132.00
26 172 LSO	340	306.00	26 413 000	341, 401	114.00	27 188 000	415	101.00
26 174 000	369	174.00	26 414 000	341, 401	114.00	27 190 000	418	116.00
26 174 LSO	369	193.00	26 443 000	302	1,280.00	27 206 000	423	19.50
26 186 000	315	649.00	26 443 LSO	302	1,280.00	27 220 000	378	41.00
26 187 000	314	760.00	26 446 000	303	1,160.00	27 221 000	378	58.00
26 190 000		595.00	26 446 LSO	303	1,160.00	27 222 000	378	58.00
26 190 001	326	511.00	26 449 000	235, 304	118.00	27 225 001	381	102.00
26 191 000	326, 329	31.00	26 450 000	332	457.00	27 226 001	381	111.00
26 223 000		629.00	26 450 LSO	332	457.00	27 226 A01	381	129.00
26 223 001	323	557.00	26 455 000	350, 383	113.00	27 226 AL1	381	129.00
26 224 001	323	387.00	26 456 000	350, 383	113.00	27 226 BE1	381	129.00
26 227 000		760.00	26 456 ENO	350, 383	157.00	27 226 DA1	381	129.00
26 249 000	316	570.00	26 457 000	350, 383	113.00	27 226 DC1	381	169.00
26 250 000	300	1,280.00	26 457 ENO	350, 383	157.00	27 226 DL1	381	129.00
26 250 LSO	300	1,280.00	26 458 000	340, 382	186.00	27 226 EN1	381	129.00
26 254 000	332	580.00	26 459 000	340, 382	186.00	27 226 GL1	381	129.00
26 254 LSO	332	530.00	26 460 000	340, 382	148.00	27 226 GN1	381	129.00
26 255 000	335	1,300.00	26 461 000	340, 382	148.00	27 227 001	380	111.00
26 256 000	335	1,300.00	26 465 000	356	*	27 230 001	380	89.00
26 257 000	335	475.00	26 465 DCO	356	*	27 231 001	379	107.00
26 259 000	337	445.00	26 475 000	333	440.00	27 232 001	379	109.00
26 260 000	245	1,170.00	26 475 LSO	333	578.00	27 238 000	378	45.00
26 261 000	246	1,060.00	26 477 000	333	440.00	27 239 000	378	62.00
26 262 000	245	934.00	26 477 LSO	333	578.00	27 239 LSO	378	62.00
26 264 001	303, 332	95.00	26 479 000	333	463.00	27 242 001	380	89.00
26 268 LVO	298	74.99	26 479 LSO	334	601.00	27 243 001	379	107.00
26 317 001	188	106.00	26 481 000	334	463.00	27 243 LS1	379	107.00
26 322 000	319	504.00	26 481 LSO	334	601.00	27 251 000	345	111.00
26 323 L00	298	12.49	26 483 000	334	91.00	27 253 000	345	172.00
26 324 L00	298	33.33	26 484 000	334	91.00	27 265 000	378	30.00
26 328 000	404	65.00	26 788 001	189	121.00	27 265 00E	378	30.00
26 329 000	404	159.00				27 266 001	380	85.00
26 330 001	185	88.00				27 266 00E	380	86.00
26 332 000	404	161.00	27 032 001	308	974.00	27 267 001	381	90.00
26 333 000	404	79.00	27 055 000	414	43.00	27 271 000	345	445.00
26 334 000	407, 411	17.08	27 056 000	415	29.00	27 272 000	364	112.00
26 335 000	407, 411	19.16	27 057 000	418	51.00	27 273 001	364	241.00
26 346 000	407, 411	21.24	27 057 A00	418	60.00	27 274 000	365	112.00
26 352 000	406	31.00	27 057 AL0	418	60.00	27 276 000	360	82.00
26 353 000	406	34.00	27 057 BE0	418	61.00	27 276 LSO	360	82.00
26 354 000	406	38.00	27 057 DA0	418	60.00	27 277 001	363	201.00
26 355 ILO	406	26.00	27 057 DCO	418	63.00	27 285 000	345	445.00
26 356 ILO	407	30.00	27 057 DLO	418	61.00	27 286 000	344	1,880.00
26 357 000	407	67.00	27 057 ENO	418	61.00	27 296 002	312	484.00
26 358 000	407	105.00	27 057 GLO	418	60.00	27 304 000	424	69.00
26 361 000	301	1,160.00	27 057 GNO	418	61.00	27 320 000	424	58.00
26 361 LSO	301	1,160.00	27 057 LSO	418	63.00	27 354 000	382	53.00
26 362 LNO	330	27.00	27 058 000	309	850.00	27 355 000	382	97.00
26 363 000	314	681.00	27 074 000	415	33.00	27 367 000	384	48.00
26 366 000		43.00	27 074 A00	415	38.00	27 368 000	384	168.00
26 370 000	419	37.00	27 074 AL0	415	38.00	27 369 000	384	77.00
26 373 001	284, 343	19,100.00	27 074 BE0	415	39.00	27 374 000	307	1,300.00
26 374 000	288	1,010.00	27 074 DA0	415	38.00	27 375 000	362	63.00
26 376 001	284, 343	1,810.00	27 074 DCO	415	58.00	27 376 000	364	63.00
26 381 000		233.00	27 074 DLO	415	39.00	27 378 000	363	168.00
26 381 001	324	*	27 074 ENO	415	39.00	27 379 000	363	181.00

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
27 383 000	363	98.00	27 597 10E	396	*	27 759 000	373	182.00
27 400 000	384	48.00	27 598 001	398	55.00	27 764 LS0	348	164.00
27 400 A00	384	58.00	27 598 10E	398	*	27 765 000	348	147.00
27 400 AL0	384	58.00	27 600 001	397	*	27 767 000	348	134.00
27 400 BE0	384	58.00	27 601 10E	399	*	27 784 000	373, 420	100.00
27 400 DA0	384	58.00	27 606 001	351, 402	*	27 785 000	373, 420	106.00
27 400 DC0	384	64.00	27 608 000		48.00	27 786 002	392	*
27 400 DL0	384	58.00	27 615 000		633.00	27 787 002	392	*
27 400 GL0	384	58.00	27 615 001	313	484.00	27 788 002	393	*
27 400 GN0	384	58.00	27 617 000	329	*	27 789 002	393	63.00
27 406 000	354	49.00	27 618 000	238	717.00	27 790 002	392	*
27 421 002	319	*	27 619 000	238	625.00	27 794 001	398	*
27 443 000	360	90.00	27 621 000	239	313.00	27 795 001	397	*
27 444 000	360	90.00	27 623 000	238	239.00	27 796 001	398	*
27 446 000	360	90.00	27 625 000	238	610.00	27 798 10E	400	*
27 447 000	360	90.00	27 628 000	361	90.00	27 799 001	400	*
27 448 000	361	90.00	27 630 000	361	90.00	27 803 10E	400	*
27 449 000	361	90.00	27 633 000	361	90.00	27 805 000		64.00
27 467 000	344	588.00	27 635 000	362	90.00	27 812 IL1	406	27.00
27 469 000	307	1,120.00	27 637 000	362	90.00	27 838 000	370	126.00
27 470 000	345	445.00	27 639 000	362	90.00	27 839 000	373	106.00
27 470 LS0	345	593.00	27 641 000	308	1,120.00	27 841 000	388, 421	197.00
27 471 000	345	445.00	27 644 001	398	*	27 845 000	388, 422	1.10
27 472 000	306	1,120.00	27 645 001	397	*	27 849 001	399	*
27 473 001	318	436.00	27 646 001	399	*	27 851 000	395	41.00
27 475 001	317	605.00	27 646 10E	399	*	27 852 001	396	18.50
27 477 000	346	497.00	27 661 000	368	103.00	27 853 001	398	41.00
27 478 000	346	497.00	27 663 LS0	368	126.00	27 854 001	399	*
27 479 000	346	481.00	27 664 000	368	117.00	27 863 000	346	672.00
27 480 000	346	481.00	27 668 000	368	126.00	27 865 000	285, 343	4,510.00
27 484 000	353	63.00	27 671 000	372	81.00	27 869 001	341, 394	*
27 485 000	353	54.00	27 671 LS0	372	71.00	27 870 001	341, 401	*
27 488 000	353	78.00	27 672 DR0	371	100.00	27 884 001	386	90.00
27 492 000	350	131.00	27 672 HF0	371	100.00	27 888 000	386	90.00
27 499 000	383, 421	47.00	27 672 MW0	371	100.00	27 889 000	386	124.00
27 500 000	421	50.00	27 672 PV0	371	100.00	27 890 000	386	246.00
27 512 001	406	18.50	27 672 TN0	371	100.00	27 891 000	386	238.00
27 513 001	406	33.00	27 672 XH0	371	100.00	27 892 000	388, 421	187.00
27 514 001	407	66.00	27 673 000	371	91.00	27 911 000	320	541.00
27 519 000	421	51.00	27 673 LS0	371	80.00	27 922 000	322	526.00
27 520 000	421	55.00	27 675 000	371	106.00	27 922 001	322	436.00
27 521 000	421	51.00	27 693 000	416	26.00	27 923 001	396	16.50
27 522 000	421	52.00	27 696 000	320	670.00	27 924 001	398	47.00
27 523 000	421	45.00	27 698 000	387	46.00	27 925 001	399	*
27 524 000	421	49.00	27 699 000	387	46.00	27 926 001	397	*
27 529 000	363	168.00	27 700 000	387	213.00	27 927 001	397	*
27 531 000	417	124.00	27 702 000	388	82.00	27 928 002	391	*
27 559 000	395	36.00	27 703 000	388	82.00	27 929 002	391	*
27 571 002	390	*	27 704 000	418	29.00	27 932 000	316	633.00
27 571 20E	390	23.00	27 705 000	350	147.00	27 933 000	329	88.00
27 572 002	390	*	27 706 000	416	32.00	27 934 000	287	3,140.00
27 573 002	390	*	27 707 000	418	50.00	27 936 000	387	203.00
27 574 002	390	*	27 709 000	353	107.00	27 938 001	344	3,060.00
27 575 002	390	*	27 711 000	353	91.00	27 939 001	344	3,060.00
27 576 002	391	*	27 732 000	369	202.00	27 962 000	371	108.00
27 577 002	391	*	27 734 000	369	208.00	27 964 000	315	688.00
27 578 002	392	*	27 736 000	372	194.00	27 966 000	306	1,120.00
27 578 20E	392	*	27 738 000	372	194.00	27 967 000	308	974.00
27 579 002	392	*	27 741 000	369	155.00	27 968 000	307	1,120.00
27 580 002	392	*	27 742 000	373	132.00	27 969 000		82.00
27 584 002	393	*	27 744 000	368	224.00	27 969 A00		101.00
27 588 002	393	*	27 746 000	368	229.00	27 969 AL0		101.00
27 591 001	351, 394	*	27 748 000	372	204.00	27 969 BE0		101.00
27 594 000	416	12.50	27 750 000	372	209.00	27 969 DA0		101.00
27 595 000	414	18.50	27 753 000	369	191.00	27 969 DL0		101.00
27 596 000	383, 423	6.30	27 755 000	369	190.00	27 969 GL0		101.00
27 597 001	396	21.00	27 757 000	373	174.00	27 969 GN0		101.00

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
27 969 IG0		106.00	28 388 AL0	411	26.66	28 856 000	422	31.00
27 970 000		122.00	28 388 BE0	411	26.66	28 874 000	425, 551	52.00
27 970 A00		152.00	28 388 DA0	411	26.66	28 910 000	749	40.00
27 970 AL0		152.00	28 388 DC0	411	24.58	28 910 L00	749	178.00
27 970 BE0		152.00	28 388 DL0	411	26.66	28 912 000	750	221.00
27 970 DA0		152.00	28 388 EN0	411	26.66	28 920 000	750	39.00
27 970 DL0		152.00	28 388 GL0	411	26.66	28 939 000	195	78.00
27 970 EN0		152.00	28 388 GN0	411	26.66	28 943 000	196	87.00
27 970 GL0		152.00	28 389 000	425	73.00	28 946 000	750	43.00
27 970 GN0		152.00	28 393 000	376	164.00	28 947 000	750	31.00
27 970 IG0		159.00	28 409 001	411	*	28 961 000	750	43.00
27 974 000	347	417.00	28 410 001	411	*	28 963 000	195	37.00
27 974 DA0		529.00	28 413 001	411	*	28 982 000	352	135.00
27 974 IG0	347	542.00	28 417 000	410	24.99	28 988 000	426, 551	59.00
27 976 000		417.00	28 419 002	396	*	28 990 000	194	167.00
27 978 000	354	75.00	28 421 002	396	*	28 991 000	194	150.00
27 978 IG0	354	91.00	28 429 000	354	53.00	28 993 000	194	56.00
27 982 000	354	84.00	28 436 002	397	*	28 995 000	194	245.00
27 982 IG0	354	115.00	28 497 000	353	64.00	29		
27 986 000	353	95.00	28 541 000	354	82.00	29 007 000	195, 272	168.00
27 986 DA0		120.00	28 576 000	352	78.00	29 009 000	195	41.00
27 986 IG0	353	123.00	28 578 002	396	34.00	29 025 000	36, 45	232.00
27 993 000		146.00	28 587 000	420	160.00	29 033 000	40, 48	261.00
27 993 IG0		188.00	28 593 002	397	*	29 037 000	38, 47	734.00
28			28 605 000	416	15.50	29 037 001	69	*
28 020 L01	406	13.50	28 620 000	420	76.00	29 039 000		*
28 025 000	410	27.08	28 621 000	420	128.00	29 040 000		*
28 034 000	356	136.00	28 622 000	416	15.50	29 042 000	172	*
28 105 000	410	18.74	28 623 000	414	28.00	29 052 000	253	*
28 139 000	410	21.24	28 626 000	419	31.00	29 069 000	285	136.00
28 140 000	410	23.33	28 628 000	419	31.00	29 072 000	286	241.00
28 142 000	410	20.83	28 631 000	423	30.00	29 073 000	286	241.00
28 143 000	410	22.91	28 634 XX0	425, 751	18.50	29 074 000	288	372.00
28 143 KS0	410	29.99	28 635 XX0	425, 751	5.60	29 078 000	168	121.00
28 143 LS0	410	29.99	28 636 000	419	37.00	29 079 000	168	132.00
28 145 000	410	27.49	28 671 000	419	30.00	29 080 000	172	121.00
28 146 000	412	50.00	28 672 000	419	*	29 081 000	172	132.00
28 150 001	412	*	28 678 000	419	53.00	29 086 000	39, 44	*
28 151 001	412	*	28 679 000	419	52.00	29 094 000	550	232.00
28 151 L01	412	14.16	28 680 000	419	46.00	29 095 000	550	236.00
28 154 001	412	*	28 690 000	356, 415	106.00	29 096 000	550	190.00
28 155 001	412	*	28 708 000	424	137.00	29 097 003	151	205.00
28 158 000	412	32.49	28 724 000	353	64.00	29 097 LS3	151	267.00
28 233 000	350, 385	81.00	28 724 LSO	353	73.00	29 098 LS3	153	161.00
28 261 002	396	*	28 755 000	358	121.00	29 099 LS3	153	176.00
28 308 000	349, 356	198.00	28 756 000	358	119.00	29 112 000	175	109.00
28 348 000	356	229.00	28 757 001	358	215.00	29 113 000	175	121.00
28 361 000	352	98.00	28 758 001	358	229.00	29 118 000	70, 231	425.00
28 362 000	411	14.58	28 762 001	358	244.00	29 118 AL0	70, 231	*
28 362 A00	411	20.83	28 763 001	358	244.00	29 118 DC0	70, 231	*
28 362 AL0	411	20.83	28 764 000	359	97.00	29 119 000	70, 231	463.00
28 362 BE0	411	20.83	28 765 000	359	111.00	29 119 AL0	70, 231	*
28 362 DA0	411	20.83	28 767 001	359	201.00	29 119 DC0	70, 231	*
28 362 DC0	411	19.16	28 768 001	359	204.00	29 120 000	70, 231	551.00
28 362 DL0	411	20.83	28 769 001	359	219.00	29 120 AL0	70, 231	*
28 362 EN0	411	20.83	28 770 001	359	221.00	29 120 DC0	70, 231	*
28 362 GL0	411	20.83	28 778 000	346	605.00	29 121 000	71, 232	500.00
28 362 GN0	411	20.83	28 785 000	751	12.00	29 121 AL0	71, 232	*
28 364 000	411	16.66	28 785 L00		18.00	29 121 DC0	71, 232	*
28 368 000	347	368.00	28 788 000	424	40.00	29 122 000	71, 232	305.00
28 368 00E	347	368.00	28 789 002	398	*	29 122 AL0	71, 232	*
28 368 LSO	347	403.00	28 797 001	420	117.00	29 122 DC0	71, 232	*
28 369 000	347	359.00	28 799 000	426	58.00	29 123 000	228	425.00
28 384 000	352	172.00	28 812 000	425	5.80	29 124 000	228	463.00
28 388 000	411	19.16	28 813 000	425	4.20	29 125 000	228	551.00
28 388 A00	411	26.66	28 817 000		12.50	29 126 000	229, 285	500.00
			28 819 001	420	130.00			

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
29 127 000	229	305.00	30 269 DC0	468	334.00	31 302 DC1	434	2,426.00
29 144 000	32	365.00	30 269 DL0	468	316.00	31 323 001	432	2,620.00
29 145 000	33	404.00	30 269 EN0	468	316.00	31 323 DC1	432	2,750.00
29 146 000	33	441.00	30 269 GL0	468	316.00	31 324 001	432	2,620.00
29 147 000	32	365.00	30 269 GN0	468	316.00	31 324 DC1	432	2,653.00
29 148 000	32	404.00	30 270 000	469	325.00	31 345 002	443	887.00
29 149 000	32	441.00	30 270 A00	469	410.00	31 345 DC2	443	1,020.00
29 150 LS0	232	548.00	30 270 AL0	469	410.00	31 346 001	433	2,690.00
29 151 LS0	233	586.00	30 270 BE0	469	410.00	31 346 DC1	433	2,720.00
29 152 LS0	233	386.00	30 270 DA0	469	410.00	31 347 002	433	2,600.00
29 153 LS0	229	548.00	30 270 DC0	469	430.00	31 347 DC2	433	2,639.00
29 156 LS0	230	586.00	30 270 DL0	469	410.00	31 358 001	460	593.00
29 157 LS0	230	623.00	30 270 EN0	469	410.00	31 358 DC1	460	770.00
29 158 LS0	230	386.00	30 270 GL0	469	410.00	31 360 001	460	580.00
29 706 000	164	255.00	30 270 GN0	469	410.00	31 360 DC1	460	752.00
29 707 000		268.00	30 273 001	481	270.00	31 367 000	498	100.00
29 708 000	77, 164	277.00	30 273 DC1	481	366.00	31 368 000	498	100.00
29 736 000		93.00	30 274 000	461	320.00	31 375 000	460	243.00
29 800 000	247, 253	25.00	30 274 DC0	461	414.00	31 375 DC0	460	287.00
29 801 000	247, 253	24.00	30 294 000	468	405.00	31 379 000	456	691.00
29 802 000	247, 253	45.00	30 294 DC0	468	525.00	31 379 DC0	456	898.00
29 803 000	247, 253	39.00	30 305 000	490	156.00	31 391 002	492	138.00
29 804 000	247, 253	42.00	30 305 DC0	490	205.00	31 395 000	472	611.00
29 805 000	247, 253	65.00	30 309 000	458	337.00	31 395 DC0	472	795.00
29 811 000	247, 253	27.00	30 311 000	458	647.00	31 454 000	436	1,860.00
29 813 000	247, 279	35.00	30 311 DC0	458	739.00	31 454 DC0	436	2,170.00
29 904 LS0	233	623.00	30 312 000	458	997.00	31 455 000	436	1,860.00
30			30 312 DC0	458	1,200.00	31 455 DC0	436	2,170.00
30 026 000	464	318.00	30 321 DG0	468	59.00	31 456 000	437	1,860.00
30 026 SD0	464	485.00	30 321 DP0	468	59.00	31 456 DC0	437	2,170.00
30 079 000		1,580.00	30 321 DU0	468	59.00	31 478 000	491	138.00
30 079 001	450	1,580.00	30 321 GE0	468	59.00	31 481 000	488	232.00
30 079 DC0		1,911.00	30 321 HG0	468	99.00	31 482 002	484	240.00
30 079 DC1	450	1,820.00	30 321 MW0	468	95.00	31 483 001	480	248.00
30 080 000		1,530.00	30 321 TY0	468	59.00	31 483 DC1	480	318.00
30 080 001	452	1,460.00	30 321 XC0	468	95.00	31 491 000	480	329.00
30 080 DC0		1,660.00	30 321 YF0	468	59.00	31 491 DC0	480	444.00
30 083 000		1,476.00	30 321 YR0	468	59.00	31 498 000	437	1,790.00
30 083 001	451	1,460.00	30 325 001	450	1,580.00	31 498 DC0	437	2,070.00
30 083 DC0		1,660.00	30 325 DC1	450	1,820.00	31 509 002	492	138.00
30 083 DC1	451	1,680.00	30 327 001	451	1,460.00	31 535 000	498	91.00
30 085 000		1,220.00	30 327 DC1	451	1,680.00	31 536 000	498	91.00
30 085 001	452	1,350.00	30 339 001	453	1,300.00	31 538 000	498	91.00
30 085 DC0		1,319.00	30 348 000	462	*	31 539 000	438	*
30 145 000		1,530.00	30 355 000	490	*	31 539 DC0	438	*
30 145 DC0		1,720.00	30 484 001	185, 496	53.00	31 541 000	439	*
30 147 000		1,220.00	31			31 541 DC0	439	*
30 147 DC0		1,319.00	31 122 002	474	253.00	31 543 000	440	*
30 156 000		1,774.00	31 124 002	484	205.00	31 543 DC0	440	*
30 156 DC0		1,911.00	31 126 002	484	223.00	31 556 002	492	*
30 157 000		1,476.00	31 128 001	481	203.00	31 557 002	492	*
30 157 DC0		1,660.00	31 128 DC1	481	263.00	31 831 001	496	86.00
30 193 000	488	119.00	31 129 001	481	246.00	32		
30 193 DC0	488	156.00	31 129 DC1	481	321.00	32 042 001	74	459.00
30 208 000	563	243.00	31 159 002	485	305.00	32 042 003	62	*
30 215 000		337.00	31 170 000	488	242.00	32 042 AL3	62	*
30 215 DC0		439.00	31 187 001	496	99.00	32 042 DC3	62	*
30 219 001	464	723.00	31 195 001	496	113.00	32 043 003	62	*
30 219 DC1	464	947.00	31 203 000	465	508.00	32 043 AL3	62	*
30 221 002	484	143.00	31 210 001	481	318.00	32 043 DC3	62	*
30 260 002	491	113.00	31 255 000	472	243.00	32 067 000	462	272.00
30 269 000	468	247.00	31 255 DC0	472	318.00	32 108 001	75	459.00
30 269 A00	468	316.00	31 299 001	442	727.00	32 108 003	63	*
30 269 AL0	468	316.00	31 299 DC1	442	858.00	32 108 AL3	63	*
30 269 BE0	468	316.00	31 301 001	443	684.00	32 108 DC3	63	*
30 269 DA0	468	316.00	31 302 001	434	2,326.00	32 109 001	96	177.00

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
32 109 DC1	96	230.00	32 647 001	74	642.00	32 842 000	488	129.00
32 114 001	96	188.00	32 647 003	62	*	32 843 000	488	159.00
32 114 DC1	96	245.00	32 647 AL3	62	*	32 843 00E	488	159.00
32 115 000		231.00	32 647 DC3	62	*	32 843 DC0	488	202.00
32 129 001	74	459.00	32 650 003	63	*	32 847 000	158	234.00
32 130 001		620.00	32 650 AL3	63	*	32 870 000	566	15.50
32 134 001	75	459.00	32 650 DC3	63	*	32 871 000	566	23.00
32 146 000	52	485.00	32 652 003	63	*	32 880 000	158	129.00
32 147 000	54	415.00	32 652 AL3	63	*	32 882 000		69.00
32 154 002	180	88.00	32 652 DC3	63	*	32 898 001	117	147.00
32 168 000	460	269.00	32 653 002	75	1,850.00	32 899 001	117	142.00
32 168 DC0	460	335.00	32 653 003	63	*	32 901 001	120	269.00
32 175 000	456	652.00	32 653 AL3	63	*	32 901 A01	120	328.00
32 175 DC0	456	893.00	32 653 DC3	63	*	32 901 AL1	120	328.00
32 176 000	456	737.00	32 659 001	482	177.00	32 901 BE1	120	328.00
32 176 DC0	456	958.00	32 659 DC1	482	231.00	32 901 DA1	120	328.00
32 183 000	36	392.00	32 661 001	480	203.00	32 901 DC1	120	349.00
32 184 000	36	623.00	32 661 DC1	480	248.00	32 901 DL1	120	328.00
32 186 000	36	392.00	32 663 001	480	246.00	32 901 EN1	120	328.00
32 187 000	36	623.00	32 663 DC1	480	317.00	32 901 GL1	120	328.00
32 193 000	37	392.00	32 667 001	482	170.00	32 901 GN1	120	328.00
32 204 001	138	138.00	32 706 000	53, 76	229.00	32 911 002		*
32 204 10E	138	138.00	32 708 000		*	32 917 000	461	227.00
32 207 001	138	110.00	32 734 000		69.00	32 917 DC0	461	278.00
32 208 001	140	138.00	32 740 000		76.00	32 917 KS0	461	278.00
32 209 001	140	134.00	32 742 000		114.00	32 917 LS0	461	278.00
32 215 001	117	*	32 743 000		94.00	32 918 000	461	269.00
32 222 001	38	2,050.00	32 747 000		131.00	32 918 00E	461	272.00
32 224 002	491	138.00	32 750 000	494	97.00	32 918 DC0	461	359.00
32 240 10E	138	134.00	32 752 000	494	97.00	32 929 002	163	93.00
32 249 000	52	864.00	32 757 000	52	415.00	32 935 001	121	147.00
32 257 001	478	298.00	32 759 000	52	463.00	32 935 A01	121	188.00
32 257 002	474	266.00	32 760 000	52	789.00	32 935 AL1	121	188.00
32 259 002	474	212.00	32 762 000	562	117.00	32 935 BE1	121	188.00
32 294 001	464	452.00	32 763 000	562	117.00	32 935 DA1	121	188.00
32 294 SD1	464	655.00	32 765 000	562	234.00	32 935 DC1	121	216.00
32 296 000	465	376.00	32 766 000	562	243.00	32 935 DL1	121	188.00
32 296 SD0	465	573.00	32 767 000	564	259.00	32 935 EN1	121	188.00
32 321 000	461	274.00	32 768 000	563	273.00	32 935 GL1	121	188.00
32 321 DC0	461	359.00	32 770 000	563	229.00	32 935 GN1	121	188.00
32 322 000	462	274.00	32 771 000	564	295.00	32 950 000	456	718.00
32 322 DC0	462	359.00	32 772 000	564	277.00	32 950 DC0	456	934.00
32 467 002	162	88.00	32 773 000	564	278.00	32 955 000		154.00
32 468 003	149	110.00	32 774 000	564	306.00			
32 468 20E	143	120.00	32 775 000	564	320.00	33		
32 469 20E	132	153.00	32 776 000	563	241.00	33 155 002	112	258.00
32 482 002	491	138.00	32 778 000	563	242.00	33 156 002	112	188.00
32 488 000	462	227.00	32 779 000	563	278.00	33 163 002	112	188.00
32 488 DC0	462	272.00	32 780 000	565	123.00	33 177 002		212.00
32 553 000	464	425.00	32 781 000	565	154.00	33 190 002	132	160.00
32 553 SD0	464	616.00	32 783 000	565	145.00	33 190 20E	132	160.00
32 555 000		*	32 784 000	565	122.00	33 202 002	490	118.00
32 612 002	112	188.00	32 786 000	494	151.00	33 202 DC2	490	136.00
32 612 00E	112	188.00	32 787 000	494	151.00	33 241 002	113	188.00
32 618 002	113	258.00	32 788 000	568	219.00	33 244 002	134	160.00
32 628 001	119	199.00	32 789 000	568	215.00	33 249 001	442	727.00
32 628 A01	119	242.00	32 790 000	568	297.00	33 249 DC1	442	858.00
32 628 AL1	119	242.00	32 792 000	569	373.00	33 251 000	442	471.00
32 628 BE1	119	242.00	32 793 000	569	388.00	33 265 002	162	93.00
32 628 DA1	119	242.00	32 795 000	568	369.00	33 281 002	490	113.00
32 628 DC1	119	258.00	32 823 000	568	366.00	33 281 20E	490	113.00
32 628 DL1	119	242.00	32 824 000	156	102.00	33 281 DC2	490	136.00
32 628 EN1	119	242.00	32 825 000	156	108.00	33 300 002	164	117.00
32 628 GL1	119	242.00	32 825 00E	156	108.00	33 312 002	474	358.00
32 628 GN1	119	242.00	32 830 000	157	159.00	33 339 000	55	793.00
32 629 001	139	201.00	32 839 000	158	108.00	33 390 002	135	201.00
32 635 000	37	229.00	32 840 000	158	102.00	33 395 002	135	239.00

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
33 552 002	142	128.00	34 143 003	262	225.00	36 016 001	524	558.00
33 552 20E	142	128.00	34 151 004	262	237.00	36 078 000	295	116.00
33 555 002	163	97.00	34 155 003	262	287.00	36 109 000	580	483.00
33 558 003	148	115.00	34 169 001	250	296.00	36 121 000	580	546.00
33 558 LS3	148	149.00	34 174 001	251	351.00	36 122 000	580	238.00
33 561 002	142	151.00	34 215 002	260	300.00	36 133 000	749	16.00
33 561 003	149	162.00	34 274 000	242	447.00	36 157 000		*
33 565 002	144	128.00	34 275 000	243	607.00	36 194 000		292.00
33 565 003	151	115.00	34 276 000	242	514.00	36 207 001	524	537.00
33 565 LS3	151	149.00	34 277 000	242	467.00	36 208 001	524	493.00
33 566 002	144	120.00	34 278 000	246	700.00	36 209 000	573	116.00
33 569 002	135	160.00	34 283 001	252	851.00	36 233 000	572	638.00
33 590 002	144	128.00	34 294 001	117	142.00	36 236 001	524	587.00
33 591 002	144	168.00	34 361 000	554	652.00	36 239 001	525	1,280.00
33 591 LS3	152	203.00	34 364 000	554	662.00	36 240 001	525	1,220.00
33 592 002		203.00	34 365 000	554	601.00	36 244 000	572	1,080.00
33 624 001	122	210.00	34 399 000	246	840.00	36 245 000	573	1,030.00
33 624 A01	122	256.00	34 408 000	245	1,070.00	36 247 000	573	1,010.00
33 624 AL1	122	256.00	34 464 001	250	388.00	36 249 000	572	598.00
33 624 BE1	122	256.00	34 469 001	250	334.00	36 264 001	507, 511	166.00
33 624 DA1	122	256.00	34 482 001	251	490.00	36 265 000	578	126.00
33 624 DC1	122	272.00	34 487 000	546	160.00	36 266 000	578	97.00
33 624 DL1	122	256.00	34 488 000	256	356.00	36 267 000	578	91.00
33 624 EN1	122	256.00	34 491 000	256	394.00	36 268 000	578	97.00
33 624 GL1	122	256.00	34 497 000	257	467.00	36 269 000	536	300.00
33 624 GN1	122	256.00	34 502 000	256	487.00	36 270 000	536	*
33 628 001	122	252.00	34 506 000	257	1,120.00	36 271 000	536	264.00
33 635 002	145	172.00	34 507 000	533, 539	195.00	36 272 000	537	*
33 636 001	122	171.00	34 558 000	266	183.00	36 273 000	538	367.00
33 636 A01	122	208.00	34 564 000	266	242.00	36 274 000	537	325.00
33 636 AL1	122	208.00	34 566 001	267	202.00	36 276 000		109.00
33 636 BE1	122	208.00	34 567 000	266	238.00	36 289 000	294	1,410.00
33 636 DA1	122	208.00	34 571 000	245	1,110.00	36 292 000	295	1,140.00
33 636 DC1	122	230.00	34 572 000	244	1,190.00	36 295 000	294	1,410.00
33 636 DL1	122	208.00	34 575 000		468.00	36 309 000	295	268.00
33 636 EN1	122	208.00	34 576 000	267	231.00	36 315 000	531	460.00
33 636 GL1	122	208.00	34 582 001	263	537.00	36 316 000	578	40.00
33 636 GN1	122	208.00	34 614 001	264	625.00	36 317 000	576	274.00
33 637 002	145	198.00	34 627 000	244	1,360.00	36 318 000	576	298.00
33 769 000	54	246.00	34 630 000	245	1,290.00	36 319 000	576	492.00
33 770 001	478	210.00	34 631 000	252	893.00	36 320 000	576	430.00
33 770 002	474	213.00	34 634 001	284	2,290.00	36 321 000	576	308.00
33 772 001	478	258.00	34 665 000	548	380.00	36 322 000	576	140.00
33 772 002	475	217.00	34 666 000	549	336.00	36 325 001	528	431.00
33 782 000		493.00	34 667 000	548	303.00	36 327 001	528	352.00
33 786 000		464.00	34 671 000	549	386.00	36 330 001	529	352.00
33 848 001	98	207.00	34 681 000	548	338.00	36 331 001	528	365.00
33 848 DC1	98	269.00	34 705 000	234	1,230.00	36 332 000	530	826.00
33 912 000	494, 565	277.00	34 706 000	233	1,220.00	36 333 000	530	811.00
33 975 002	484	187.00	34 709 000	33	1,170.00	36 334 SD0	530	430.00
33 977 002	485	138.00	34 712 000	33	1,130.00	36 335 SD0	530	414.00
33 982 002	485	171.00	34 713 000	235	722.00	36 336 000	517, 531	307.00
34			34 714 000	235	674.00	36 337 000	517, 531	109.00
34 018 000	542	945.00	35			36 338 000	508, 512	98.00
34 019 000	542	945.00	35 028 000	57, 68	132.00	36 339 000	518, 531	200.00
34 020 000	542	945.00	35 031 000	238, 278	382.00	36 340 000	508, 511	57.00
34 021 000	543	945.00	35 034 000	239	210.00	36 341 000	508, 511	105.00
34 065 002	260	256.00	35 085 000	558	1,130.00	36 356 000	296	156.00
34 065 A02	260	306.00	35 087 000	558	1,250.00	36 359 000	286	1,260.00
34 065 AL2	260	306.00	35 500 000	37, 38	239.00	36 360 000	286	1,080.00
34 065 DA2	260	306.00	35 501 000	46, 88	100.00	36 362 000	287	3,140.00
34 065 DC2	260	301.00	35 600 000	33, 71	66.00	36 367 000	290	287.00
34 065 DL2	260	306.00	36			36 371 000	290	623.00
34 065 EN2	260	306.00	36 014 000	573	186.00	36 376 000	531	466.00
34 065 GL2	260	306.00	36 015 001	524	610.00	36 384 000	537	616.00
34 065 GN2	260	306.00				36 386 001	530	811.00
						36 387 000	525	987.00

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
36 395 000	288	*	37 310 000	660, 669	80.00	38 517 001	641	214.00
36 397 000	289	1,470.00	37 311 K00	681	27.00	38 519 001	637	398.00
36 407 001	508, 511	299.00	37 321 001	702	532.00	38 525 001	635	304.00
36 409 000	516	560.00	37 321 SD1	702	532.00	38 526 000	636	327.00
36 410 000	517	643.00	37 321 SH1	702	532.00	38 528 001	629	242.00
36 411 000	515	844.00	37 324 001	703	532.00	38 536 001	629	*
36 412 000	518	728.00	37 324 SD1	703	532.00	38 539 001	630	223.00
36 413 000	515	681.00	37 336 001	702	531.00	38 541 000	646, 652	142.00
36 414 000	516	925.00	37 337 001	702	531.00	38 543 000	647	279.00
36 415 000	519	610.00	37 338 000	520, 703	128.00	38 544 000	646	267.00
36 416 000	519	587.00	37 339 000	708	121.00	38 545 000	647	301.00
36 421 000	529	385.00	37 342 000	708	146.00	38 546 000	645	134.00
36 422 000	528	388.00	37 345 000	708	158.00	38 548 001	656, 658	121.00
36 439 000	529	295.00	37 346 000	708	94.00	38 553 001	646	253.00
36 440 000	510	684.00	37 347 000	688	213.00	38 554 001	644	144.00
36 441 000	510	661.00	37 349 000	688	233.00	38 557 001	644	110.00
36 442 000	510	743.00	37 355 SH0	674	88.00	38 559 001	652	188.00
36 444 000	506	555.00	37 396 000	708	*	38 562 001	661	96.00
36 445 000	506	531.00	37 419 000	694	803.00	38 563 000	661	9.40
36 446 000	506	496.00	37 419 SD0	694	803.00	38 564 000	721	73.00
36 447 000	507	704.00	37 421 000	700	456.00	38 564 SH0	721	65.00
			37 426 000	700	456.00	38 565 000	721	68.00
			37 427 000	700	331.00	38 565 SH0	721	65.00
			37 428 000	701	318.00	38 573 000	721	73.00
			37 489 000	681	7.30	38 573 P00	721	73.00
			37 497 P10	679	*	38 573 SH0	721	65.00
			37 501 P10	678	*	38 574 000	721	73.00
			37 503 000	519	812.00	38 581 001	656	463.00
			37 504 000	520	1,000.00	38 584 001	654	408.00
			37 505 SD0	520	812.00	38 586 001	655	600.00
			37 535 000	716	65.00	38 587 000	655	479.00
			37 535 DC0	716	89.00	38 588 001	633	*
			37 535 P00	716	65.00	38 595 000	729	42.00
			37 535 SH0	716	54.00	38 595 P00	729	46.00
			37 547 000	726	53.00	38 595 SH0	729	27.00
			37 547 P00	726	67.00	38 597 001	646	*
			37 547 SH0	726	65.00	38 599 001	651	*
			37 576 000	668	142.00	38 618 000	636	299.00
			37 578 001	669	193.00	38 622 001	635	*
			37 601 000	716	80.00	38 624 001	630	274.00
			37 601 DC0	716	108.00	38 625 001	645, 652	282.00
			37 601 P00	716	80.00	38 629 000	660	52.00
			37 601 SH0	716	65.00	38 630 001	660	64.00
			37 624 000	136, 716	80.00	38 636 001	660	75.00
			37 624 DC0	716	108.00	38 642 001	666	198.00
			37 624 P00	716	80.00	38 643 001	666	199.00
			37 624 SH0	716	65.00	38 652 000	273, 276	123.00
			37 636 000	689	76.00	38 661 000	674	157.00
			37 749 000		417.00	38 672 SD0	721	121.00
			37 751 001	703	457.00	38 675 001	633, 650	345.00
			37 998 000	658	99.00	38 691 000	675	168.00
						38 698 SD1	694	597.00
						38 699 001	694	587.00
						38 703 000	669	*
						38 713 001		*
						38 714 000	686, 722	17.50
						38 719 001	627	249.00
						38 722 001	627	270.00
						38 723 001	667	195.00
						38 732 000	719	72.00
						38 732 A00	719	69.00
						38 732 AL0	719	69.00
						38 732 BE0	719	69.00
						38 732 BR0	719	118.00
						38 732 DA0	719	69.00
						38 732 DL0	719	69.00
						38 732 EN0	719	69.00

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
38 732 GL0	719	69.00	38 897 000	631	338.00	39 369 000	705	816.00
38 732 GN0	719	69.00	38 915 KS0	717	903.00	39 374 KS0	624	748.00
38 732 P00	719	57.00	38 915 LS0	717	903.00	39 374 LS0	624	748.00
38 732 SD0	719	153.00	38 916 OA0	718	289.00	39 376 000	640	282.00
38 732 SH0	719	61.00	38 925 000		*	39 383 000	517	89.00
38 733 000	661	28.00	38 929 000	626	289.00	39 386 00H	616	*
38 735 000	680	54.00	38 934 SD0	651, 696	544.00	39 420 000	600	42.49
38 736 000	680	40.00	38 957 000	718	102.00	39 421 000	600	36.99
38 748 002	507, 511	437.00	38 958 000	718	92.00	39 422 000	600	66.49
38 750 001	625	322.00	38 987 000	675	*	39 423 000	600, 608	66.49
38 759 SD0	651, 695	837.00	38 994 000	634	318.00	39 424 000	600	35.99
38 765 000	717	61.00	38 995 000	634	397.00	39 425 000	601	35.99
38 765 P00	717	68.00				39 426 000	601	40.99
38 765 SH0	717	61.00				39 427 000	601	67.99
38 766 000	717	177.00	39 002 000	631	335.00	39 428 000	601	*
38 771 000	676, 722	50.00	39 052 000	644	165.00	39 429 000	602	*
38 772 001	628	313.00	39 062 000	632	394.00	39 430 000	602	*
38 775 001	625	333.00	39 111 LD0	586	5,180.00	39 431 000	602	*
38 776 SD0	719	155.00	39 111 LK0	586	5,180.00	39 432 000	603	*
38 778 000	695	675.00	39 111 LP0	586	5,180.00	39 433 000	603	114.99
38 779 000	661	101.00	39 111 SH0	586	4,960.00	39 435 000	605	51.99
38 784 000	728	115.00	39 112 001	587, 593	260.00	39 437 000	602	*
38 784 P00	728	115.00	39 140 000	650	632.00	39 438 000	603	129.99
38 784 SD0	728	178.00	39 141 000	651, 695	570.00	39 439 000	603	129.99
38 784 SH0	728	112.00	39 142 000	652, 695	229.00	39 440 000	600	35.99
38 785 000	668	228.00	39 165 000	667	115.00	39 453 000	606, 613	*
38 786 001	640	277.00	39 201 000	609	42.99	39 454 000	606, 613	*
38 787 000	703, 711	102.00	39 202 000	609	47.99	39 457 000	606, 613	*
38 796 000	724	69.00	39 206 000	610	154.99	39 458 000	611	61.49
38 803 001	640	317.00	39 206 00H	610	184.99	39 459 000	612	38.99
38 804 000	728	115.00	39 208 000	612	154.99	39 462 000	610	*
38 804 SH0	728	112.00	39 208 00H	612	184.99	39 462 00H	610	*
38 805 000	724	129.00	39 244 00H	618	*	39 469 00H	616	*
38 808 000	729	100.00	39 323 000	608	60.49	39 473 00H	616	*
38 808 P00	729	106.00	39 323 00H	608	91.49	39 474 00H	616	*
38 808 SH0	729	98.00	39 324 000	608	39.49	39 475 00H	616	*
38 809 000	717	580.00	39 324 00H	608	70.49	39 476 00H	616	*
38 813 001	626	321.00	39 325 000	609	42.99	39 477 00H	617	*
38 821 000	718	237.00	39 327 000	609	49.49	39 478 00H	617	*
38 827 000	624	378.00	39 327 00H	609	80.49	39 479 00H	617	*
38 844 000	719	68.00	39 328 000	609	169.99	39 480 00H	617	*
38 844 P00	719	68.00	39 328 00H	609	199.00	39 481 00H	617	*
38 844 SH0	719	60.00	39 329 000	611	*	39 482 00H	617	*
38 845 KS0	718	237.00	39 329 00H	611	*	39 483 00H	618	*
38 845 LS0	718	237.00	39 330 000	611	61.49	39 484 00H	618	*
38 845 MF0	718	237.00	39 331 000	611	*	39 485 00H	618	*
38 846 KS0	728	301.00	39 332 000	610	*	39 486 00H	619	*
38 846 LS0	728	301.00	39 333 000	610	*	39 487 00H	619	*
38 846 MF0	728	301.00	39 335 000	608	54.49	39 488 000	619	*
38 847 KI0	717	98.00	39 335 00H	608	85.49	39 489 000	618	*
38 847 LI0	717	98.00	39 336 000	608	51.49	39 490 000	618	*
38 847 XG0	717	98.00	39 336 00H	608	81.99	39 491 000	601	*
38 857 000	729	115.00	39 337 000	608	59.99	39 492 000	602	29.49
38 857 P00	729	115.00	39 337 00H	608	90.49	39 493 000	603	52.49
38 857 SH0	729	106.00	39 338 000	610	*	39 494 000	602	*
38 858 000	719	68.00	39 338 00H	610	*	39 495 000	604	*
38 858 P00	719	68.00	39 339 000	611	*	39 496 000	605	*
38 858 SH0	719	60.00	39 339 00H	611	*	39 497 000	604	*
38 859 XG0	719	100.00	39 340 000	612	*	39 531 000		*
38 861 000	720	71.00	39 340 00H	612	*	39 551 000	606, 613	*
38 862 000	720	65.00	39 346 000	605	*			
38 862 P00	720	65.00	39 347 000	604	*	40		
38 862 SD0	720	121.00	39 349 000	601	*	40 179 000	82	117.00
38 862 SH0	720	58.00	39 351 000	603	114.99	40 206 000	59, 83	50.00
38 882 000	724	8.30	39 354 SH0	592	1,949.00	40 207 000	59, 83	14.00
38 895 000	674	216.00	39 367 000	704	614.00	40 254 000	58, 82	28.33
38 896 000	711	59.00	39 368 000	704	614.00	40 256 000	58, 82	40.41

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
40 256 003	72	*	40 369 DC1	202	26.24	40 421 DA1	205	44.99
40 265 000	59	84.00	40 369 DL1	202	28.33	40 421 DC1	205	41.66
40 278 000	58	83.33	40 369 EN1	202	28.33	40 421 DL1	205	44.99
40 279 000	59	112.49	40 369 GL1	202	28.33	40 421 EN1	205	44.99
40 284 000	59	46.24	40 369 GN1	202	28.33	40 421 GL1	205	44.99
40 304 000	82	99.99	40 371 001	203	35.83	40 421 GN1	205	44.99
40 305 000	82	99.99	40 371 A01	203	49.99	40 422 000	448	66.66
40 306 000	82	174.17	40 371 AL1	203	49.99	40 430 001	447	108.33
40 307 000	82	112.49	40 371 BE1	203	49.99	40 432 000	454	24.99
40 308 000	82	124.99	40 371 DA1	203	49.99	40 434 001	448	33.33
40 309 000	82	166.66	40 371 DC1	203	46.66	40 437 000	446	29.16
40 312 000	83	53.74	40 371 DL1	203	49.99	40 438 001	453	392.00
40 313 000	83	141.66	40 371 EN1	203	49.99	40 444 001	203	25.83
40 314 000	83	199.17	40 371 GL1	203	49.99	40 444 DC1	203	33.33
40 339 000	58	112.49	40 371 GN1	203	49.99	40 447 001	203	24.99
40 340 000	59	182.50	40 372 001	202, 210	6.66	40 447 DC1	203	33.33
40 341 000	58	166.66	40 374 001	207	32.91	40 448 001	202	37.49
40 342 000	58	166.66	40 374 A01	207	46.24	40 448 DC1	202	47.91
40 344 001	208	104.16	40 374 AL1	207	46.24	40 452 000	446	31.00
40 344 DC1	208	*	40 374 BE1	207	46.24	40 457 001	217	19.99
40 363 000	58	182.50	40 374 DA1	207	46.24	40 459 001	216	22.91
40 364 001	204	11.24	40 374 DC1	207	42.91	40 460 001	216	15.83
40 364 A01	204	15.41	40 374 DL1	207	46.24	40 461 001	217	9.58
40 364 AL1	204	15.41	40 374 EN1	207	46.24	40 462 001	217	83.33
40 364 BE1	204	15.41	40 374 GL1	207	46.24	40 463 001	217	25.83
40 364 DA1	204	15.41	40 374 GN1	207	46.24	40 493 000	49	215.83
40 364 DC1	204	14.16	40 376 000	41	95.83	40 494 000	49	332.50
40 364 DL1	204	15.41	40 377 000	41	141.66	40 496 000	49	182.50
40 364 EN1	204	15.41	40 378 000	41	54.16	40 497 000	49	207.50
40 364 GL1	204	15.41	40 379 000	41	120.83	40 498 000	50	87.49
40 364 GN1	204	15.41	40 380 000	42	199.17	40 499 000	50	174.17
40 365 001	203	19.99	40 385 001	206	19.99	40 500 000	50	282.50
40 365 A01	203	28.33	40 385 A01	206	28.33	40 503 000	49	257.50
40 365 AL1	203	28.33	40 385 AL1	206	28.33	40 504 000	49	257.50
40 365 BE1	203	28.33	40 385 BE1	206	28.33	40 507 001	212	30.83
40 365 DA1	203	28.33	40 385 DA1	206	28.33	40 508 001	210	26.66
40 365 DC1	203	26.24	40 385 DC1	206	26.24	40 509 001	211	40.83
40 365 DL1	203	28.33	40 385 DL1	206	28.33	40 510 001	211	36.66
40 365 EN1	203	28.33	40 385 EN1	206	28.33	40 511 001	211	15.41
40 365 GL1	203	28.33	40 385 GL1	206	28.33	40 512 001	211	133.33
40 365 GN1	203	28.33	40 385 GN1	206	28.33	40 513 001	212	53.33
40 366 001	204	32.08	40 386 001	204	40.41	40 514 001	212	54.99
40 366 A01	204	44.99	40 386 DC1	204	52.49	40 535 000	500	59.00
40 366 AL1	204	44.99	40 389 000	41	43.33	40 535 DCO	500	78.00
40 366 BE1	204	44.99	40 390 000	41	46.66	40 536 000	500	54.00
40 366 DA1	204	44.99	40 391 000	41	46.66	40 536 DCO	500	72.00
40 366 DC1	204	41.66	40 392 000	207, 212	24.00	40 537 000	500	68.00
40 366 DL1	204	44.99	40 393 000	207, 212	19.50	40 537 ZB0	500	86.00
40 366 EN1	204	40.83	40 394 001	202, 210	16.66	40 547 001	447	74.99
40 366 GL1	204	44.99	40 394 A01	202	23.33	40 553 000	500	76.00
40 366 GN1	204	44.99	40 394 AL1	202	23.33	40 564 000	750	254.00
40 367 001	206	26.66	40 394 BE1	202	23.33	40 565 000	749	80.00
40 367 A01	206	37.08	40 394 DA1	202	23.33	40 575 001	447	*
40 367 AL1	206	37.08	40 394 DC1	202	21.66	40 578 000	447	*
40 367 BE1	206	37.08	40 394 DL1	202	23.33	40 585 001	216	15.83
40 367 DA1	206	37.08	40 394 EN1	202	23.33	40 621 000	447	28.00
40 367 DC1	206	34.58	40 394 GL1	202	23.33	40 621 DCO	447	*
40 367 DL1	206	37.08	40 394 GN1	202	23.33	40 623 001	212	25.83
40 367 EN1	206	31.66	40 404 001	447	58.33	40 624 001	211	51.66
40 367 GL1	206	37.08	40 405 000	446	29.16	40 625 000	93	133.33
40 367 GN1	206	37.08	40 407 001	207	63.74	40 625 DA0	93	182.50
40 368 001	202, 210	5.58	40 407 DC1	207	82.91	40 625 IGO	93	174.17
40 369 001	202	19.99	40 412 001	447	141.66	40 626 000	92	129.16
40 369 A01	202	28.33	40 421 001	205	32.08	40 626 IGO	92	166.66
40 369 AL1	202	28.33	40 421 A01	205	44.99	40 627 000	92	166.66
40 369 BE1	202	28.33	40 421 AL1	205	44.99	40 627 IGO	92	215.83
40 369 DA1	202	28.33	40 421 BE1	205	44.99	40 628 000	92	158.33

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
40 628 IG0	92	207.50	40 757 001	212	91.66	40 919 SD0	453	14.99
40 629 000	92	174.17	40 758 001	213	137.49	41		
40 629 DA0	92	249.17	40 766 000	198	50.41	41 001 000	740	13.50
40 629 IG0	92	232.50	40 767 000	199	95.83	41 007 000	738	16.50
40 630 000	92	108.33	40 768 000	198	141.66	41 010 000	737	27.00
40 630 DA0	92	149.99	40 775 001	207	62.91	41 015 000	737	39.00
40 630 IG0	92	141.66	40 775 DC1	207	81.66	41 020 000	738	67.00
40 631 000	92	51.24	40 776 001	207	80.83	41 022 000	738	52.00
40 631 A00	92	71.66	40 776 DC1	207	104.16	41 030 000	736	26.00
40 631 BE0	92	71.66	40 777 001	213	78.33	41 033 000	736	39.00
40 631 DA0	92	71.66	40 778 001	213	112.49	41 043 000	737	45.00
40 631 DL0	92	71.66	40 781 000	199	77.08	41 050 000	737	49.00
40 631 GL0	92	71.66	40 782 000	199	26.66	41 070 000	736	30.00
40 631 GN0	92	71.66	40 783 000	198	23.74	41 073 000	736	27.00
40 631 IG0	92	66.66	40 784 000	199	35.83	41 125 000	740	17.50
40 632 000	93	182.50	40 791 001	72, 207	4.99	41 126 000	740	30.00
40 632 IG0	93	240.83	40 791 KS1	72, 207	4.99	41 130 000	737	37.00
40 633 000	93	120.83	40 793 001	205	45.83	41 154 000	737	37.00
40 633 IG0	93	154.16	40 793 DC1	205	59.58	41 190 000	737	33.00
40 652 001	220	19.99	40 794 001	205	54.99	41 206 000		165.00
40 652 EN1	220	28.33	40 794 DC1	205	71.66	41 208 000		164.00
40 653 001	220	32.08	40 795 001	205	67.91	41 212 000		143.00
40 653 EN1	220	40.83	40 795 DC1	205	87.49	41 230 000	740	32.00
40 654 001	221	54.99	40 796 001	205	78.74	41 231 000	740	26.00
40 654 EN1	221	77.08	40 796 DC1	205	104.16	41 238 000	740	25.00
40 655 001	220	19.99	40 797 001	206	141.66	41 239 000	740	23.00
40 655 EN1	220	28.33	40 799 001	206	36.66	41 263 000	734	21.00
40 656 001	221	11.24	40 799 DC1	206	47.91	41 270 000	740	32.00
40 656 EN1	221	15.41	40 800 001	204	108.33	41 275 000	740	37.00
40 657 001	221	23.74	40 800 A01	204	149.99	41 827 000	741	15.00
40 657 EN1	221	33.33	40 800 AL1	204	149.99	42		
40 658 001	221	32.91	40 800 BE1	204	149.99	42 041 000	690	114.00
40 658 EN1	221	46.24	40 800 DA1	204	149.99	42 075 000	686	5.30
40 659 001	222	35.83	40 800 DC1	204	141.66	42 132 000	526, 574	260.00
40 659 EN1	222	46.66	40 800 DL1	204	149.99	42 133 000	574	157.00
40 660 001	221	108.33	40 800 EN1	204	149.99	42 137 000	680	27.00
40 660 EN1	221	149.99	40 800 GL1	204	149.99	42 216 000	663	*
40 661 000		274.17	40 800 GN1	204	149.99	42 229 000	750	102.00
40 661 IG0		357.50	40 802 001	204	54.99	42 233 000	681	9.20
40 663 001	217	44.99	40 802 A01	204	77.08	42 242 000	685	9.60
40 664 001	218	35.83	40 802 AL1	204	77.08	42 253 000	678	52.00
40 666 000	291	*	40 802 BE1	204	77.08	42 265 000	680	*
40 684 000	462	53.00	40 802 DA1	204	77.08	42 271 00M	679	51.00
40 684 DC0	462	*	40 802 DC1	204	71.66	42 297 PI0	678	63.00
40 688 001	203	29.58	40 802 DL1	204	77.08	42 300 000	686	16.50
40 688 AL1	203	41.24	40 802 EN1	204	77.08	42 315 000	683	7.80
40 688 BE1	203	41.24	40 802 GL1	204	77.08	42 320 000	680	40.00
40 688 DA1	203	41.24	40 802 GN1	204	77.08	42 327 000	637, 683	15.50
40 688 DC1	203	38.33	40 804 000	199	265.83	42 333 000	637, 683	18.50
40 688 DL1	203	41.24	40 805 000	198	44.58	42 388 000	512, 526	45.00
40 688 GL1	203	41.24	40 806 000	198	29.58	42 393 000	508, 512	43.00
40 688 GN1	203	41.24	40 807 000	199	149.99	42 397 000	662	8.30
40 689 001	206	23.74	40 808 000	200	129.16	42 408 000	533	14.50
40 689 A01	206	33.33	40 809 000	200	104.16	42 429 000	289	109.00
40 689 AL1	206	33.33	40 824 000	750	18.50	42 459 000	588	*
40 689 BE1	206	33.33	40 841 001	453	*	42 464 000	532, 539	*
40 689 DA1	206	33.33	40 846 001	208	99.99	42 766 000	662	6.80
40 689 DC1	206	30.83	40 847 001	213	129.16	42 773 000	683	8.60
40 689 DL1	206	33.33	40 848 000	446	8.33	42 774 000	681	54.00
40 689 EN1	206	33.33	40 848 SD0	446	12.49	42 791 000		*
40 689 GL1	206	33.33	40 857 000	200	104.16	42 824 000	641	389.00
40 689 GN1	206	33.33	40 865 000	198	35.83	42 886 000	574, 750	21.00
40 691 001	447	58.33	40 867 000	200	40.41	42 901 000	692	299.00
40 694 000	448	24.99	40 868 000	200	32.08	42 902 000	692	316.00
40 754 001	211	32.49	40 870 000	200	9.58	42 946 000	638, 683	20.00
40 755 001	210	32.08	40 899 000	588, 593	35.00			
40 756 001	210	43.33	40 911 000	662, 716	12.50			

GROHE SURVEY OF CONTENTS

Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)	Reference no.	Page	Price netto (€)
43			46 686 000	569	27.00	48 349 000	304, 328	87.00
43 040 000	711	25.00	46 687 000	569	31.00	48 350 000	304, 328	106.00
43 310 000	711	49.00	46 688 000	566	21.00	49		
43 352 000	681	9.80	46 689 000	566	18.00	49 003 000	235	182.00
43 486 000	680	21.00	46 710 000	750	53.00	64		
43 535 000	684, 752	2.90	46 717 000	446	157.00	64 508 001	448	46.00
43 536 000	679	3.20	46 731 000	751	59.00	65		
43 537 000	678	21.00	46 769 000	751	38.00	65 790 000	295	60.00
43 540 000	684, 752	3.50	46 882 00M	587	60.00	65 808 000	750	50.00
43 542 000	684	6.50	46 883 00M	587	111.00	66		
43 544 000	684, 752	10.00	46 884 000	587	91.00	66 791 000	662	9.70
43 545 000	684	15.00	46 901 000	103, 129	53.00			
43 617 000	662, 695	86.00	46 907 000	746	35.00			
43 722 000	684, 752	7.10	46 944 000	593	195.00			
43 733 000	679	3.90	46 956 000	751	*			
43 734 000	685	3.10	46 956 DC0	751	*			
43 735 000	685	2.50	46 977 00M	595	*			
43 745 000	685, 752	4.10	46 978 000	595	*			
43 758 00M	679, 752	23.00	46 979 000	595	*			
43 770 00M	685	7.80	47					
43 812 000		*	47 010 000	747	144.00			
43 813 000	580, 746	152.00	47 019 000	747	467.00			
43 818 000	711	3.40	47 095 000	555	67.00			
43 908 000	681	17.50	47 175 000	747	98.00			
43 957 000	526, 574	181.00	47 186 000	273, 747	93.00			
43 959 000	581	54.00	47 203 000	555	14.00			
43 976 000	685	2.40	47 217 000	747	59.00			
43 977 000	697, 721	210.00	47 310 000	746	103.00			
43 996 000	691	180.00	47 350 000	556	198.00			
43 997 000	691	191.00	47 364 000	747	67.00			
45			47 439 000	747	78.00			
45 058 000	555	70.00	47 450 000	746	77.00			
45 120 000	546	19.00	47 483 000	747	46.00			
45 202 000	279, 747	6.90	47 533 000	546	39.00			
45 203 000	279, 747	13.50	47 569 000	559	569.00			
45 247 000	500	12.00	47 727 000	295	26.00			
45 304 000		26.00	47 732 000		*			
45 342 000	747	23.00	47 733 000		65.00			
45 346 000	747	26.00	47 749 000		58.00			
45 388 000	38, 47	130.00	47 763 000		111.00			
45 406 000	422	7.30	47 764 000		9.40			
45 459 000	422	7.30	47 779 000		*			
45 473 000	80	783.00	47 780 000	272	147.00			
45 562 000	485	32.00	47 781 000	272	161.00			
45 704 000	500, 540	32.00	47 790 000	34, 234	56.00			
45 885 000	747	38.00	47 837 000	290	76.00			
45 914 XE0	421	12.50	47 838 000	291	76.00			
45 937 000	751	8.90	47 867 000	291	76.00			
45 965 000		*	47 868 000	291	76.00			
45 978 000	747	22.00	47 877 000	291	76.00			
45 984 001	39, 56	433.00	47 910 000	291	63.00			
45 992 000		12.49	47 949 000	289	*			
46			47 979 000	550	10.00			
46 048 000	746	43.00	47 994 000	551	6.10			
46 191 000	46, 276	94.00	48					
46 257 000	566	50.00	48 021 000	751	6.20			
46 259 000	566	34.00	48 051 000	383, 422	6.30			
46 277 000	569, 746	8.20	48 053 000	328	93.00			
46 278 000	569, 746	73.00	48 054 000	328	71.00			
46 308 000	746	16.00	48 166 000	751	18.50			
46 343 000	47, 276	264.00	48 189 000	749	17.50			
46 374 000	746	42.00	48 190 000	749	17.50			
46 375 000	746	9.40	48 191 000	749	17.50			
46 580 000	746	40.00	48 297 000	746	48.00			
			48 348 000	291, 304	*			

DISCOVER THE WORLD OF GROHE

What you see here represents just a small selection of what the world of GROHE has to offer. Whether you are looking for ideas and inspiration or solutions for bath and kitchen, here's where you'll find it.

Just scan the QR codes to view the latest brochures as download or PDF on your tablet or smartphone.

OR VISIT THE WORLD OF GROHE AT GROHE.COM




**WATER. INTELLIGENCE. ENJOYMENT.
MAGAZINE**





BATH BROCHURE




CERAMICS BROCHURE




SENSIA ARENA BROCHURE



SANITARY SYSTEMS BROCHURE



KITCHEN BROCHURE



BLUE HOME BROCHURE



A GLOBALLY CONNECTED COMPANY

GROHE IS PART OF LIXIL – A GLOBAL LEADER IN THE HOUSING AND BUILDING INDUSTRY.

Beginning back in early 20th century Japan, LIXIL is today the most comprehensive company in our industry, with a unique portfolio spanning everything from technologies that revolutionize how we interact with water, to a full lineup of interior and exterior materials and products for houses and major architectural projects. Operating in 150 countries, LIXIL companies design and manufacture products that are used by more than a billion people around the world every day.

The world is changing rapidly, and LIXIL companies are helping to shape it. Across our brands and technologies, we design and manufacture tomorrow's living solutions, today. From developing smart innovations in people's homes and offices, to redefining the world's most famous city skylines, LIXIL products are transforming the spaces in which we all work, learn, travel, relax, and live.

Alongside GROHE in LIXIL's family of world-class brands are American Standard, INAX, DXV by American Standard and Permasteelisa. Combined, our brands make us number one in faucets and plumbing-related products worldwide and Japan's premier provider of housing products. We're leading the way in many other areas around the world, thanks to our shared focus on creating innovations that genuinely improve people's lives.

Together we're stronger. Combining our GROHE expertise as a world leader in sanitary fittings with the unique technology and insights from LIXIL's other Water Technology brands, GROHE now offers complete bathroom solutions, featuring innovative products like shower toilets and SmartControl showers, alongside revolutionary technologies such as AquaCeramic sanitaryware that stays clean for 100 years. Beautiful, functional and reliable, LIXIL's products and solutions are changing the way people live, all over the world.

Together, we share a powerful vision of a better tomorrow, for our customers and for the world. As a truly global manufacturing company, we know that we have an important part to play in securing the future of our planet. We're leading the way in areas such as energy efficiency and water saving technology and aim to achieve a net zero environmental footprint by 2030. We believe everyone should have access to clean and safe sanitation, and are committed to using our expertise to help make this possible.

Together we're creating the future of good living for everyone, everywhere.



VISIT US ONLINE


Follow us



QUALITY



TECHNOLOGY



FORTUNE®
CHANGE
THE WORLD
2017

DESIGN

300+
DESIGN AWARDS

SUSTAINABILITY



Winner 2017

From FORTUNE, September 15, 2017. FORTUNE is a registered trademark of Time Inc., used under license. FORTUNE and Time Inc. are not affiliated with, and do not endorse products or services of, GROHE.

PLEASE CONTACT OUR LOCAL OFFICES BELOW:

Grohe AG Reprezentanță
Strada Nicolae Iorga nr. 13,
Corp B, etaj 2
RO - 010432 București
Romania
Tel.: +40 21 212 50 50
Fax: +40 21 212 50 48
info-ro@grohe.com
www.grohe.ro

Grohe Adria d.o.o.
Štefanovečka 10
HR - 10000 Zagreb
Croatia
Tel.: +385 (0)1 29 11 470
Fax: +385 (0)1 29 10 962
adria-hr@grohe.com
www.grohe.hr
www.grohe.si
www.grohe.rs

Grohe AG
Feldmühleplatz 15
D - 40545 Düsseldorf
Germany